

Rapid

Price list Rapid single-axle walk-behind tractors



Reference: New machines

Currency: EUR

Validity: 10.2023 / V17

Table of contents

1 Walk-behind tractors

1.1 Rapid REX	8
1.2 Rapid MONDO M091	14
1.3 Rapid MONDO M141	19
1.4 Rapid KIPOS M141	26
1.5 Rapid URI E041	33
1.6 Rapid SWISS	39
1.7 Rapid MONTA M141	45
1.8 Rapid MONTA S141	50
1.9 Rapid MONTA M161	56
1.10 Rapid MONTA S161	62
1.11 Rapid MONTA M231	69
1.12 Rapid MONTA S231	75
1.13 Rapid VAREA M141	85
1.14 Rapid VAREA S141	90
1.15 Rapid VAREA M161	95
1.16 Rapid VAREA S161	101
1.17 Rapid VAREA M231	109
1.18 Rapid VAREA S231	116
1.19 Rapid ORBITO	126

2 Accessories

2.1 Cutter heads and Rapid finger cutter bars	137
2.2 Cutter heads and ESM landscaping cutter bars	160
2.3 Cutter heads and ESM dual cutter bars	167
2.4 Broad gauge mowers	171
2.5 Compact drive	173
2.6 Pasture harrow	175
2.7 Haymaker	176
2.8 Twister hayrake	180

2.9 Multi-Twister	182
2.10 Round baler	184
2.11 Eco Mulcher	186
2.12 Flail Mower	187
2.13 Rotary tiller	190
2.14 Rotary Harrow	192
2.15 Stone Burier	195
2.16 Levelling harrow	198
2.17 Sweeper	199
2.18 Weed brush	202
2.19 Rotary weed brush	203
2.20 Path maintenance unit	204
2.21 Mini Cargo	205
2.22 Trailer	207
2.23 Container tow arm	209
2.24 Combi spreader	210
2.25 Snowplough	211
2.26 Snow thrower	214
2.27 Snow chains	216

3 Various

3.1 Grass sod cutter	218
3.2 E-Kit	219
3.3 Flexispike for Köppl	220
3.4 Flexispike for Aebi	222

Our core values ensure added value



Rapid machines are developed and manufactured in Switzerland. From design and production right through to assembly, quality assurance and our customer service and spare parts service, we embody the quality for which Switzerland is renowned day in, day out.



Operational safety is very important to us. That is why we use intelligent systems that combine safety with efficiency. Safety consciousness starts right back in the design phase so that when the machine is finally in the hands of the operator, safety is already built in. For us, that is par for the course.



Each Rapid walk-behind tractor is suitable for a variety of applications throughout every season. Because they are multi-purpose, purchase and operating costs can be massively reduced. What's more, they take up less storage space than single-purpose machines. This means your money goes further but you still get to enjoy all the benefits.



Rapid is a leading player in the field of electric single-axle appliances. The custom-developed battery unit and fully electric drive design enable an unprecedented level of high efficiency without an internal combustion engine.




All Rapid walk-behind tractors support continuously variable forward and reverse travel without any need for operating a clutch and shifting gears. Active steering systems ensure optimum handling even when travelling across very steep and challenging terrain. The operator simply uses the rotary grip to issue the desired commands and the machine then carries out the work precisely.



Rapid believes in sustainability and takes care of its natural and human resources accordingly. Whenever possible, we use environmentally friendly materials and work with modern and efficient production facilities. The result: high-quality products that are attuned to people and the environment.



The high performance and superb quality are what make our machines so efficient, whether they are used alone or in combination. And for isolated instances of use or many years of operation. Our core values involve making sure our products are durable and always ready for action.



People in the immediate vicinity of the driven machine can now enjoy a pleasant setting thanks to the massive reduction of noise and vibrations with the elimination of exhaust fumes. This ensures well-being and offers the opportunity to extend the areas of application and working hours.

Manufacturer's address




Rapid Technic AG
Industriestrasse 7
8956 Killwangen
Switzerland

www.rapid.ch
info@rapid.ch
+41 44 743 11 11












Opening hours reception:
Monday to Friday | 07:30 to 11:45 | 13:15 to 17:00

Notes

How to find us




Product range single-axle appliances

	Use in mountain agriculture	Universal and variable use	Use in gardening, landscaping and tillage
23 PS	 <p>MONTA M MONTA S ORBITO 640</p>	 <p>VAREA M VAREA S ORBITO 660</p>	
16 PS	 <p>MONTA M MONTA S</p>	 <p>VAREA M VAREA S</p>	
14 PS	 <p>MONTA M MONTA S</p>	 <p>MONDO VAREA M VAREA S</p>	 <p>KIPOS</p>
9 PS	 <p>SWISS</p>	 <p>MONDO</p>	
7 PS	 <p>REX</p>		
4 kW		 <p>URI</p>	

Rapid REX

Recommended retail price


Basic models

	Art. no.	Description	Power PS / kW	No. cylinders	Ability to handle slopes %	Weight kg	Qty. unit	EUR excl. VAT
	1506	Rapid REX, Type: 1506 Engine: Subaru Robin EX21 (petrol) incl. petrol pump	7 / 5.1	1	120	85	Pce	9,210.00









Standard equipment

Drive	hydrostatic, variable
Speed control	rotary grip Rapid
steering control element	handlebar steering, override option
Control of traction drive and steering	mechanic
Speed forwards	0-7 km/h
Speed backwards	0-4 km/h
Attachment interface	connection flange 52/54mm
Attachment drive	mechanic PTO drive max. 645 rpm
Handlebar height adjustment	grid disk
Handlebar ends	individually adjustable without tools
Specific equipment inclusive	toolbox, crampons
Wheels	obligatory
Max. permissible total width	1,340 mm

Axle extension

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	1527	Wide axle Axle extension 228mm including attachment parts and winding protection for attaching to and detaching from standard axle consists of: 114 mm attachment flange (1498) + winding protection (1528)	Pair	6.4	458.00






Tires ex works

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	258995	Tyres AS 4,00-8 Agricultural, wheel offset: 0mm flange carrier assembled	Pair	9	227.00
	1371	Twin tyres AS 4,00-8 Agricultural, wheel offset: 0mm flange carrier assembled incl. flange	Pair	13	399.00
	1675	Tyres BR 16x6.50-8 Agricultural, wheel offset: 25mm	Pair	15	333.00
	1854	Flexispike 7", 4-r Flexispike with 40 spikes in 4 rows, width 426 mm and press-in depth 58 mm	Pair	43	2,080.00
	1529	Sprocket wheels narrow 8" Width sprocket wheels narrow 120mm, 30 spikes in 2 rows	Pair	19	805.00
	1509	Sprocket wheels 8" Width sprocket wheels narrow: 295mm, 45 sprockets in 3 rows	Pair	29	1,040.00
	1576	Sprocket roll 8" Width sprocket roll 335mm, 30 sprockets in 3 rows	Pair	21	2,080.00
	1732	Sprocket rolls SSP 8" Width of sprocket rolls SSP 8" with steel tips: 335mm, 30 sprockets in 3 rows	Pair	21	2,080.00

Options ex works



	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	259287	Biodegradable hydraulic oil For the hydrostatic travel drive incl. additional hydraulic systems	Pce		275.00

Options

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	273215	Locking lever Locking lever for rotary grip, for locking a certain position of the rotary grip using the thumb ("cruise control" function)	Pce.	0.1	165.00
	271190	LED light 1 lamp incl. fastening material	Pce	0.8	345.00
	271265	Operational hour counter LCD display, with the engine running, the current motor speed display	Pce	0.3	140.00
	271267	Winter plating to reduce carburetor freezing additional assembly	Pce	1.9	309.00
	1528	winding protection Prevents cut grass from being wound up, only possible with wide flange (item no, 1498) and without wheel with tyre	Pair	1.1	144.00

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	1586	Attachment flange 30mm incl. screws, mounted on the sprocket roll	Pair	2.2	248.00
	1369	Attachment flange 60mm	Pair	4.9	223.00
	1498	Attachement flange 114mm	Pair	5.9	316.00
	1699	Lashing flange Attachment points for securing loads, for retrofitting to the walk-behind tractor with the wheel nuts; primarily for rubber-tire wheels, limited use with various wheel combinations and sprocket wheels/rolls	Pair	1.5	110.00

Rapid REX – Wheels and wheel combinations





Total width (walk-behind tractor)		Gap between wheels	Art. no.			Gap between wheels	Total width (walk-behind tractor)
Accessories	Wheels	Accessories	Accessories	Wheels	Accessories	Accessories	Wheels

Total width (walk-behind tractor)		Gap between wheels	Art. no.			Gap between wheels	Total width (walk-behind tractor)
Accessories	Wheels	Accessories	Accessories	Wheels	Accessories	Accessories	Wheels

AS 4.00-8		670 mm			258995		670 mm
AS 4.00-8 AS 4.00-8		936 mm	25 mm	1369	258995 1371	1369	25 mm 936 mm
AS 4.00-8 AS 4.00-8		1044 mm	79 mm	1498	258995 1371	1498	79 mm 1044 mm
AS 4.00-8 sproket wheel narrow 8"		910 mm		1498	258995 1529	1498	910 mm
AS 4.00-8 sproket wheel 8"		1260 mm		1498	258995 1509	1498	1260 mm
AS 4.00-8 sproket roll 8"		1340 mm		1498	258995 1576	1498	1340 mm

BR 16x6.50-8					1675		780 mm
BR 16x6.50-8 AS 4.00-8					1675 1371	1498	30 mm 1040 mm
BR 16x6.50-8 sproket wheel narrow 8"					1675 1529	1586 1498	1020 mm

Rapid REX – Wheels and wheel combinations




		Total width (walk-behind tractor)		Art. no.			Total width (walk-behind tractor)	
		Gap between wheels	Gap between wheels	Accessories	Wheels	Accessories	Gap between wheels	Gap between wheels
Flexispike 7", 4-r					1854		1302mm	
sprocket wheel narrow 8"					1529		670 mm	
						1527	898 mm	
sprocket wheel wide 8"					1509		1020 mm	
						1527	1248 mm	
sprocket roll 8"					1576		1100 mm	
						1527	1328 mm	

Rapid MONDO M091

Recommended retail price

Basic models






	Art. no.	Description	Power PS / kW	No. cylinders	Ability to handle slopes %	Weight kg	Qty. unit	EUR excl. VAT
	261600	Rapid MONDO M091, Type 1550 Walk-behind tractor with differential axle, Robin Subaru EX27 engine	9 / 6.6	1	80	124	Pce	8,020.00
	261602	Rapid MONDO EST M091, Type 1550 Walk-behind tractor with differential axle, Robin Subaru EX27 EST engine (incl. electric starter)	9 / 6.6	1	80	135	Pce	9,085.00

Standard equipment

Drive	hydrostatic, variable
Speed control	rotary grip Rapid
steering control element	differential, differential lock
Control of traction drive and steering	mechanic
Speed forwards	0-6 km/h
Speed backwards	0-3.6 km/h
Free-wheel mechanism	hydraulic
Attachment interface	connection flange 52/54mm
Attachment drive	mechanic PTO drive max. 900 rpm
Handlebar height adjustment	10 positions
Handlebar lateral adjustment	swivel- / rotatable, lockable in 6 positions
Wheels	obligatory
Max. permissible total width	1,670 mm

Tires ex works








	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	260760	Tyres AS 4,00-10 Agricultural, wheel offset: 44mm	Pair	20	305.00
	1387	Twin tyres AS 4,00-10 wheel offset: 44mm flange carrier assembled	Pair	19	498.00
	270346	Tyres BR 18x9,50-8 Agricultural - broad gauge, wheel offset: 32mm	Pair	21	600.00
	261330	Tyres RB 18x7,00-8 Turf-profil wide-base, wheel offset: 0mm	Pair	20	410.00
	261335	Tyres RB 4,00-10 Turf-profil wide-base, wheel offset: 44mm	Pair	13	339.00
	258996	Tyres AS 5,00-10 Agricultural, wheel offset: 44mm	Pair	19	510.00
	261344	Tyres RB 20x8,00-10 Turf-profil, wheel offset: 0mm	Pair	19	437.00







	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	1852	Flexispike 9", 4-r Flexispike with 40 spikes in 4 rows, width 436 mm and press-in depth 70 mm	Pair	53	2,405.00
	1581	Sprocket wheels narrow 10" Width sprocket wheel 145mm, 30 sprockets in 2 rows Obligatory for SWISS without axle extension: distance disk ø140/10 mm (art. no. 1517)	Pair	28	905.00
	1515	Sprocket wheels 10" Width sprocket wheels narrow 343mm, 45 sprockets in 3 rows Obligatory for SWISS without axle extension: distance disk ø140/10 mm (art. no. 1517)	Pair	43	1,245.00
	1577	Sprocket roll 10" Width sprocket roll 340mm, 33 sprockets in 3 rows Obligatory for SWISS without axle extension: distance disk ø140/10 mm (art. no. 1517)	Pair	23	2,405.00
	1733	Sprocket rolls SSP 10" Width of sprocket rolls SSP 10" with steel tips: 340mm, 33 sprockets in 3 rows Obligatory for SWISS without axle extension: distance disk ø140/10 mm (art. no. 1517)	Pair	23	2,405.00

Options ex works

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	259287	Biodegradable hydraulic oil For the hydrostatic travel drive incl. additional hydraulic systems	Pce		275.00

Options


	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	273215	Locking lever Locking lever for rotary grip, for locking a certain position of the rotary grip using the thumb ("cruise control" function)	Pce.	0.1	165.00
	261437	LED light 1 lamp incl. fastening material; for MONDO models up to november 2021 (serial number 10022807)	Pce	0.7	345.00
	272185	LED lights 1 lamp, including attachment parts; for MONDO models as of January 2022	Pce	0.9	345.00
	261365	Operational hour counter LCD display with the engine running, the current motor speed display	Pce	2	140.00
	269670	Battery charger With charging cable, charging of the built-in battery via a 12 Volt connection, with floating charge function (for winter months)	Pce	0.4	210.00
	261355	Winter plating to reduce carburetor freezing additional assembly	Pce	2	176.00
	261254	Stationary operation to operate the PTO shaft without pressing the dead man handle	Pce	0.2	235.00

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	261349	Weight rack without ballast weights max. 3 ballast weights (art. no. 259686) mountable	Pce	5.9	263.00
	259686	Ballast weight, 8,5kg stackable to weight rack	Pce	8.5	92.00
	1369	Attachment flange 60mm	Pair	4.9	223.00
	1516	Attachement flange 114mm	Pair	6.1	298.00
	1498	Attachement flange 114mm	Pair	5.9	316.00
	1699	Lashing flange Attachment points for securing loads, for retrofitting to the walk-behind tractor with the wheel nuts; primarily for rubber-tire wheels, limited use with various wheel combinations and sprocket wheels/rolls	Pair	1.5	110.00

Rapid MONDO M141

Recommended retail price

Basic models









	Art. no.	Description	Power PS / kW	No. cylinders	Ability to handle slopes %	Weight kg	Qty. unit	EUR excl. VAT
	261601	Rapid MONDO M141, Type 1550 Walk-behind tractor with differential axle, Robin Subaru EX40 engine	14 / 10.3	1	80	136	Pce	10,630.00



Standard equipment

Drive	hydrostatic, variable
Speed control	rotary grip Rapid
steering control element	differential, differential lock
Control of traction drive and steering	mechanic
Speed forwards	0-6 km/h
Speed backwards	0-3.6 km/h
Free-wheel mechanism	hydraulic
Attachment interface	connection flange 52/54mm
Attachment drive	mechanic PTO drive max. 900 rpm
Handlebar height adjustment	8 positions
Handlebar lateral adjustment	swivel- / rotatable, lockable in 6 positions
Specific equipment inclusive	operational hour counter
Wheels	obligatory
Max. permissible total width	1,670 mm


Tires ex works

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	260760	Tyres AS 4,00-10 Agricultural, wheel offset: 44mm	Pair	20	305.00

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	1387	Twin tyres AS 4,00-10 wheel offset: 44mm flange carrier assembled	Pair	19	498.00
	270346	Tyres BR 18x9,50-8 Agricultural - broad gauge, wheel offset: 32mm	Pair	21	600.00
	261330	Tyres RB 18x7,00-8 Turf-profil wide-base, wheel offset: 0mm	Pair	20	410.00
	261335	Tyres RB 4,00-10 Turf-profil wide-base, wheel offset: 44mm	Pair	13	339.00
	258996	Tyres AS 5,00-10 Agricultural, wheel offset: 44mm	Pair	19	510.00
	261344	Tyres RB 20x8,00-10 Turf-profil, wheel offset: 0mm	Pair	19	437.00
	1852	Flexispike 9", 4-r Flexispike with 40 spikes in 4 rows, width 436 mm and press-in depth 70 mm	Pair	53	2,405.00
	1581	Sprocket wheels narrow 10" Width sprocket wheel 145mm, 30 sprockets in 2 rows Obligatory for SWISS without axle extension: distance disk ø140/10 mm (art. no. 1517)	Pair	28	905.00









	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	1515	Sprocket wheels 10" Width sprocket wheels narrow 343mm, 45 sprockets in 3 rows Obligatory for SWISS without axle extension: distance disk ø140/10 mm (art. no. 1517)	Pair	43	1,245.00
	1577	Sprocket roll 10" Width sprocket roll 340mm, 33 sprockets in 3 rows Obligatory for SWISS without axle extension: distance disk ø140/10 mm (art. no. 1517)	Pair	23	2,405.00
	1733	Sprocket rolls SSP 10" Width of sprocket rolls SSP 10" with steel tips: 340mm, 33 sprockets in 3 rows Obligatory for SWISS without axle extension: distance disk ø140/10 mm (art. no. 1517)	Pair	23	2,405.00




Options ex works

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	259287	Biodegradable hydraulic oil For the hydrostatic travel drive incl. additional hydraulic systems	Pce		275.00

Options


	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	273215	Locking lever Locking lever for rotary grip, for locking a certain position of the rotary grip using the thumb ("cruise control" function)	Pce.	0.1	165.00
	261437	LED light 1 lamp incl. fastening material; for MONDO models up to november 2021 (serial number 10022807)	Pce	0.7	345.00

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	272185	LED lights 1 lamp, including attachment parts; for MONDO models as of January 2022	Pce	0.9	345.00
	261604	Electric starter Compatible with 14 HP engines, with battery box, wiring harness and ignition switch	Pce	11	1,550.00
	269670	Battery charger With charging cable, charging of the built-in battery via a 12 Volt connection, with floating charge function (for winter months)	Pce	0.4	210.00
	266905	Winter plating to reduce carburetor freezing, compatible with 14HP engine	Pce	1	259.00
	261254	Stationary operation to operate the PTO shaft without pressing the dead man handle	Pce	0.2	235.00
	261349	Weight rack without ballast weights max. 3 ballast weights (art. no. 259686) mountable	Pce	5.9	263.00
	259686	Ballast weight, 8,5kg stackable to weight rack	Pce	8.5	92.00
	1369	Attachment flange 60mm	Pair	4.9	223.00



	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	1516	Attachement flange 114mm	Pair	6.1	298.00
	1498	Attachement flange 114mm	Pair	5.9	316.00
	1699	Lashing flange Attachment points for securing loads, for retrofitting to the walk-behind tractor with the wheel nuts; primarily for rubber-tire wheels, limited use with various wheel combinations and sprocket wheels/rolls	Pair	1.5	110.00

Rapid MONDO – Wheels and wheel combinations

Wheel position
«narrow»
(offset)




Wheel position
«wide»
(offset)





Wheel designation	Wheel image/ symbol	Total width (walk-behind tractor)	Gap between wheels	Art. no.			Gap between wheels	Total width (walk-behind tractor)
				Accessories	Wheels	Accessories		
AS 4.00-10		647 mm			260760			813 mm
AS 4.00-10 AS 4.00-10		907 mm	20 mm	1369	260760 1387	1369	20 mm	1073 mm
AS 4.00-10 AS 4.00-10		1015 mm	74 mm	1498	260760 1387	1498	74 mm	1181 mm
AS 4.00-10 sprocket wheel narrow 10"					260760 1581	1369		1103 mm
AS 4.00-10 sprocket wheel 10"		1333 mm		1498	260760 1515	1516 1369		1499 mm
AS 4.00-10 sprocket roll 10"		1327 mm		1498	260760 1577	1516 1369		1493 mm

Wheel position
«narrow»
(offset)




Wheel position
«wide»
(offset)





Wheel designation	Wheel image/ symbol	Total width (walk-behind tractor)	Gap between wheels	Art. no.			Gap between wheels	Total width (walk-behind tractor)
				Accessories	Wheels	Accessories		
BR +18x9.50-8					270346			920 mm
BR 18x9.50-8 AS 4.00-10					270346 1387	1498	20 mm	1180 mm
BR 18x9.50-8 sprocket wheel narrow 10"					270346 1581	1498		1210 mm
18x9.50-8 sprocket wheel 10"					270346 1515	1498 1516		1606 mm
BR 18x9.50-8 sprocket roll 10"					270346 1577	1498 1516		1600 mm
AS 5.00-10		680 mm			258996			846 mm

Rapid MONDO – Wheels and wheel combinations

Wheel position
«narrow»
(offset)




Wheel position
«wide»
(offset)





Wheel designation	Wheel image/ symbol	Total width (walk-behind tractor)	Gap between wheels	Art. no.			Gap between wheels	Total width (walk-behind tractor)
				Accessories	Wheels	Accessories		
RB 4.00-10		647 mm			261335		813 mm	
RB 18x7.00-8		796 mm			261330		796 mm	
RB 20x8.00-10		795 mm			261344		795 mm	

Wheel position
«narrow»
(offset)



Wheel position
«wide»
(offset)




Wheel designation	Wheel image/ symbol	Total width (walk-behind tractor)	Gap between wheels	Art. no.			Gap between wheels	Total width (walk-behind tractor)
				Accessories	Wheels	Accessories		
Flexispike 9", 4-r					1852		1352mm	
sproket wheel narrow 10"					1581		992mm	
sproket wheel 10"					1515		1158mm	
sprocket roll 10"					1577		1152mm	

Rapid KIPOS M141

Recommended retail price

Basic models

	Art. no.	Description	Power PS / kW	No. cylinders	Ability to handle slopes %	Weight kg	Qty. unit	EUR excl. VAT
	273000	Rapid KIPOS M141; Type 1685 Engine: Robin EX40 (petrol)	14 / 10.3	1	60	160	Pce	10,630.00

Standard equipment

Drive	hydrostatic, variable
Speed control	rotary grip Rapid
steering control element	differential, differential lock
Control of traction drive and steering	mechanic
Speed forwards	0-6 km/h
Speed backwards	0-3.6 km/h
Free-wheel mechanism	hydraulic
Attachment interface	connection flange 52/54mm
Attachment drive	mechanic PTO drive max. 1000 rpm
Handlebar height adjustment	11 positions
Handlebar lateral adjustment	swivel- / rotatable, lockable in 6 positions
Handlebar ends	foldable
Specific equipment inclusive	Locking lever, operational hour counter, toolbox, Engine protection console
Wheels	obligatory
Max. permissible total width	1,600 mm









Axle extension

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	273070	Axle extension 170 mm Widening for subsequent mounting on standard axle	Pce	5.7	270.00


	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	273071	Axle extension 340 mm Widening for subsequent mounting on standard axle	Pce	11.4	490.00

Tires ex works






	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	258996	Tyres AS 5,00-10 Agricultural, wheel offset: 44mm	Pair	19	510.00
	1696	Tyres BR 21x11.00-10 Agricultural - broad gauge (270/50-10), wheel offset: 66mm	Pair	25	661.00
	261344	Tyres RB 20x8,00-10 Turf-profil, wheel offset: 0mm	Pair	19	437.00
	258998	Tyres AS 6,00-12 Agricultural, wheel offset: 40mm	Pair	25	653.00
	258720	Tyres BR 23x8,50-12 Agricultural - broad gauge, wheel offset: 15mm	Pair	30	661.00
	259366	Tyres BR 23x10,50-12 Agricultural, wheel offset: 15mm	Pair	36	889.00








	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	258655	Tyres RB 23x8,50-12 Turf-profil wide-base, wheel offset: 24mm	Pair	29	717.00
	1852	Flexispike 9", 4-r Flexispike with 40 spikes in 4 rows, width 436 mm and press-in depth 70 mm	Pair	53	2,405.00
	1582	Sprocket wheels narrow 10" Width sprocket wheel 143mm, 30 sprockets in 2 rows	Pair	29	1,150.00
	1583	Sprocket wheels 10" Width sprocket wheel 378mm, 45 sprockets in 3 rows	Pair	42	1,455.00
	1587	Sprocket roll 10" Width sprocket roll 441mm, 52 sprockets in 4 rows	Pair	23	2,960.00
	1734	Sprocket rolls SSP 10" Width of sprocket rolls SSP 10" with steel tips: 441 mm, 52 sprockets in 4 rows	Pair	23	2,960.00
	1849	Flexispike 11", 4-r Flexispike with 48 spikes in 4 rows, width 436 mm and press-in depth 85 mm	Pair	73	2,960.00
	1848	Flexispike 11", 5-r Flexispike with 60 spikes in 5 rows, width 529 mm and press-in depth 85 mm	Pair	82	3,515.00

Options ex works

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	259287	Biodegradable hydraulic oil For the hydrostatic travel drive incl. additional hydraulic systems	Pce		275.00


Options


	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	273210	Engine protection bracket Start-up protection to prevent damage to the combustion engine	Pce	4.7	215.00
	273175	Parking support For parking and transporting the single-axle walk-behind tractor without attachment	Pce	1.4	130.00
	273160	Extension piece Dimension 52/54 mm, increases the distance between the attachment and the basic machine by 85 mm	Pce	2.75	462.00
	261604	Electric starter Compatible with 14 HP engines, with battery box, wiring harness and ignition switch	Pce	11	1,550.00
	272185	LED lights 1 lamp, including attachment parts; for MONDO models as of January 2022	Pce	0.9	345.00

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	267365	Adjustable plate, complete Adjusting plate for weight rack, if the weight rack base support is already mounted. For MONTA 161/231, VAREA 161/231 models if oil cooler (Art. No. 269690 or 269780) is already mounted and generally for ORBITO 660 and KIPOS M141 Does not include ballast weights, max. 5 ballast weights (Art. No. 259686)	Pce	2.7	130.00
	266905	Winter plating to reduce carburetor freezing, compatible with 14HP engine	Pce	1	259.00
	259686	Ballast weight, 8,5kg stackable to weight rack	Pce	8.5	92.00
	1517	Distance disk ø140/10mm	Pair	1.9	63.00
	7321	Attachment flange 130mm clearance: 25mm	Pair	12	583.00
	7323	Attachment flange 186mm clearance: 81mm	Pair	16	628.00
	1699	Lashing flange Attachment points for securing loads, for retrofitting to the walk-behind tractor with the wheel nuts; primarily for rubber-tire wheels, limited use with various wheel combinations and sprocket wheels/rolls	Pair	1.5	110.00


Rapid KIPOS – Wheels and wheel combinations

Wheel position
«narrow»
(offset)







Wheel position
«wide»
(offset)



Axle extension
170 mm


Axle extension
340 mm











Art. no.


Accessories	Wheels	Accessories
273070	258996	273070
273071		273071
7323		7323
273070	258996	273070
7323	258996	7323
273071		273071
7323		7323




Wheel designation	Wheel image/ symbol	Wheel position «narrow» (offset)		Art. no.			Wheel position «wide» (offset)	
		Total width (walk-behind tractor)	Gap between wheels	Accessories	Wheels	Accessories	Gap between wheels	Total width (walk-behind tractor)
AS 5.00-10		510 mm						676 mm
		680 mm		273070	258996	273070		846 mm
		850 mm		273071		273071		1016 mm
AS 5.00-10 AS 5.00-10		940 mm		7323		7323		1120 mm
		1110 mm		273070	258996	273070		1290 mm
		1280 mm		7323	258996	7323		1460 mm
AS 5.00-10 sproket wheel narrow 10"						7321		964 mm
					258996	273070		1134 mm
					1582	7321		1304 mm
AS 5.00-10 sproket wheel 10"						7323		1434 mm
					258996			
					1583			
AS 5.00-10 sproket roll 10"						7323		1560 mm
					258996			
					1587			

Wheel position
«narrow»
(offset)







Wheel position
«wide»
(offset)



Axle extension
170 mm


Axle extension
340 mm











Art. no.

Accessories	Wheels	Accessories
	1696	273070
		273071



Wheel designation	Wheel image/ symbol	Wheel position «narrow» (offset)		Art. no.			Wheel position «wide» (offset)	
		Total width (walk-behind tractor)	Gap between wheels	Accessories	Wheels	Accessories	Gap between wheels	Total width (walk-behind tractor)
BR 21x11.00-10								830 mm
					1696	273070		1000 mm
						273071		1170 mm
RB 20x8.00-10		628 mm						628 mm
		798 mm		273070	261344	273070		798 mm
		968 mm		273071		273071		968 mm
AS 6.00-12		538 mm		1517				688 mm
		688 mm		273070	258998	273070		858 mm
		858 mm		273071		273071		1028 mm
BR 23x8.50-12		623 mm		1517				693 mm
		793 mm		273070	258720	273070		863 mm
		963 mm		273071		273071		1033 mm
RB 23x8.50-12		623 mm						693 mm
		793 mm		273070	258655	273070		863 mm
		963 mm		273071		273071		1033 mm
BR 23x10.50-12								728 mm
					259366	273070		898 mm
						273071		1068 mm

Rapid KIPOS – Wheels and wheel combinations

Wheel position «narrow» (offset)

Wheel position «wide» (offset)

Axle extension 170 mm

Axle extension 340 mm

Wheel designation	Wheel image/ symbol	Total width (walk-behind tractor)	Gap between wheels	Art. no.			Gap between wheels	Total width (walk-behind tractor)
				Accessories	Wheels	Accessories		
Flexispike 9", 4-r					1852			1180 mm
						273070		1350 mm
						273071		1520 mm
sproket wheel 10" narrow		548 mm			1582			648 mm
		718 mm		273070		273070		818 mm
		888 mm		273071		273071		988 mm
sproket wheel 10"					1583			1024 mm
						273070		1194 mm
						273071		1364 mm
sprocket roll 10"					1587			1150 mm
						273070		1320 mm
						273071		1490 mm
Flexispike 11", 4-r					1849			1150 mm
						273070		1320 mm
						273071		1490 mm
Flexispike 11", 5-r					1848			1336 mm
						273070		1506 mm

Rapid URI E041

Recommended retail price

Basic models








	Art. no.	Description	Power PS / kW	Ability to handle slopes %	Weight kg	Qty. unit	EUR excl. VAT
	272000	Rapid URI E041, Typ: 1825 Walk-behind tractor with fully electric drive concept, 4.2 kW system output, with interchangeable battery system, excl. battery and charger	4.2 kW	60	116	Pce	12,200.00



Standard equipment

Drive	electric, variable
Speed control	rotary grip Rapid
steering control element	differential, differential lock
Control of traction drive and steering	mechanic
Speed forwards	0-8 km/h
Speed backwards	0-3.6 km/h
Free-wheel mechanism	mechanic
Attachment interface	connection flange 52/54mm
Attachment drive	mechanic PTO drive 500-950 rpm
Handlebar height adjustment	10 positions
Handlebar lateral adjustment	swivel- / rotatable, lockable in 6 positions
Handlebar ends	foldable
Specific equipment inclusive	operational hour counter, second deadman function
Wheels	obligatory
Max. permissible total width	1,200 mm





Tires ex works









	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	260760	Tyres AS 4,00-10 Agricultural, wheel offset: 44mm	Pair	20	305.00

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	1387	Twin tyres AS 4,00-10 wheel offset: 44mm flange carrier assembled	Pair	19	498.00
	270346	Tyres BR 18x9,50-8 Agricultural - broad gauge, wheel offset: 32mm	Pair	21	600.00
	261330	Tyres RB 18x7,00-8 Turf-profil wide-base, wheel offset: 0mm	Pair	20	410.00
	261335	Tyres RB 4,00-10 Turf-profil wide-base, wheel offset: 44mm	Pair	13	339.00
	258996	Tyres AS 5,00-10 Agricultural, wheel offset: 44mm	Pair	19	510.00
	261344	Tyres RB 20x8,00-10 Turf-profil, wheel offset: 0mm	Pair	19	437.00
	1581	Sprocket wheels narrow 10" Width sprocket wheel 145mm, 30 sprockets in 2 rows Obligatory for SWISS without axle extension: distance disk ø140/10 mm (art. no. 1517)	Pair	28	905.00
	1515	Sprocket wheels 10" Width sprocket wheels narrow 343mm, 45 sprockets in 3 rows Obligatory for SWISS without axle extension: distance disk ø140/10 mm (art. no. 1517)	Pair	43	1,245.00

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	1577	Sprocket roll 10" Width sprocket roll 340mm, 33 sprockets in 3 rows Obligatory for SWISS without axle extension: distance disk ø140/10 mm (art. no. 1517)	Pair	23	2,405.00
	1733	Sprocket rolls SSP 10" Width of sprocket rolls SSP 10" with steel tips: 340mm, 33 sprockets in 3 rows Obligatory for SWISS without axle extension: distance disk ø140/10 mm (art. no. 1517)	Pair	23	2,405.00


Options

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	272205	Battery 48V / 60AH Li-Ion battery 48V / 60AH with 2.9kWh capacity, housing with gripping handles, charge level and voltage indication, ON/OFF switch, excl. advanced battery disposal fee Dangerous Goods ADR UN3480, Lithium-Ion Battery Cl.9, (E), 20,5 kg each Total 61,5 ADR points according to ADR 1.1.3.6.3	Pce	22	2,500.00
	272210	Battery charger 48V / 10A Battery charger 48V / 10A with cable for Schuko plug type F, cable for T23 (Swiss sockets), for sockets with mains voltage of 230V and 10A fuse, charging time approx. 6 hours	Pce	1.3	287.00
	272207	Quick charger 48V / 30A Quick charger 48V / 30A with Schuko plug type F, incl. adapter to T23 (for CH sockets), for sockets with mains voltage 230 V and fuse 16 A, charging time approx. 2 h Note: Requires an electrical installation/socket with a 16 A fuse	Pce	4	451.00
	272185	LED lights 1 lamp, including attachment parts; for MONDO models as of January 2022	Pce	0.9	345.00

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	272170	Fan For active heat dissipation at the electrical components, recommended with high traction or PTO drive load	Pce	0.6	336.00
	272180	Weight rack Position adjustable, without ballast weights max. 4 ballast weights (art. no. 259686) can be fitted	Pce	6.4	263.00
	259686	Ballast weight, 8,5kg stackable to weight rack	Pce	8.5	92.00
	1517	Distance disk ø140/10mm	Pair	1.9	63.00
	1369	Attachment flange 60mm	Pair	4.9	223.00
	1498	Attachement flange 114mm	Pair	5.9	316.00
	1586	Attachment flange 30mm incl. screws, mounted on the sprocket roll	Pair	2.2	248.00
	1699	Lashing flange Attachment points for securing loads, for retrofitting to the walk-behind tractor with the wheel nuts; primarily for rubber-tire wheels, limited use with various wheel combinations and sprocket wheels/rolls	Pair	1.5	110.00

Rapid URI – Wheels and wheel combinations

Wheel position
«narrow»
(offset)



Wheel position
«wide»
(offset)




Total width
(walk-behind
tractor)

Gap
between
wheels

Art. no.

Accessories Wheels Accessories



Gap
between
wheels

Total width
(walk-behind
tractor)

Art. no.

Accessories Wheels Accessories




Gap
between
wheels

Total width
(walk-behind
tractor)

		Total width (walk-behind tractor)	Gap between wheels	Accessories	Wheels	Accessories	Gap between wheels	Total width (walk-behind tractor)
AS 4.00-10		647 mm			260760			813 mm
AS 4.00-10 AS 4.00-10		907 mm	20 mm	1369	260760 1387	1369	20 mm	1073 mm
AS 4.00-10 AS 4.00-10		1015 mm	74 mm	1498	260760 1387	1498	74 mm	1181 mm
AS 4.00-10 sproket wheel narrow 10"					260760 1581	1369		1103 mm

Wheel position
«narrow»
(offset)



Wheel position
«wide»
(offset)



Total width
(walk-behind
tractor)

Gap
between
wheels

Art. no.

Accessories Wheels Accessories




Gap
between
wheels

Total width
(walk-behind
tractor)


		Total width (walk-behind tractor)	Gap between wheels	Accessories	Wheels	Accessories	Gap between wheels	Total width (walk-behind tractor)
BR 18x9.50-8					270346			920 mm
BR 18x9.50-8 AS 4.00-10					270346 1387	1498	20 mm	1180 mm
BR 18x9.50-8 sproket wheel narrow 10"					270346 1581	1498		1210 mm
AS 5.00-10		680 mm			258996			846 mm

Rapid URI – Wheels and wheel combinations

Wheel position
«narrow»
(offset)



Wheel position
«wide»
(offset)




Art. no.

		Total width (walk-behind tractor)		Art. no.			Total width (walk-behind tractor)	
		Gap between wheels	Accessories	Wheels	Accessories	Gap between wheels	Accessories	
RB 4.00-10		647 mm		261335		813 mm		
RB 18x7.00-8		796 mm		261330		796 mm		
RB 20x8.00-10		795 mm		261344		795 mm		
sprocket wheel narrow 10"				1581	1517	992 mm		
sprocket wheel 10"				1515	1517	1158 mm		
sprocket roll 10"				1577	1517	1152 mm		

Rapid SWISS

Recommended retail price


Basic models

	Art. no.	Description	Power PS / kW	No. cylinders	Ability to handle slopes %	Weight kg	Qty. unit	EUR excl. VAT
	1520	Rapid SWISS, Type: 1520 Engine: Subaru Robin EX27 (petrol) incl. petrol pump	9 / 6.6	1	100	116	Pce	12,520.00

Standard equipment



Drive	hydrostatic, variable
Speed control	rotary grip Rapid
steering control element	handlebar steering, override option
Control of traction drive and steering	mechanic
Speed forwards	0-7 km/h
Speed backwards	0-4 km/h
Free-wheel mechanism	mechanic, towable
Attachment interface	connection flange 78/80mm
Attachment drive	mechanic PTO drive max. 850 rpm
Handlebar height adjustment	3 positions
Handlebar ends	individually adjustable without tools
Specific equipment inclusive	toolbox
Wheels	obligatory
Max. permissible total width	1,600 mm

Axle extension

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	1526	Wide axle Axle extension 228mm including attachment parts and winding protection for attaching to and detaching from standard axle consists of: 114 mm attachment flange (1498) + winding protection (1528) + Distance disk ø140/10mm (1517)	Pair	7.9	520.00

Tires ex works




	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	260760	Tyres AS 4,00-10 Agricultural, wheel offset: 44mm	Pair	20	305.00
	1387	Twin tyres AS 4,00-10 wheel offset: 44mm flange carrier assembled	Pair	19	498.00
	270346	Tyres BR 18x9,50-8 Agricultural - broad gauge, wheel offset: 32mm	Pair	21	600.00
	261335	Tyres RB 4,00-10 Turf-profil wide-base, wheel offset: 44mm	Pair	13	339.00
	1852	Flexispike 9", 4-r Flexispike with 40 spikes in 4 rows, width 436 mm and press-in depth 70 mm	Pair	53	2,405.00
	1581	Sprocket wheels narrow 10" Width sprocket wheel 145mm, 30 sprockets in 2 rows Obligatory for SWISS without axle extension: distance disk ø140/10 mm (art. no. 1517)	Pair	28	905.00
	1515	Sprocket wheels 10" Width sprocket wheels narrow 343mm, 45 sprockets in 3 rows Obligatory for SWISS without axle extension: distance disk ø140/10 mm (art. no. 1517)	Pair	43	1,245.00









	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	1577	Sprocket roll 10" Width sprocket roll 340mm, 33 sprockets in 3 rows Obligatory for SWISS without axle extension: distance disk ø140/10 mm (art. no. 1517)	Pair	23	2,405.00
	1733	Sprocket rolls SSP 10" Width of sprocket rolls SSP 10" with steel tips: 340mm, 33 sprockets in 3 rows Obligatory for SWISS without axle extension: distance disk ø140/10 mm (art. no. 1517)	Pair	23	2,405.00

Options ex works



	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	259287	Biodegradable hydraulic oil For the hydrostatic travel drive incl. additional hydraulic systems	Pce		275.00

Options

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	273215	Locking lever Locking lever for rotary grip, for locking a certain position of the rotary grip using the thumb ("cruise control" function)	Pce.	0.1	165.00
	269430	LED light 1 lamp incl. fastening material Compatible to Rapid MONTA M-model, VAREA M-model, SWISS from serial number 10016023	Pce	0.7	345.00
	261365	Operational hour counter LCD display with the engine running, the current motor speed display	Pce	2	140.00

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	261355	Winter plating to reduce carburetor freezing additional assembly	Pce	2	176.00
	257410	Counterbalance system to balance divers accessories	Pce	2.3	371.00
	1528	winding protection Prevents cut grass from being wound up, only possible with wide flange (item no, 1498) and without wheel with tyre	Pair	1.1	144.00
	1517	Distance disk ø140/10mm	Pair	1.9	63.00
	1369	Attachment flange 60mm	Pair	4.9	223.00
	1498	Attachement flange 114mm	Pair	5.9	316.00
	1516	Attachement flange 114mm	Pair	6.1	298.00
	1699	Lashing flange Attachment points for securing loads, for retrofitting to the walk-behind tractor with the wheel nuts; primarily for rubber-tire wheels, limited use with various wheel combi- nations and sprocket wheels/rolls	Pair	1.5	110.00


Rapid SWISS – Wheels and wheel combinations










				Art. No.				
		Total width (walk-behind tractor)	Gap between wheels	Accessories	Wheels	Accessories	Gap between wheels	Total width (walk-behind tractor)
AS 4.00-10		640 mm			260760			810 mm
AS 4.00-10 AS 4.00-10		900 mm	20 mm	1369	260760 1387	1369	20 mm	1070 mm
AS 4.00-10 AS 4.00-10		1008 mm	74 mm	1498	260760 1387	1498	74 mm	1178 mm
AS 4.00-10 sprocket wheel narrow 10"					260760 1581	1369		1100 mm
AS 4.00-10 sprocket wheel 10"		1326 mm		1498	260760 1515	1516 1369		1496 mm
AS 4.00-10 sprocket roll 10"		1320 mm		1498	260760 1577	1516 1369		1490 mm

				Art. No.				
		Total width (walk-behind tractor)	Gap between wheels	Accessories	Wheels	Accessories	Gap between wheels	Total width (walk-behind tractor)
BR 18x9.50-8					270346			910 mm
BR 18x9.50-8 AS 4.00-10					270346 1387	1498	20 mm	1170 mm
BR 18x9.50-8 sprocket wheel narrow 10"					270346 1581	1498		1200 mm
BR 18x9.50-8 sprocket wheel 10"					270346 1515	1516 1498		1596 mm
BR 18x9.50-8 sprocket roll 10"					270346 1577	1516 1498		1590 mm
4.00-10 RB		640 mm			261335			810 mm

Rapid SWISS – Wheels and wheel combinations




				Art. No.				
		Total width (walk-behind tractor)	Gap between wheels	Accessories	Wheels	Accessories	Gap between wheels	Total width (walk-behind tractor)
Flexispike 9", 4-r					1852			1336mm
sprocket wheel narrow 10"					1517			982mm
					1526			1210mm
sprocket wheel wide 10"					1517			1144mm
					1526			1372mm
sprocket roll 10"					1517			1138mm
					1526			1366mm

Rapid MONTA M141

Recommended retail price


Basic models









	Art. no.	Description	Power PS / kW	No. cylinders	Ability to handle slopes %	Weight kg	Qty. unit	EUR excl. VAT
	269000	Rapid MONTA M141, Type: 1680 Engine: Subaru Robin EX40 (petrol)	14 / 10.3	1	120	179	Pce	16,340.00









Standard equipment

Drive	hydrostatic, variable
Speed control	rotary grip Rapid
steering control element	hand lever- / handlebar steering, switchable
Control of traction drive and steering	mechanic
Speed forwards	0-8 km/h
Speed backwards	0-4 km/h
Free-wheel mechanism	mechanic, towable
Attachment interface	connection flange 78/80mm
Attachment drive	mechanic PTO drive max. 1000 rpm
Handlebar height adjustment	11 positions
Handlebar lateral adjustment	swivellable, lockable in 3 positions
Handlebar ends	individually adjustable without tools, foldable
Specific equipment inclusive	operational hour counter, toolbox, zero turn function
Wheels	obligatory
Max. permissible total width	2,000 mm

Tires ex works

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	258996	Tyres AS 5,00-10 Agricultural, wheel offset: 44mm	Pair	19	510.00

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	1696	Tyres BR 21x11.00-10 Agricultural - broad gauge (270/50-10), wheel offset: 66mm	Pair	25	661.00
	261344	Tyres RB 20x8.00-10 Turf-profil, wheel offset: 0mm	Pair	19	437.00
	258998	Tyres AS 6.00-12 Agricultural, wheel offset: 40mm	Pair	25	653.00
	258720	Tyres BR 23x8.50-12 Agricultural - broad gauge, wheel offset: 15mm	Pair	30	661.00
	259366	Tyres BR 23x10.50-12 Agricultural, wheel offset: 15mm	Pair	36	889.00
	258655	Tyres RB 23x8.50-12 Turf-profil wide-base, wheel offset: 24mm	Pair	29	717.00
	1582	Sprocket wheels narrow 10" Width sprocket wheel 143mm, 30 sprockets in 2 rows	Pair	29	1,150.00
	1583	Sprocket wheels 10" Width sprocket wheel 378mm, 45 sprockets in 3 rows	Pair	42	1,455.00




	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	1587	Sprocket roll 10" Width sprocket roll 441mm, 52 sprockets in 4 rows	Pair	23	2,960.00
	1734	Sprocket rolls SSP 10" Width of sprocket rolls SSP 10" with steel tips: 441 mm, 52 sprockets in 4 rows	Pair	23	2,960.00
	1849	Flexispike 11", 4-r Flexispike with 48 spikes in 4 rows, width 436 mm and press-in depth 85 mm	Pair	73	2,960.00
	1848	Flexispike 11", 5-r Flexispike with 60 spikes in 5 rows, width 529 mm and press-in depth 85 mm	Pair	82	3,515.00
	1584	Sprocket wheels narrow 12" Width sprocket wheel 143mm, 30 sprockets in 2 rows	Pair	31	1,205.00
	1585	Sprocket wheels 12" Width sprocket wheel 408mm, 60 sprockets in 4 rows	Pair	48	1,695.00
	1578	Sprocket roll 12" Width sprocket roll 347mm, 42 sprockets in 3 rows	Pair	35	2,960.00
	1736	Sprocket rolls SSP 12" Width of sprocket rolls SSP 12" with steel tips: 347 mm, 42 sprockets in 3 rows	Pair	35	2,960.00








	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	1579	Sprocket roll 12" Width sprocket roll 532mm, 70 sprockets in 5 rows	Pair	40	3,515.00
	1735	Sprocket rolls SSP 12" Width of sprocket rolls SSP 12" with steel tips: 532mm, 70 sprockets in 5 rows	Pair	40	3,515.00

Options ex works

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	259287	Biodegradable hydraulic oil For the hydrostatic travel drive incl. additional hydraulic systems	Pce		275.00

Options


	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	273215	Locking lever Locking lever for rotary grip, for locking a certain position of the rotary grip using the thumb ("cruise control" function)	Pce.	0.1	165.00
	269430	LED light 1 lamp incl. fastening material Compatible to Rapid MONTA M-model, VAREA M-model, SWISS from serial number 10016023	Pce	0.7	345.00
	261604	Electric starter Compatible with 14 HP engines, with battery box, wiring harness and ignition switch	Pce	11	1,550.00

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	269795	Additional hydraulics Two dual-acting control devices, actuation via push-button toggle switch, switch console, max. operating pressure 150 bar, flow volume 3.5 l/min. at 3600 rpm	Pce	6.5	3,345.00
	266905	Winter plating to reduce carburetor freezing, compatible with 14HP engine	Pce	1	259.00
	266452	Counterbalance system to balance divers accessories	Pce	2.5	371.00
	269700	Adjustable weight rack adjustable position and tilt, without ballast weights, max. 5 ballast weights (art. no. 259686)	Pce	9.5	328.00
	259686	Ballast weight, 8,5kg stackable to weight rack	Pce	8.5	92.00
	7323	Attachment flange 186mm clearance: 81mm	Pair	16	628.00
	1699	Lashing flange Attachment points for securing loads, for retrofitting to the walk-behind tractor with the wheel nuts; primarily for rubber-tire wheels, limited use with various wheel combinations and sprocket wheels/rolls	Pair	1.5	110.00

Rapid MONTA S141

Recommended retail price


Basic models








	Art. no.	Description	Power PS / kW	No. cylinders	Ability to handle slopes %	Weight kg	Qty. unit	EUR excl. VAT
	269005	Rapid MONTA S141, Type: 1681 Engine: Subaru Robin EX40 (petrol)	14 / 10.3	1	120	187	Pce	18,340.00









Standard equipment

Drive	hydrostatic, variable
Speed control	rotary grip Rapid
steering control element	hand lever- / handlebar steering, switchable
Control of traction drive and steering	electronic
Speed forwards	0-8 km/h
Speed backwards	0-4 km/h
Free-wheel mechanism	mechanic, towable
Attachment interface	connection flange 78/80mm
Attachment drive	mechanic PTO drive max. 1000 rpm
Handlebar height adjustment	11 positions
Handlebar lateral adjustment	swivellable, lockable in 3 positions
Handlebar ends	individually adjustable without tools, foldable
Specific equipment inclusive	second deadman function, operational hour counter, toolbox, zero turn function, RC ready
Wheels	obligatory
Max. permissible total width	2,000 mm

Tires ex works

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	258996	Tyres AS 5,00-10 Agricultural, wheel offset: 44mm	Pair	19	510.00

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	1696	Tyres BR 21x11.00-10 Agricultural - broad gauge (270/50-10), wheel offset: 66mm	Pair	25	661.00
	261344	Tyres RB 20x8,00-10 Turf-profil, wheel offset: 0mm	Pair	19	437.00
	258998	Tyres AS 6,00-12 Agricultural, wheel offset: 40mm	Pair	25	653.00
	258720	Tyres BR 23x8,50-12 Agricultural - broad gauge, wheel offset: 15mm	Pair	30	661.00
	259366	Tyres BR 23x10,50-12 Agricultural, wheel offset: 15mm	Pair	36	889.00
	258655	Tyres RB 23x8,50-12 Turf-profil wide-base, wheel offset: 24mm	Pair	29	717.00
	1582	Sprocket wheels narrow 10" Width sprocket wheel 143mm, 30 sprockets in 2 rows	Pair	29	1,150.00
	1583	Sprocket wheels 10" Width sprocket wheel 378mm, 45 sprockets in 3 rows	Pair	42	1,455.00




	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	1587	Sprocket roll 10" Width sprocket roll 441mm, 52 sprockets in 4 rows	Pair	23	2,960.00
	1734	Sprocket rolls SSP 10" Width of sprocket rolls SSP 10" with steel tips: 441 mm, 52 sprockets in 4 rows	Pair	23	2,960.00
	1849	Flexispike 11", 4-r Flexispike with 48 spikes in 4 rows, width 436 mm and press-in depth 85 mm	Pair	73	2,960.00
	1848	Flexispike 11", 5-r Flexispike with 60 spikes in 5 rows, width 529 mm and press-in depth 85 mm	Pair	82	3,515.00
	1584	Sprocket wheels narrow 12" Width sprocket wheel 143mm, 30 sprockets in 2 rows	Pair	31	1,205.00
	1585	Sprocket wheels 12" Width sprocket wheel 408mm, 60 sprockets in 4 rows	Pair	48	1,695.00
	1578	Sprocket roll 12" Width sprocket roll 347mm, 42 sprockets in 3 rows	Pair	35	2,960.00
	1736	Sprocket rolls SSP 12" Width of sprocket rolls SSP 12" with steel tips: 347 mm, 42 sprockets in 3 rows	Pair	35	2,960.00









	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	1579	Sprocket roll 12" Width sprocket roll 532mm, 70 sprockets in 5 rows	Pair	40	3,515.00
	1735	Sprocket rolls SSP 12" Width of sprocket rolls SSP 12" with steel tips: 532mm, 70 sprockets in 5 rows	Pair	40	3,515.00


Options ex works

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	259287	Biodegradable hydraulic oil For the hydrostatic travel drive incl. additional hydraulic systems	Pce		275.00

Options

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	269880	Radio remote control Radio remote control and receiver unit, control of driving and steering movements, power take-off shaft and additional hydraulics, driving level selection	Pce	5	4,190.00
	269440	LED light 2 lamps incl. fastening material only compatible to Rapid MONTA and VAREA S-Model	Pce	2	458.00
	269480	Task spotlight, 55 Watt incl. attachment adaptor (art. no. 259018), mounted on handlebar only compatible to Rapid MONTA and VAREA S-Model	Pce	3	250.00


	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	269855	Electric starter Compatible with 14 HP engines	Pce.	3.3	539.00
	269670	Battery charger With charging cable, charging of the built-in battery via a 12 Volt connection, with floating charge function (for winter months)	Pce	0.4	210.00
	269680	Additional hydraulics Two dual-acting control devices, actuation via push-button toggle switch, max. operating pressure 150 bar, flow volume 3.5 l/min. at 3600 rpm	Pce	6	3,010.00
	266905	Winter plating to reduce carburetor freezing, compatible with 14HP engine	Pce	1	259.00
	266452	Counterbalance system to balance divers accessories	Pce	2.5	371.00
	269700	Adjustable weight rack adjustable position and tilt, without ballast weights, max. 5 ballast weights (art. no. 259686)	Pce	9.5	328.00
	259686	Ballast weight, 8,5kg stackable to weight rack	Pce	8.5	92.00
	7323	Attachment flange 186mm clearance: 81mm	Pair	16	628.00

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	1699	Lashing flange Attachment points for securing loads, for retrofitting to the walk-behind tractor with the wheel nuts; primarily for rubber-tire wheels, limited use with various wheel combinations and sprocket wheels/rolls	Pair	1.5	110.00

Rapid MONTA M161

Recommended retail price

Basic models









	Art. no.	Description	Power PS / kW	No. cylinders	Ability to handle slopes %	Weight kg	Qty. unit	EUR excl. VAT
	269001	Rapid MONTA M161, Type: 1680 Engine: Briggs & Stratton Vanguard (petrol)	16 / 11.8	2	100	188	Pce	17,450.00









Standard equipment



Drive	hydrostatic, variable
Speed control	rotary grip Rapid
steering control element	hand lever- / handlebar steering, switchable
Control of traction drive and steering	mechanic
Speed forwards	0-8 km/h
Speed backwards	0-4 km/h
Free-wheel mechanism	mechanic, towable
Attachment interface	connection flange 78/80mm
Attachment drive	mechanic PTO drive max. 1000 rpm
Handlebar height adjustment	11 positions
Handlebar lateral adjustment	swivellable, lockable in 3 positions
Handlebar ends	individually adjustable without tools, foldable
Specific equipment inclusive	operational hour counter, toolbox, zero turn function
Wheels	obligatory
Max. permissible total width	2,000 mm

Tires ex works

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	258996	Tyres AS 5,00-10 Agricultural, wheel offset: 44mm	Pair	19	510.00

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	1696	Tyres BR 21x11.00-10 Agricultural - broad gauge (270/50-10), wheel offset: 66mm	Pair	25	661.00
	261344	Tyres RB 20x8,00-10 Turf-profil, wheel offset: 0mm	Pair	19	437.00
	258998	Tyres AS 6,00-12 Agricultural, wheel offset: 40mm	Pair	25	653.00
	258720	Tyres BR 23x8,50-12 Agricultural - broad gauge, wheel offset: 15mm	Pair	30	661.00
	259366	Tyres BR 23x10,50-12 Agricultural, wheel offset: 15mm	Pair	36	889.00
	258655	Tyres RB 23x8,50-12 Turf-profil wide-base, wheel offset: 24mm	Pair	29	717.00
	1582	Sprocket wheels narrow 10" Width sprocket wheel 143mm, 30 sprockets in 2 rows	Pair	29	1,150.00
	1583	Sprocket wheels 10" Width sprocket wheel 378mm, 45 sprockets in 3 rows	Pair	42	1,455.00

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	1587	Sprocket roll 10" Width sprocket roll 441mm, 52 sprockets in 4 rows	Pair	23	2,960.00
	1734	Sprocket rolls SSP 10" Width of sprocket rolls SSP 10" with steel tips: 441 mm, 52 sprockets in 4 rows	Pair	23	2,960.00
	1849	Flexispike 11", 4-r Flexispike with 48 spikes in 4 rows, width 436 mm and press-in depth 85 mm	Pair	73	2,960.00
	1848	Flexispike 11", 5-r Flexispike with 60 spikes in 5 rows, width 529 mm and press-in depth 85 mm	Pair	82	3,515.00
	1584	Sprocket wheels narrow 12" Width sprocket wheel 143mm, 30 sprockets in 2 rows	Pair	31	1,205.00
	1585	Sprocket wheels 12" Width sprocket wheel 408mm, 60 sprockets in 4 rows	Pair	48	1,695.00
	1578	Sprocket roll 12" Width sprocket roll 347mm, 42 sprockets in 3 rows	Pair	35	2,960.00
	1736	Sprocket rolls SSP 12" Width of sprocket rolls SSP 12" with steel tips: 347 mm, 42 sprockets in 3 rows	Pair	35	2,960.00








	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	1579	Sprocket roll 12" Width sprocket roll 532mm, 70 sprockets in 5 rows	Pair	40	3,515.00
	1735	Sprocket rolls SSP 12" Width of sprocket rolls SSP 12" with steel tips: 532mm, 70 sprockets in 5 rows	Pair	40	3,515.00







Options ex works

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	259287	Biodegradable hydraulic oil For the hydrostatic travel drive incl. additional hydraulic systems	Pce		275.00

Options

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	273215	Locking lever Locking lever for rotary grip, for locking a certain position of the rotary grip using the thumb ("cruise control" function)	Pce.	0.1	165.00
	259825	External intake port reduces the intake of cut material (hay, grass), compatible with 16HP engine	Pce	7	532.00


	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	269690	<p>Oil cooler For cooling the hydraulic oil, recommended when the travel drive is under high load, weight rack base support is mounted as protection for hydraulic oil cooler Mandatory: External intake port (Art. No. 259825) Remark: Only one oil cooler can be installed, a combination of a hydraulic oil cooler and an engine oil cooler is not possible</p>	Pce	10	1,295.00
	269795	<p>Additional hydraulics Two dual-acting control devices, actuation via push-button toggle switch, switch console, max. operating pressure 150 bar, flow volume 3.5 l/min. at 3600 rpm</p>	Pce	6.5	3,345.00
	269430	<p>LED light 1 lamp incl. fastening material Compatible to Rapid MONTA M-model, VAREA M-model, SWISS from serial number 10016023</p>	Pce	0.7	345.00
	269830	<p>Electric starter Compatible to 16 and 23HP engines, with battery box, cable loom and ignition lock for M-models</p>	Pce	9.2	1,550.00
	259497	<p>Winter plating to reduce carburetor freezing, compatible with 16HP engine, Not permitted with external air intake device (art. no. 259825)</p>	Pce	2	277.00
	259052	<p>Thermostatic control Prevents engine overheating, compatible with 16 and 23HP engines</p>	Pce	0.3	327.00
	266915	<p>Oil pressure switch General recommendation for rented machines or if operating staff change frequently compatible to 16 and 23HP engines</p>	Pce	0.1	114.00

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	266452	Counterbalance system to balance divers accessories	Pce	2.5	371.00
	269700	Adjustable weight rack adjustable position and tilt, without ballast weights, max. 5 ballast weights (art. no. 259686)	Pce	9.5	328.00
	267365	Adjustable plate, complete Adjusting plate for weight rack, if the weight rack base support is already mounted. For MONTA 161/231, VAREA 161/231 models if oil cooler (Art. No. 269690 or 269780) is already mounted and generally for ORBITO 660 and KIPOS M141 Does not include ballast weights, max. 5 ballast weights (Art. No. 259686)	Pce	2.7	130.00
	259686	Ballast weight, 8,5kg stackable to weight rack	Pce	8.5	92.00
	7323	Attachment flange 186mm clearance: 81mm	Pair	16	628.00
	1699	Lashing flange Attachment points for securing loads, for retrofitting to the walk-behind tractor with the wheel nuts; primarily for rubber-tire wheels, limited use with various wheel combinations and sprocket wheels/rolls	Pair	1.5	110.00

Rapid MONTA S161

Recommended retail price


Basic models








	Art. no.	Description	Power PS / kW	No. cylinders	Ability to handle slopes %	Weight kg	Qty. unit	EUR excl. VAT
	269006	Rapid MONTA S161, Type: 1681 Engine: Briggs & Stratton Vanguard (petrol)	16 / 11.8	2	100	196	Pce	19,450.00









Standard equipment

Drive	hydrostatic, variable
Speed control	rotary grip Rapid
steering control element	hand lever- / handlebar steering, switchable
Control of traction drive and steering	electronic
Speed forwards	0-8 km/h
Speed backwards	0-4 km/h
Free-wheel mechanism	mechanic, towable
Attachment interface	connection flange 78/80mm
Attachment drive	mechanic PTO drive max. 1000 rpm
Handlebar height adjustment	11 positions
Handlebar lateral adjustment	swivellable, lockable in 3 positions
Handlebar ends	individually adjustable without tools, foldable
Specific equipment inclusive	second deadman function, operational hour counter, toolbox, zero turn function, RC ready
Wheels	obligatory
Max. permissible total width	2,000 mm

Tires ex works

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	258996	Tyres AS 5,00-10 Agricultural, wheel offset: 44mm	Pair	19	510.00

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	1696	Tyres BR 21x11.00-10 Agricultural - broad gauge (270/50-10), wheel offset: 66mm	Pair	25	661.00
	261344	Tyres RB 20x8,00-10 Turf-profil, wheel offset: 0mm	Pair	19	437.00
	258998	Tyres AS 6,00-12 Agricultural, wheel offset: 40mm	Pair	25	653.00
	258720	Tyres BR 23x8,50-12 Agricultural - broad gauge, wheel offset: 15mm	Pair	30	661.00
	259366	Tyres BR 23x10,50-12 Agricultural, wheel offset: 15mm	Pair	36	889.00
	258655	Tyres RB 23x8,50-12 Turf-profil wide-base, wheel offset: 24mm	Pair	29	717.00
	1582	Sprocket wheels narrow 10" Width sprocket wheel 143mm, 30 sprockets in 2 rows	Pair	29	1,150.00
	1583	Sprocket wheels 10" Width sprocket wheel 378mm, 45 sprockets in 3 rows	Pair	42	1,455.00

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	1587	Sprocket roll 10" Width sprocket roll 441mm, 52 sprockets in 4 rows	Pair	23	2,960.00
	1734	Sprocket rolls SSP 10" Width of sprocket rolls SSP 10" with steel tips: 441 mm, 52 sprockets in 4 rows	Pair	23	2,960.00
	1849	Flexispike 11", 4-r Flexispike with 48 spikes in 4 rows, width 436 mm and press-in depth 85 mm	Pair	73	2,960.00
	1848	Flexispike 11", 5-r Flexispike with 60 spikes in 5 rows, width 529 mm and press-in depth 85 mm	Pair	82	3,515.00
	1584	Sprocket wheels narrow 12" Width sprocket wheel 143mm, 30 sprockets in 2 rows	Pair	31	1,205.00
	1585	Sprocket wheels 12" Width sprocket wheel 408mm, 60 sprockets in 4 rows	Pair	48	1,695.00
	1578	Sprocket roll 12" Width sprocket roll 347mm, 42 sprockets in 3 rows	Pair	35	2,960.00
	1736	Sprocket rolls SSP 12" Width of sprocket rolls SSP 12" with steel tips: 347 mm, 42 sprockets in 3 rows	Pair	35	2,960.00








	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	1579	Sprocket roll 12" Width sprocket roll 532mm, 70 sprockets in 5 rows	Pair	40	3,515.00
	1735	Sprocket rolls SSP 12" Width of sprocket rolls SSP 12" with steel tips: 532mm, 70 sprockets in 5 rows	Pair	40	3,515.00








Options ex works


	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	259287	Biodegradable hydraulic oil For the hydrostatic travel drive incl. additional hydraulic systems	Pce		275.00

Options

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	269880	Radio remote control Radio remote control and receiver unit, control of driving and steering movements, power take-off shaft and additional hydraulics, driving level selection	Pce	5	4,190.00
	259825	External intake port reduces the intake of cut material (hay, grass), compatible with 16HP engine	Pce	7	532.00

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	269690	<p>Oil cooler For cooling the hydraulic oil, recommended when the travel drive is under high load, weight rack base support is mounted as protection for hydraulic oil cooler Mandatory: External intake port (Art. No. 259825) Remark: Only one oil cooler can be installed, a combination of a hydraulic oil cooler and an engine oil cooler is not possible</p>	Pce	10	1,295.00
	269680	<p>Additional hydraulics Two dual-acting control devices, actuation via push-button toggle switch, max. operating pressure 150 bar, flow volume 3.5 l/min. at 3600 rpm</p>	Pce	6	3,010.00
	269440	<p>LED light 2 lamps incl. fastening material only compatible to Rapid MONTA and VAREA S-Model</p>	Pce	2	458.00
	269480	<p>Task spotlight, 55 Watt incl. attachment adaptor (art. no. 259018), mounted on handlebar only compatible to Rapid MONTA and VAREA S-Model</p>	Pce	3	250.00
	269670	<p>Battery charger With charging cable, charging of the built-in battery via a 12 Volt connection, with floating charge function (for winter months)</p>	Pce	0.4	210.00
	269710	<p>Electric starter compatible to 16 and 23HP engines</p>	Pce	10	510.00
	259497	<p>Winter plating to reduce carburetor freezing, compatible with 16HP engine, Not permitted with external air intake device (art. no. 259825)</p>	Pce	2	277.00


	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	259052	Thermostatic control Prevents engine overheating, compatible with 16 and 23HP engines	Pce	0.3	327.00
	266915	Oil pressure switch General recommendation for rented machines or if operating staff change frequently compatible to 16 and 23HP engines	Pce	0.1	114.00
	266452	Counterbalance system to balance divers accessories	Pce	2.5	371.00
	269700	Adjustable weight rack adjustable position and tilt, without ballast weights, max. 5 ballast weights (art. no. 259686)	Pce	9.5	328.00
	267365	Adjustable plate, complete Adjusting plate for weight rack, if the weight rack base support is already mounted. For MONTA 161/231, VAREA 161/231 models if oil cooler (Art. No. 269690 or 269780) is already mounted and generally for ORBITO 660 and KIPOS M141 Does not include ballast weights, max. 5 ballast weights (Art. No. 259686)	Pce	2.7	130.00
	259686	Ballast weight, 8,5kg stackable to weight rack	Pce	8.5	92.00
	7323	Attachment flange 186mm clearance: 81mm	Pair	16	628.00

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	1699	Lashing flange Attachment points for securing loads, for retrofitting to the walk-behind tractor with the wheel nuts; primarily for rubber-tire wheels, limited use with various wheel combinations and sprocket wheels/rolls	Pair	1.5	110.00

Rapid MONTA M231

Recommended retail price


Basic models









	Art. no.	Description	Power PS / kW	No. cylinders	Ability to handle slopes %	Weight kg	Qty. unit	EUR excl. VAT
	269002	Rapid MONTA M231, Type: 1680 Engine: Briggs & Stratton Vanguard (petrol)	23 / 16.9	2	100	194	Pce	20,580.00









Standard equipment

Drive	hydrostatic, variable
Speed control	rotary grip Rapid
steering control element	hand lever- / handlebar steering, switchable
Control of traction drive and steering	mechanic
Speed forwards	0-8 km/h
Speed backwards	0-4 km/h
Free-wheel mechanism	mechanic, towable
Attachment interface	connection flange 78/80mm
Attachment drive	mechanic PTO drive max. 1000 rpm
Handlebar height adjustment	11 positions
Handlebar lateral adjustment	swivellable, lockable in 3 positions
Handlebar ends	individually adjustable without tools, foldable
Specific equipment inclusive	cyclone filter (rotatable, replaces winterplating), operational hour counter, tool-box, zero turn function
Wheels	obligatory
Max. permissible total width	2,000 mm

Tires ex works


	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	258996	Tyres AS 5,00-10 Agricultural, wheel offset: 44mm	Pair	19	510.00

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	1696	Tyres BR 21x11.00-10 Agricultural - broad gauge (270/50-10), wheel offset: 66mm	Pair	25	661.00
	261344	Tyres RB 20x8.00-10 Turf-profil, wheel offset: 0mm	Pair	19	437.00
	258998	Tyres AS 6.00-12 Agricultural, wheel offset: 40mm	Pair	25	653.00
	258720	Tyres BR 23x8.50-12 Agricultural - broad gauge, wheel offset: 15mm	Pair	30	661.00
	259366	Tyres BR 23x10.50-12 Agricultural, wheel offset: 15mm	Pair	36	889.00
	258655	Tyres RB 23x8.50-12 Turf-profil wide-base, wheel offset: 24mm	Pair	29	717.00
	1582	Sprocket wheels narrow 10" Width sprocket wheel 143mm, 30 sprockets in 2 rows	Pair	29	1,150.00
	1583	Sprocket wheels 10" Width sprocket wheel 378mm, 45 sprockets in 3 rows	Pair	42	1,455.00



	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	1587	Sprocket roll 10" Width sprocket roll 441mm, 52 sprockets in 4 rows	Pair	23	2,960.00
	1734	Sprocket rolls SSP 10" Width of sprocket rolls SSP 10" with steel tips: 441 mm, 52 sprockets in 4 rows	Pair	23	2,960.00
	1849	Flexispike 11", 4-r Flexispike with 48 spikes in 4 rows, width 436 mm and press-in depth 85 mm	Pair	73	2,960.00
	1848	Flexispike 11", 5-r Flexispike with 60 spikes in 5 rows, width 529 mm and press-in depth 85 mm	Pair	82	3,515.00
	1584	Sprocket wheels narrow 12" Width sprocket wheel 143mm, 30 sprockets in 2 rows	Pair	31	1,205.00
	1585	Sprocket wheels 12" Width sprocket wheel 408mm, 60 sprockets in 4 rows	Pair	48	1,695.00
	1578	Sprocket roll 12" Width sprocket roll 347mm, 42 sprockets in 3 rows	Pair	35	2,960.00
	1736	Sprocket rolls SSP 12" Width of sprocket rolls SSP 12" with steel tips: 347 mm, 42 sprockets in 3 rows	Pair	35	2,960.00








	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	1579	Sprocket roll 12" Width sprocket roll 532mm, 70 sprockets in 5 rows	Pair	40	3,515.00
	1735	Sprocket rolls SSP 12" Width of sprocket rolls SSP 12" with steel tips: 532mm, 70 sprockets in 5 rows	Pair	40	3,515.00







Options ex works

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	259287	Biodegradable hydraulic oil For the hydrostatic travel drive incl. additional hydraulic systems	Pce		275.00

Options

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	273215	Locking lever Locking lever for rotary grip, for locking a certain position of the rotary grip using the thumb ("cruise control" function)	Pce.	0.1	165.00
	259826	External intake port reduces the intake of cut material (hay, grass), compatible with 21 and 23HP engine	Pce	7.5	532.00


	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	269690	<p>Oil cooler For cooling the hydraulic oil, recommended when the travel drive is under high load, weight rack base support is mounted as protection for hydraulic oil cooler Mandatory: External intake port (Art. No. 259825) Remark: Only one oil cooler can be installed, a combination of a hydraulic oil cooler and an engine oil cooler is not possible</p>	Pce	10	1,295.00
	269795	<p>Additional hydraulics Two dual-acting control devices, actuation via push-button toggle switch, switch console, max. operating pressure 150 bar, flow volume 3.5 l/min. at 3600 rpm</p>	Pce	6.5	3,345.00
	259348	<p>Engine oil cooler For cooling the engine, Recommended with extremely demanding continuous loads Obligatory: 23 HP motor, external intake port; Remark: Only one oil cooler can be installed, a combination of a hydraulic oil cooler and an engine oil cooler is not possible</p>	Pce	1.4	751.00
	269430	<p>LED light 1 lamp incl. fastening material Compatible to Rapid MONTA M-model, VAREA M-model, SWISS from serial number 10016023</p>	Pce	0.7	345.00
	269830	<p>Electric starter Compatible to 16 and 23HP engines, with battery box, cable loom and ignition lock for M-models</p>	Pce	9.2	1,550.00
	259052	<p>Thermostatic control Prevents engine overheating, compatible with 16 and 23HP engines</p>	Pce	0.3	327.00
	266915	<p>Oil pressure switch General recommendation for rented machines or if operating staff change frequently compatible to 16 and 23HP engines</p>	Pce	0.1	114.00

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	266452	Counterbalance system to balance divers accessories	Pce	2.5	371.00
	269700	Adjustable weight rack adjustable position and tilt, without ballast weights, max. 5 ballast weights (art. no. 259686)	Pce	9.5	328.00
	267365	Adjustable plate, complete Adjusting plate for weight rack, if the weight rack base support is already mounted. For MONTA 161/231, VAREA 161/231 models if oil cooler (Art. No. 269690 or 269780) is already mounted and generally for ORBITO 660 and KIPOS M141 Does not include ballast weights, max. 5 ballast weights (Art. No. 259686)	Pce	2.7	130.00
	259686	Ballast weight, 8,5kg stackable to weight rack	Pce	8.5	92.00
	7323	Attachment flange 186mm clearance: 81mm	Pair	16	628.00
	1699	Lashing flange Attachment points for securing loads, for retrofitting to the walk-behind tractor with the wheel nuts; primarily for rubber-tire wheels, limited use with various wheel combinations and sprocket wheels/rolls	Pair	1.5	110.00

Rapid MONTA S231

Recommended retail price

Basic models









	Art. no.	Description	Power PS / kW	No. cylinders	Ability to handle slopes %	Weight kg	Qty. unit	EUR excl. VAT
	269007	Rapid MONTA S231, Type: 1681 Engine: Briggs & Stratton Vanguard (petrol)	23 / 16.9	2	100	202	Pce	22,580.00









Standard equipment

Drive	hydrostatic, variable
Speed control	rotary grip Rapid
steering control element	hand lever- / handlebar steering, switchable
Control of traction drive and steering	electronic
Speed forwards	0-8 km/h
Speed backwards	0-4 km/h
Free-wheel mechanism	mechanic, towable
Attachment interface	connection flange 78/80mm
Attachment drive	mechanic PTO drive max. 1000 rpm
Handlebar height adjustment	11 positions
Handlebar lateral adjustment	swivellable, lockable in 3 positions
Handlebar ends	individually adjustable without tools, foldable
Specific equipment inclusive	second deadman function, cyclone filter (rotatable, replaces winterplating), operational hour counter, toolbox, zero turn function, RC ready
Wheels	obligatory
Max. permissible total width	2,000 mm

Tires ex works

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	258996	Tyres AS 5,00-10 Agricultural, wheel offset: 44mm	Pair	19	510.00

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	1696	Tyres BR 21x11.00-10 Agricultural - broad gauge (270/50-10), wheel offset: 66mm	Pair	25	661.00
	261344	Tyres RB 20x8,00-10 Turf-profil, wheel offset: 0mm	Pair	19	437.00
	258998	Tyres AS 6,00-12 Agricultural, wheel offset: 40mm	Pair	25	653.00
	258720	Tyres BR 23x8,50-12 Agricultural - broad gauge, wheel offset: 15mm	Pair	30	661.00
	259366	Tyres BR 23x10,50-12 Agricultural, wheel offset: 15mm	Pair	36	889.00
	258655	Tyres RB 23x8,50-12 Turf-profil wide-base, wheel offset: 24mm	Pair	29	717.00
	1582	Sprocket wheels narrow 10" Width sprocket wheel 143mm, 30 sprockets in 2 rows	Pair	29	1,150.00
	1583	Sprocket wheels 10" Width sprocket wheel 378mm, 45 sprockets in 3 rows	Pair	42	1,455.00

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	1587	Sprocket roll 10" Width sprocket roll 441mm, 52 sprockets in 4 rows	Pair	23	2,960.00
	1734	Sprocket rolls SSP 10" Width of sprocket rolls SSP 10" with steel tips: 441 mm, 52 sprockets in 4 rows	Pair	23	2,960.00
	1848	Flexispike 11", 5-r Flexispike with 60 spikes in 5 rows, width 529 mm and press-in depth 85 mm	Pair	82	3,515.00
	1849	Flexispike 11", 4-r Flexispike with 48 spikes in 4 rows, width 436 mm and press-in depth 85 mm	Pair	73	2,960.00
	1584	Sprocket wheels narrow 12" Width sprocket wheel 143mm, 30 sprockets in 2 rows	Pair	31	1,205.00
	1585	Sprocket wheels 12" Width sprocket wheel 408mm, 60 sprockets in 4 rows	Pair	48	1,695.00
	1578	Sprocket roll 12" Width sprocket roll 347mm, 42 sprockets in 3 rows	Pair	35	2,960.00
	1736	Sprocket rolls SSP 12" Width of sprocket rolls SSP 12" with steel tips: 347 mm, 42 sprockets in 3 rows	Pair	35	2,960.00








	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	1579	Sprocket roll 12" Width sprocket roll 532mm, 70 sprockets in 5 rows	Pair	40	3,515.00
	1735	Sprocket rolls SSP 12" Width of sprocket rolls SSP 12" with steel tips: 532mm, 70 sprockets in 5 rows	Pair	40	3,515.00








Options ex works


	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	259287	Biodegradable hydraulic oil For the hydrostatic travel drive incl. additional hydraulic systems	Pce		275.00

Options

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	269880	Radio remote control Radio remote control and receiver unit, control of driving and steering movements, power take-off shaft and additional hydraulics, driving level selection	Pce	5	4,190.00
	259826	External intake port reduces the intake of cut material (hay, grass), compatible with 21 and 23HP engine	Pce	7.5	532.00


	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	269690	<p>Oil cooler For cooling the hydraulic oil, recommended when the travel drive is under high load, weight rack base support is mounted as protection for hydraulic oil cooler Mandatory: External intake port (Art. No. 259825) Remark: Only one oil cooler can be installed, a combination of a hydraulic oil cooler and an engine oil cooler is not possible</p>	Pce	10	1,295.00
	259348	<p>Engine oil cooler For cooling the engine, Recommended with extremely demanding continuous loads Obligatory: 23 HP motor, external intake port; Remark: Only one oil cooler can be installed, a combination of a hydraulic oil cooler and an engine oil cooler is not possible</p>	Pce	1.4	751.00
	269680	<p>Additional hydraulics Two dual-acting control devices, actuation via push-button toggle switch, max. operating pressure 150 bar, flow volume 3.5 l/min. at 3600 rpm</p>	Pce	6	3,010.00
	269440	<p>LED light 2 lamps incl. fastening material only compatible to Rapid MONTA and VAREA S-Model</p>	Pce	2	458.00
	269480	<p>Task spotlight, 55 Watt incl. attachment adaptor (art. no. 259018), mounted on handlebar only compatible to Rapid MONTA and VAREA S-Model</p>	Pce	3	250.00
	269670	<p>Battery charger With charging cable, charging of the built-in battery via a 12 Volt connection, with floating charge function (for winter months)</p>	Pce	0.4	210.00
	269710	<p>Electric starter compatible to 16 and 23HP engines</p>	Pce	10	510.00

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	259052	Thermostatic control Prevents engine overheating, compatible with 16 and 23HP engines	Pce	0.3	327.00
	266915	Oil pressure switch General recommendation for rented machines or if operating staff change frequently compatible to 16 and 23HP engines	Pce	0.1	114.00
	266452	Counterbalance system to balance divers accessories	Pce	2.5	371.00
	269700	Adjustable weight rack adjustable position and tilt, without ballast weights, max. 5 ballast weights (art. no. 259686)	Pce	9.5	328.00
	267365	Adjustable plate, complete Adjusting plate for weight rack, if the weight rack base support is already mounted. For MONTA 161/231, VAREA 161/231 models if oil cooler (Art. No. 269690 or 269780) is already mounted and generally for ORBITO 660 and KIPOS M141 Does not include ballast weights, max. 5 ballast weights (Art. No. 259686)	Pce	2.7	130.00
	259686	Ballast weight, 8,5kg stackable to weight rack	Pce	8.5	92.00
	7323	Attachment flange 186mm clearance: 81mm	Pair	16	628.00

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	1699	Lashing flange Attachment points for securing loads, for retrofitting to the walk-behind tractor with the wheel nuts; primarily for rubber-tire wheels, limited use with various wheel combinations and sprocket wheels/rolls	Pair	1.5	110.00

Rapid MONTA – Wheels and wheel combinations

Wheel position
«narrow»
(offset)



Wheel position
«wide»
(offset)




Total width
(walk-behind
tractor)

Gap
between
wheels

Art. no.

Accessories Wheels Accessories




Gap
between
wheels


Total width
(walk-behind
tractor)

		Total width (walk-behind tractor)	Gap between wheels	Accessories	Wheels	Accessories	Gap between wheels	Total width (walk-behind tractor)
AS 5.00-10		895 mm			258996			1075 mm
AS 5.00-10 AS 5.00-10		1337 mm	81 mm	7323	258996 258996	7323	81 mm	1517 mm
AS 5.00-10 Sprocket wheel 10"					258996 1583	7323		1850 mm
AS 5.00-10 Sprocket roll 10"					258996 1587	7323		1986 mm
BR 21x11.00-10					1696			1225 mm
BR 21x11.00-10 AS 5.00-10					1696 258996	7323		1505 mm

Wheel position
«narrow»
(offset)



Wheel position
«wide»
(offset)




Total width
(walk-behind
tractor)

Gap
between
wheels

Art. no.

Accessories Wheels Accessories



Gap
between
wheels

Total width
(walk-behind
tractor)

		Total width (walk-behind tractor)	Gap between wheels	Accessories	Wheels	Accessories	Gap between wheels	Total width (walk-behind tractor)
BR 21x11.00-10 Sprocket wheel					1696 1582	7323		1495 mm
AS 6.00-12		760 mm			258998			1084 mm
AS 6.00-12 AS 6.00-12		1372 mm		7323	258998 258998	7323		1546 mm
AS 6.00-12 Sprocket wheel 12"					258998 1585	7323		1900 mm
AS 6.00-12 sprocket roll 12"					258998 1578	7323		1778 mm
BR 23x8.50-12		1020 mm			258720			1090 mm

Rapid MONTA – Wheels and wheel combinations









	Image	Total width (walk-behind tractor)		Gap between wheels		Art. no.			Total width (walk-behind tractor)	
		mm	mm	mm	mm	Accessories	Wheels	Accessories	mm	mm
BR 23x8.50-12 AS 6.00-12							258720 258998	7323		1537 mm
BR 23x8.50-12 sprocket wheel 12"							258720 1585	7323		1905 mm
BR 23x8.50-12 sprocket roll 12"							258720 1578	7323		1783 mm
BR 23x10.5-12							259366			1124 mm
BR 23x10.5-12 AS 6.00-12							259366 258998	7323		1520 mm
BR 23x10.5-12 sprocket wheel 12"							259366 1578	7323		1930 mm

	Image	Total width (walk-behind tractor)		Gap between wheels		Art. no.			Total width (walk-behind tractor)	
		mm	mm	mm	mm	Accessories	Wheels	Accessories	mm	mm
BR 23x10.5-12 sprocket roll 12"							259366 1585	7323		1808 mm
RB 20x8.00-10		1024 mm					261344			1024 mm
RB 23x8.50-12		1019 mm					258655			1089 mm
sprocket wheel narrow 10"		944 mm					1582			1044 mm
sprocket wheel 10"							1583			1421 mm
sprocket roll 10"							1587			1547 mm

Rapid MONTA – Wheels and wheel combinations




		Wheel position «narrow» (offset)		Art. no.			Wheel position «wide» (offset)	
		Total width (walk-behind tractor)	Gap between wheels	Accessories	Wheels	Accessories	Gap between wheels	Total width (walk-behind tractor)
Flexispike 11", 4-r					1849			1546mm
Flexispike 11", 5-r					1848			1732mm
sproket wheel narrow 12"		944 mm			1584			1044 mm
sproket wheel 12"					1585			1488 mm
sproket roll 12"					1578			1362 mm
sproket roll 12"					1579			1732 mm

Rapid VAREA M141

Recommended retail price

Basic models

	Art. no.	Description	Power PS / kW	No. cylinders	Ability to handle slopes %	Weight kg	Qty. unit	EUR excl. VAT
	269500	Rapid VAREA M141, Type: 1690 Engine: Subaru Robin EX40 (petrol)	14 / 10.3	1	100	180	Pce	16,340.00

Standard equipment







Drive	hydrostatic, variable
Speed control	rotary grip Rapid
steering control element	hand lever- / handlebar steering, switchable
Control of traction drive and steering	mechanic
Speed forwards	0-8 km/h
Speed backwards	0-4 km/h
Free-wheel mechanism	mechanic, towable
Attachment interface	connection flange 78/80mm
Attachment drive	mechanic PTO drive max. 1000 rpm
Handlebar height adjustment	11 positions
Handlebar lateral adjustment	swivellable, lockable in 3 positions
Handlebar ends	individually adjustable without tools, foldable
Specific equipment inclusive	operational hour counter, toolbox, zero turn function
Wheels	obligatory
Max. permissible total width	1,800 mm







Axle extension

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	269770	Wide axle Axle extension 170mm including attachment parts, for subsequent attachment to and removal from standard axle	Pair	7.1	355.00

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	269771	Broad-gauge axle Axle extension 340mm including attachment parts, for subsequent attachment to and removal from standard axle	Pair	13	595.00

Tires ex works








	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	258996	Tyres AS 5,00-10 Agricultural, wheel offset: 44mm	Pair	19	510.00
	1696	Tyres BR 21x11.00-10 Agricultural - broad gauge (270/50-10), wheel offset: 66mm	Pair	25	661.00
	261344	Tyres RB 20x8,00-10 Turf-profil, wheel offset: 0mm	Pair	19	437.00
	258998	Tyres AS 6,00-12 Agricultural, wheel offset: 40mm	Pair	25	653.00
	258720	Tyres BR 23x8,50-12 Agricultural - broad gauge, wheel offset: 15mm	Pair	30	661.00
	258655	Tyres RB 23x8,50-12 Turf-profil wide-base, wheel offset: 24mm	Pair	29	717.00





	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	1582	Sprocket wheels narrow 10" Width sprocket wheel 143mm, 30 sprockets in 2 rows	Pair	29	1,150.00
	1583	Sprocket wheels 10" Width sprocket wheel 378mm, 45 sprockets in 3 rows	Pair	42	1,455.00
	1587	Sprocket roll 10" Width sprocket roll 441mm, 52 sprockets in 4 rows	Pair	23	2,960.00
	1734	Sprocket rolls SSP 10" Width of sprocket rolls SSP 10" with steel tips: 441 mm, 52 sprockets in 4 rows	Pair	23	2,960.00
	1849	Flexispike 11", 4-r Flexispike with 48 spikes in 4 rows, width 436 mm and press-in depth 85 mm	Pair	73	2,960.00
	1848	Flexispike 11", 5-r Flexispike with 60 spikes in 5 rows, width 529 mm and press-in depth 85 mm	Pair	82	3,515.00

Options ex works

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	259287	Biodegradable hydraulic oil For the hydrostatic travel drive incl. additional hydraulic systems	Pce		275.00

Options


	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	273215	Locking lever Locking lever for rotary grip, for locking a certain position of the rotary grip using the thumb ("cruise control" function)	Pce.	0.1	165.00
	269795	Additional hydraulics Two dual-acting control devices, actuation via push-button toggle switch, switch console, max. operating pressure 150 bar, flow volume 3.5 l/min. at 3600 rpm	Pce	6.5	3,345.00
	269430	LED light 1 lamp incl. fastening material Compatible to Rapid MONTA M-model, VAREA M-model, SWISS from serial number 10016023	Pce	0.7	345.00
	261604	Electric starter Compatible with 14 HP engines, with battery box, wiring harness and ignition switch	Pce	11	1,550.00
	266905	Winter plating to reduce carburetor freezing, compatible with 14HP engine	Pce	1	259.00
	257810	Extension piece Dimension 78/80 mm, increases the distance between the attachment and the basic machine by 110 mm	Pce	6.2	462.00
	266452	Counterbalance system to balance divers accessories	Pce	2.5	371.00

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	269700	Adjustable weight rack adjustable position and tilt, without ballast weights, max. 5 ballast weights (art. no. 259686)	Pce	9.5	328.00
	259686	Ballast weight, 8,5kg stackable to weight rack	Pce	8.5	92.00
	7323	Attachment flange 186mm clearance: 81mm	Pair	16	628.00
	1699	Lashing flange Attachment points for securing loads, for retrofitting to the walk-behind tractor with the wheel nuts; primarily for rubber-tire wheels, limited use with various wheel combinations and sprocket wheels/rolls	Pair	1.5	110.00

Rapid VAREA S141

Recommended retail price

Basic models


	Art. no.	Description	Power PS / kW	No. cylinders	Ability to handle slopes %	Weight kg	Qty. unit	EUR excl. VAT
	269505	Rapid VAREA S141, Type: 1691 Engine: Subaru Robin EX40 (petrol)	14 / 10.3	1	100	188	Pce	18,340.00

Standard equipment







Drive	hydrostatic, variable
Speed control	rotary grip Rapid
steering control element	hand lever- / handlebar steering, switchable
Control of traction drive and steering	electronic
Speed forwards	0-8 km/h
Speed backwards	0-4 km/h
Free-wheel mechanism	mechanic, towable
Attachment interface	connection flange 78/80mm
Attachment drive	mechanic PTO drive max. 1000 rpm
Handlebar height adjustment	11 positions
Handlebar lateral adjustment	swivel- / rotatable, lockable in 6 positions
Handlebar ends	individually adjustable without tools, foldable
Specific equipment inclusive	second deadman function, operational hour counter, toolbox, zero turn function, RC ready
Wheels	obligatory
Max. permissible total width	1,800 mm







Axle extension

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	269770	Wide axle Axle extension 170mm including attachment parts, for subsequent attachment to and removal from standard axle	Pair	7.1	355.00


	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	269771	Broad-gauge axle Axle extension 340mm including attachment parts, for subsequent attachment to and removal from standard axle	Pair	13	595.00

Tires ex works








	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	258996	Tyres AS 5,00-10 Agricultural, wheel offset: 44mm	Pair	19	510.00
	1696	Tyres BR 21x11.00-10 Agricultural - broad gauge (270/50-10), wheel offset: 66mm	Pair	25	661.00
	261344	Tyres RB 20x8,00-10 Turf-profil, wheel offset: 0mm	Pair	19	437.00
	258998	Tyres AS 6,00-12 Agricultural, wheel offset: 40mm	Pair	25	653.00
	258720	Tyres BR 23x8,50-12 Agricultural - broad gauge, wheel offset: 15mm	Pair	30	661.00
	258655	Tyres RB 23x8,50-12 Turf-profil wide-base, wheel offset: 24mm	Pair	29	717.00







	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	1582	Sprocket wheels narrow 10" Width sprocket wheel 143mm, 30 sprockets in 2 rows	Pair	29	1,150.00
	1583	Sprocket wheels 10" Width sprocket wheel 378mm, 45 sprockets in 3 rows	Pair	42	1,455.00
	1587	Sprocket roll 10" Width sprocket roll 441mm, 52 sprockets in 4 rows	Pair	23	2,960.00
	1734	Sprocket rolls SSP 10" Width of sprocket rolls SSP 10" with steel tips: 441 mm, 52 sprockets in 4 rows	Pair	23	2,960.00
	1849	Flexispike 11", 4-r Flexispike with 48 spikes in 4 rows, width 436 mm and press-in depth 85 mm	Pair	73	2,960.00
	1848	Flexispike 11", 5-r Flexispike with 60 spikes in 5 rows, width 529 mm and press-in depth 85 mm	Pair	82	3,515.00

Options ex works

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	259287	Biodegradable hydraulic oil For the hydrostatic travel drive incl. additional hydraulic systems	Pce		275.00

Options


	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	269880	Radio remote control Radio remote control and receiver unit, control of driving and steering movements, power take-off shaft and additional hydraulics, driving level selection	Pce	5	4,190.00
	269680	Additional hydraulics Two dual-acting control devices, actuation via push-button toggle switch, max. operating pressure 150 bar, flow volume 3.5 l/min. at 3600 rpm	Pce	6	3,010.00
	269440	LED light 2 lamps incl. fastening material only compatible to Rapid MONTA and VAREA S-Model	Pce	2	458.00
	269480	Task spotlight, 55 Watt incl. attachment adaptor (art. no. 259018), mounted on handlebar only compatible to Rapid MONTA and VAREA S-Model	Pce	3	250.00
	269855	Electric starter Compatible with 14 HP engines	Pce.	3.3	539.00
	269670	Battery charger With charging cable, charging of the built-in battery via a 12 Volt connection, with floating charge function (for winter months)	Pce	0.4	210.00
	266905	Winter plating to reduce carburetor freezing, compatible with 14HP engine	Pce	1	259.00

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	257810	Extension piece Dimension 78/80 mm, increases the distance between the attachment and the basic machine by 110 mm	Pce	6.2	462.00
	266452	Counterbalance system to balance divers accessories	Pce	2.5	371.00
	269700	Adjustable weight rack adjustable position and tilt, without ballast weights, max. 5 ballast weights (art. no. 259686)	Pce	9.5	328.00
	259686	Ballast weight, 8,5kg stackable to weight rack	Pce	8.5	92.00
	7323	Attachment flange 186mm clearance: 81mm	Pair	16	628.00
	1699	Lashing flange Attachment points for securing loads, for retrofitting to the walk-behind tractor with the wheel nuts; primarily for rubber-tire wheels, limited use with various wheel combinations and sprocket wheels/rolls	Pair	1.5	110.00

Rapid VAREA M161

Recommended retail price

Basic models

	Art. no.	Description	Power PS / kW	No. cylinders	Ability to handle slopes %	Weight kg	Qty. unit	EUR excl. VAT
	269501	Rapid VAREA M161, Type: 1690 Engine: Briggs & Stratton Vanguard (petrol)	16 / 11.8	2	100	189	Pce	17,450.00

Standard equipment







Drive	hydrostatic, variable
Speed control	rotary grip Rapid
steering control element	hand lever- / handlebar steering, switchable
Control of traction drive and steering	mechanic
Speed forwards	0-8 km/h
Speed backwards	0-4 km/h
Free-wheel mechanism	mechanic, towable
Attachment interface	connection flange 78/80mm
Attachment drive	mechanic PTO drive max. 1000 rpm
Handlebar height adjustment	11 positions
Handlebar lateral adjustment	swivellable, lockable in 3 positions
Handlebar ends	individually adjustable without tools, foldable
Specific equipment inclusive	operational hour counter, toolbox, zero turn function
Wheels	obligatory
Max. permissible total width	1,800 mm







Axle extension

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	269770	Wide axle Axle extension 170mm including attachment parts, for subsequent attachment to and removal from standard axle	Pair	7.1	355.00

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	269771	Broad-gauge axle Axle extension 340mm including attachment parts, for subsequent attachment to and removal from standard axle	Pair	13	595.00

Tires ex works








	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	258996	Tyres AS 5,00-10 Agricultural, wheel offset: 44mm	Pair	19	510.00
	1696	Tyres BR 21x11.00-10 Agricultural - broad gauge (270/50-10), wheel offset: 66mm	Pair	25	661.00
	261344	Tyres RB 20x8,00-10 Turf-profil, wheel offset: 0mm	Pair	19	437.00
	258998	Tyres AS 6,00-12 Agricultural, wheel offset: 40mm	Pair	25	653.00
	258720	Tyres BR 23x8,50-12 Agricultural - broad gauge, wheel offset: 15mm	Pair	30	661.00
	258655	Tyres RB 23x8,50-12 Turf-profil wide-base, wheel offset: 24mm	Pair	29	717.00








	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	1582	Sprocket wheels narrow 10" Width sprocket wheel 143mm, 30 sprockets in 2 rows	Pair	29	1,150.00
	1583	Sprocket wheels 10" Width sprocket wheel 378mm, 45 sprockets in 3 rows	Pair	42	1,455.00
	1587	Sprocket roll 10" Width sprocket roll 441mm, 52 sprockets in 4 rows	Pair	23	2,960.00
	1734	Sprocket rolls SSP 10" Width of sprocket rolls SSP 10" with steel tips: 441 mm, 52 sprockets in 4 rows	Pair	23	2,960.00
	1849	Flexispike 11", 4-r Flexispike with 48 spikes in 4 rows, width 436 mm and press-in depth 85 mm	Pair	73	2,960.00
	1848	Flexispike 11", 5-r Flexispike with 60 spikes in 5 rows, width 529 mm and press-in depth 85 mm	Pair	82	3,515.00



Options ex works

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	259287	Biodegradable hydraulic oil For the hydrostatic travel drive incl. additional hydraulic systems	Pce		275.00

Options

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	273215	Locking lever Locking lever for rotary grip, for locking a certain position of the rotary grip using the thumb ("cruise control" function)	Pce.	0.1	165.00
	259825	External intake port reduces the intake of cut material (hay, grass), compatible with 16HP engine	Pce	7	532.00
	269690	Oil cooler For cooling the hydraulic oil, recommended when the travel drive is under high load, weight rack base support is mounted as protection for hydraulic oil cooler Mandatory: External intake port (Art. No. 259825) Remark: Only one oil cooler can be installed, a combination of a hydraulic oil cooler and an engine oil cooler is not possible	Pce	10	1,295.00
	269795	Additional hydraulics Two dual-acting control devices, actuation via push-button toggle switch, switch console, max. operating pressure 150 bar, flow volume 3.5 l/min. at 3600 rpm	Pce	6.5	3,345.00
	269430	LED light 1 lamp incl. fastening material Compatible to Rapid MONTA M-model, VAREA M-model, SWISS from serial number 10016023	Pce	0.7	345.00
	269830	Electric starter Compatible to 16 and 23HP engines, with battery box, cable loom and ignition lock for M-models	Pce	9.2	1,550.00
	259497	Winter plating to reduce carburetor freezing, compatible with 16HP engine, Not permitted with external air intake device (art. no. 259825)	Pce	2	277.00


	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	259052	Thermostatic control Prevents engine overheating, compatible with 16 and 23HP engines	Pce	0.3	327.00
	266915	Oil pressure switch General recommendation for rented machines or if operating staff change frequently compatible to 16 and 23HP engines	Pce	0.1	114.00
	257810	Extension piece Dimension 78/80 mm, increases the distance between the attachment and the basic machine by 110 mm	Pce	6.2	462.00
	266452	Counterbalance system to balance divers accessories	Pce	2.5	371.00
	269700	Adjustable weight rack adjustable position and tilt, without ballast weights, max. 5 ballast weights (art. no. 259686)	Pce	9.5	328.00
	267365	Adjustable plate, complete Adjusting plate for weight rack, if the weight rack base support is already mounted. For MONTA 161/231, VAREA 161/231 models if oil cooler (Art. No. 269690 or 269780) is already mounted and generally for ORBITO 660 and KIPOS M141 Does not include ballast weights, max. 5 ballast weights (Art. No. 259686)	Pce	2.7	130.00
	259686	Ballast weight, 8,5kg stackable to weight rack	Pce	8.5	92.00

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	7323	Attachment flange 186mm clearance: 81mm	Pair	16	628.00
	1699	Lashing flange Attachment points for securing loads, for retrofitting to the walk-behind tractor with the wheel nuts; primarily for rubber-tire wheels, limited use with various wheel combinations and sprocket wheels/rolls	Pair	1.5	110.00

Rapid VAREA S161

Recommended retail price


Basic models

	Art. no.	Description	Power PS / kW	No. cylinders	Ability to handle slopes %	Weight kg	Qty. unit	EUR excl. VAT
	269506	Rapid VAREA S161, Type: 1691 Engine: Briggs&Stratton Vanguard (petrol)	16 / 11.8	2	100	197	Pce	19,450.00

Standard equipment







Drive	hydrostatic, variable
Speed control	rotary grip Rapid
steering control element	hand lever- / handlebar steering, switchable
Control of traction drive and steering	electronic
Speed forwards	0-8 km/h
Speed backwards	0-4 km/h
Free-wheel mechanism	mechanic, towable
Attachment interface	connection flange 78/80mm
Attachment drive	mechanic PTO drive max. 1000 rpm
Handlebar height adjustment	11 positions
Handlebar lateral adjustment	swivel- / rotatable, lockable in 6 positions
Handlebar ends	individually adjustable without tools, foldable
Specific equipment inclusive	second deadman function, operational hour counter, toolbox, zero turn function, RC ready
Wheels	obligatory
Max. permissible total width	1,800 mm







Axle extension

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	269770	Wide axle Axle extension 170mm including attachment parts, for subsequent attachment to and removal from standard axle	Pair	7.1	355.00

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	269771	Broad-gauge axle Axle extension 340mm including attachment parts, for subsequent attachment to and removal from standard axle	Pair	13	595.00

Tires ex works








	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	258996	Tyres AS 5,00-10 Agricultural, wheel offset: 44mm	Pair	19	510.00
	1696	Tyres BR 21x11.00-10 Agricultural - broad gauge (270/50-10), wheel offset: 66mm	Pair	25	661.00
	261344	Tyres RB 20x8,00-10 Turf-profil, wheel offset: 0mm	Pair	19	437.00
	258998	Tyres AS 6,00-12 Agricultural, wheel offset: 40mm	Pair	25	653.00
	258720	Tyres BR 23x8,50-12 Agricultural - broad gauge, wheel offset: 15mm	Pair	30	661.00
	258655	Tyres RB 23x8,50-12 Turf-profil wide-base, wheel offset: 24mm	Pair	29	717.00








	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	1582	Sprocket wheels narrow 10" Width sprocket wheel 143mm, 30 sprockets in 2 rows	Pair	29	1,150.00
	1583	Sprocket wheels 10" Width sprocket wheel 378mm, 45 sprockets in 3 rows	Pair	42	1,455.00
	1587	Sprocket roll 10" Width sprocket roll 441mm, 52 sprockets in 4 rows	Pair	23	2,960.00
	1734	Sprocket rolls SSP 10" Width of sprocket rolls SSP 10" with steel tips: 441 mm, 52 sprockets in 4 rows	Pair	23	2,960.00
	1849	Flexispike 11", 4-r Flexispike with 48 spikes in 4 rows, width 436 mm and press-in depth 85 mm	Pair	73	2,960.00
	1848	Flexispike 11", 5-r Flexispike with 60 spikes in 5 rows, width 529 mm and press-in depth 85 mm	Pair	82	3,515.00





Options ex works

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	259287	Biodegradable hydraulic oil For the hydrostatic travel drive incl. additional hydraulic systems	Pce		275.00

Options

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	269880	Radio remote control Radio remote control and receiver unit, control of driving and steering movements, power take-off shaft and additional hydraulics, driving level selection	Pce	5	4,190.00
	259825	External intake port reduces the intake of cut material (hay, grass), compatible with 16HP engine	Pce	7	532.00
	269690	Oil cooler For cooling the hydraulic oil, recommended when the travel drive is under high load, weight rack base support is mounted as protection for hydraulic oil cooler Mandatory: External intake port (Art. No. 259825) Remark: Only one oil cooler can be installed, a combination of a hydraulic oil cooler and an engine oil cooler is not possible	Pce	10	1,295.00
	269680	Additional hydraulics Two dual-acting control devices, actuation via push-button toggle switch, max. operating pressure 150 bar, flow volume 3.5 l/min. at 3600 rpm	Pce	6	3,010.00
	269440	LED light 2 lamps incl. fastening material only compatible to Rapid MONTA and VAREA S-Model	Pce	2	458.00
	269480	Task spotlight, 55 Watt incl. attachment adaptor (art. no. 259018), mounted on handlebar only compatible to Rapid MONTA and VAREA S-Model	Pce	3	250.00
	269670	Battery charger With charging cable, charging of the built-in battery via a 12 Volt connection, with floating charge function (for winter months)	Pce	0.4	210.00

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	269710	Electric starter compatible to 16 and 23HP engines	Pce	10	510.00
	259497	Winter plating to reduce carburetor freezing, compatible with 16HP engine, Not permitted with external air intake device (art. no. 259825)	Pce	2	277.00
	259052	Thermostatic control Prevents engine overheating, compatible with 16 and 23HP engines	Pce	0.3	327.00
	266915	Oil pressure switch General recommendation for rented machines or if operating staff change frequently compatible to 16 and 23HP engines	Pce	0.1	114.00
	257810	Extension piece Dimension 78/80 mm, increases the distance between the attachment and the basic machine by 110 mm	Pce	6.2	462.00
	266452	Counterbalance system to balance divers accessories	Pce	2.5	371.00
	269700	Adjustable weight rack adjustable position and tilt, without ballast weights, max. 5 ballast weights (art. no. 259686)	Pce	9.5	328.00

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	267365	<p>Adjustable plate, complete Adjusting plate for weight rack, if the weight rack base support is already mounted. For MONTA 161/231, VAREA 161/231 models if oil cooler (Art. No. 269690 or 269780) is already mounted and generally for ORBITO 660 and KIPOS M141 Does not include ballast weights, max. 5 ballast weights (Art. No. 259686)</p>	Pce	2.7	130.00
	259686	<p>Ballast weight, 8,5kg stackable to weight rack</p>	Pce	8.5	92.00
	7323	<p>Attachment flange 186mm clearance: 81mm</p>	Pair	16	628.00
	1699	<p>Lashing flange Attachment points for securing loads, for retrofitting to the walk-behind tractor with the wheel nuts; primarily for rubber-tire wheels, limited use with various wheel combinations and sprocket wheels/rolls</p>	Pair	1.5	110.00


Rapid VAREA – Wheels and wheel combinations

	Wheel position «narrow» (offset)	Wheel position «narrow» (offset)		Art. No.	Accessories	Wheels	Accessories	Wheel position «wide» (offset)	
		Total width (walk-behind tractor)	Gap between wheels					Gap between wheels	Total width (walk-behind tractor)
AS 5.00-10		670 mm		269770	258996	269770		850 mm	
		840 mm						1020 mm	
		1010 mm						1190 mm	
AS 5.00-10 AS 5.00-10		1110 mm		7323	258996	269770	7323	1290 mm	
		1280 mm						1460 mm	
		1450 mm						1630 mm	
AS 5.00-10 Sprocket wheel 10"				269771	258996	269771	7323	1624 mm	
								1794 mm	
AS 5.00-10 Sprocket roll 10"				269771	258996	1587	7323	1760 mm	
BR 21x11.00-10				1696		269770		1000 mm	
								1170 mm	
								1340 mm	
BR 21x11.00-10 AS 5.00-10				7323	1696	269770	7323	1280 mm	
								1450 mm	
								1620 mm	
BR 21x11.00-10 Sprocket wheel narrow 10"				7323	1696	1582	269770	1270 mm	
								1440 mm	
								1610 mm	

	Wheel position «narrow» (offset)	Wheel position «narrow» (offset)		Art. No.	Accessories	Wheels	Accessories	Wheel position «wide» (offset)	
		Total width (walk-behind tractor)	Gap between wheels					Gap between wheels	Total width (walk-behind tractor)
RB 20x8.00-10		800 mm		261344				800 mm	
AS 6.00-12*		695 mm		258998				860 mm	
BR 23x8.50-12 * **		794 mm		258720				864 mm	
RB 23x8.50-12 * **		800 mm		258655				875 mm	

* No wheel combinations permitted
 ** Snow chains only possible with wide track width setting of wheels

Rapid VAREA – Wheels and wheel combinations




		Total width (walk-behind tractor)	Gap between wheels	Accessories	Wheels	Accessories	Gap between wheels	Total width (walk-behind tractor)
Sproket wheel 10"					1583			1195 mm
						269770	1365 mm	
						269771	1535 mm	
Sproket roll 10"					1587			1321 mm
						269770	1491 mm	
						269771	1661 mm	
Flexispike 11", 4-r					1849			1320 mm
						269770	1484 mm	
						269771	1648 mm	
Flexispike 11", 5-r					1848			1506 mm
						269770	1670 mm	

Rapid VAREA M231

Recommended retail price


Basic models

	Art. no.	Description	Power PS / kW	No. cylinders	Ability to handle slopes %	Weight kg	Qty. unit	EUR excl. VAT
	269800	Rapid VAREA M231, Typ: 1693 Engine: Briggs & Stratton Vanguard (petrol)	23 / 16.9	2	100	205	Pce	20,580.00

Standard equipment







Drive	hydrostatic, variable
Speed control	rotary grip Rapid
steering control element	hand lever- / handlebar steering, switchable
Control of traction drive and steering	mechanic
Speed forwards	0-8 km/h
Speed backwards	0-4 km/h
Free-wheel mechanism	mechanic, towable
Attachment interface	connection flange 78/80mm
Attachment drive	mechanic PTO drive max. 1000 rpm
Handlebar height adjustment	11 positions
Handlebar lateral adjustment	swivellable, lockable in 3 positions
Handlebar ends	individually adjustable without tools, foldable
Specific equipment inclusive	operational hour counter, toolbox, zero turn function, cyclone filter (rotatable, replaces winterplating)
Wheels	obligatory
Max. permissible total width	2,000 mm









Axle extension






	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	269770	Wide axle Axle extension 170mm including attachment parts, for subsequent attachment to and removal from standard axle	Pair	7.1	355.00

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	269771	Broad-gauge axle Axle extension 340mm including attachment parts, for subsequent attachment to and removal from standard axle	Pair	13	595.00

Tires ex works

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	258996	Tyres AS 5,00-10 Agricultural, wheel offset: 44mm	Pair	19	510.00
	1696	Tyres BR 21x11.00-10 Agricultural - broad gauge (270/50-10), wheel offset: 66mm	Pair	25	661.00
	261344	Tyres RB 20x8,00-10 Turf-profil, wheel offset: 0mm	Pair	19	437.00
	258998	Tyres AS 6,00-12 Agricultural, wheel offset: 40mm	Pair	25	653.00
	258720	Tyres BR 23x8,50-12 Agricultural - broad gauge, wheel offset: 15mm	Pair	30	661.00
	259366	Tyres BR 23x10,50-12 Agricultural, wheel offset: 15mm	Pair	36	889.00








	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	258655	Tyres RB 23x8,50-12 Turf-profil wide-base, wheel offset: 24mm	Pair	29	717.00
	1582	Sprocket wheels narrow 10" Width sprocket wheel 143mm, 30 sprockets in 2 rows	Pair	29	1,150.00
	1583	Sprocket wheels 10" Width sprocket wheel 378mm, 45 sprockets in 3 rows	Pair	42	1,455.00
	1587	Sprocket roll 10" Width sprocket roll 441mm, 52 sprockets in 4 rows	Pair	23	2,960.00
	1734	Sprocket rolls SSP 10" Width of sprocket rolls SSP 10" with steel tips: 441 mm, 52 sprockets in 4 rows	Pair	23	2,960.00
	1849	Flexispike 11", 4-r Flexispike with 48 spikes in 4 rows, width 436 mm and press-in depth 85 mm	Pair	73	2,960.00
	1848	Flexispike 11", 5-r Flexispike with 60 spikes in 5 rows, width 529 mm and press-in depth 85 mm	Pair	82	3,515.00
	1584	Sprocket wheels narrow 12" Width sprocket wheel 143mm, 30 sprockets in 2 rows	Pair	31	1,205.00








	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	1585	Sprocket wheels 12" Width sprocket wheel 408mm, 60 sprockets in 4 rows	Pair	48	1,695.00
	1578	Sprocket roll 12" Width sprocket roll 347mm, 42 sprockets in 3 rows	Pair	35	2,960.00
	1736	Sprocket rolls SSP 12" Width of sprocket rolls SSP 12" with steel tips: 347 mm, 42 sprockets in 3 rows	Pair	35	2,960.00
	1579	Sprocket roll 12" Width sprocket roll 532mm, 70 sprockets in 5 rows	Pair	40	3,515.00
	1735	Sprocket rolls SSP 12" Width of sprocket rolls SSP 12" with steel tips: 532mm, 70 sprockets in 5 rows	Pair	40	3,515.00



Options ex works

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	259287	Biodegradable hydraulic oil For the hydrostatic travel drive incl. additional hydraulic systems	Pce		275.00

Options

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	273215	Locking lever Locking lever for rotary grip, for locking a certain position of the rotary grip using the thumb ("cruise control" function)	Pce.	0.1	165.00
	259826	External intake port reduces the intake of cut material (hay, grass), compatible with 21 and 23HP engine	Pce	7.5	532.00
	269780	Hydraulic oil cooler For cooling the hydraulic oil, recommended when the travel drive is under high load, weight rack base support is mounted as protection for hydraulic oil cooler Mandatory: External intake port (Art. No. 259826)	Pce	10	1,415.00
	269785	Additional hydraulics Two dual-acting control devices, actuation via push-button toggle switch, switch console, max. operating pressure 150 bar, flow volume 3.5 l/min. at 3600 rpm	Pce	6.5	3,345.00
	259348	Engine oil cooler For cooling the engine, Recommended with extremely demanding continuous loads Obligatory: 23 HP motor, external intake port; Remark: Only one oil cooler can be installed, a combination of a hydraulic oil cooler and an engine oil cooler is not possible	Pce	1.4	751.00
	269430	LED light 1 lamp incl. fastening material Compatible to Rapid MONTA M-model, VAREA M-model, SWISS from serial number 10016023	Pce	0.7	345.00
	269830	Electric starter Compatible to 16 and 23HP engines, with battery box, cable loom and ignition lock for M-models	Pce	9.2	1,550.00


	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	259052	Thermostatic control Prevents engine overheating, compatible with 16 and 23HP engines	Pce	0.3	327.00
	266915	Oil pressure switch General recommendation for rented machines or if operating staff change frequently compatible to 16 and 23HP engines	Pce	0.1	114.00
	257810	Extension piece Dimension 78/80 mm, increases the distance between the attachment and the basic machine by 110 mm	Pce	6.2	462.00
	266452	Counterbalance system to balance divers accessories	Pce	2.5	371.00
	267479	Weight rack complete for ORBITO 640, VAREA 231 without ballast, max. 5 ballast weights (art. no. 259686) mountable	Pce	2.7	303.00
	267365	Adjustable plate, complete Adjusting plate for weight rack, if the weight rack base support is already mounted. For MONTA 161/231, VAREA 161/231 models if oil cooler (Art. No. 269690 or 269780) is already mounted and generally for ORBITO 660 and KIPOS M141 Does not include ballast weights, max. 5 ballast weights (Art. No. 259686)	Pce	2.7	130.00
	259686	Ballast weight, 8,5kg stackable to weight rack	Pce	8.5	92.00

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	7323	Attachment flange 186mm clearance: 81mm	Pair	16	628.00
	1699	Lashing flange Attachment points for securing loads, for retrofitting to the walk-behind tractor with the wheel nuts; primarily for rubber-tire wheels, limited use with various wheel combinations and sprocket wheels/rolls	Pair	1.5	110.00

Rapid VAREA S231

Recommended retail price


Basic models

	Art. no.	Description	Power PS / kW	No. cylinders	Ability to handle slopes %	Weight kg	Qty. unit	EUR excl. VAT
	269805	Rapid VAREA S231, Typ: 1694 Engine: Briggs & Stratton Vanguard (petrol)	23 / 16.9	2	100	214	Pce	22,580.00

Standard equipment

Drive	hydrostatic, variable
Speed control	rotary grip Rapid
steering control element	hand lever- / handlebar steering, switchable
Control of traction drive and steering	electronic
Speed forwards	0-8 km/h
Speed backwards	0-4 km/h
Free-wheel mechanism	mechanic, towable
Attachment interface	connection flange 78/80mm
Attachment drive	mechanic PTO drive max. 1000 rpm
Handlebar height adjustment	11 positions
Handlebar lateral adjustment	swivel- / rotatable, lockable in 6 positions
Handlebar ends	individually adjustable without tools, foldable
Specific equipment inclusive	second deadman function, cyclone filter (rotatable, replaces winterplating), operational hour counter, toolbox, zero turn function, RC ready
Wheels	obligatory
Max. permissible total width	2,000 mm









Axle extension






	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	269770	Wide axle Axle extension 170mm including attachment parts, for subsequent attachment to and removal from standard axle	Pair	7.1	355.00

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	269771	Broad-gauge axle Axle extension 340mm including attachment parts, for subsequent attachment to and removal from standard axle	Pair	13	595.00

Tires ex works

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	258996	Tyres AS 5,00-10 Agricultural, wheel offset: 44mm	Pair	19	510.00
	1696	Tyres BR 21x11.00-10 Agricultural - broad gauge (270/50-10), wheel offset: 66mm	Pair	25	661.00
	261344	Tyres RB 20x8,00-10 Turf-profil, wheel offset: 0mm	Pair	19	437.00
	258998	Tyres AS 6,00-12 Agricultural, wheel offset: 40mm	Pair	25	653.00
	258720	Tyres BR 23x8,50-12 Agricultural - broad gauge, wheel offset: 15mm	Pair	30	661.00
	259366	Tyres BR 23x10,50-12 Agricultural, wheel offset: 15mm	Pair	36	889.00








	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	258655	Tyres RB 23x8,50-12 Turf-profil wide-base, wheel offset: 24mm	Pair	29	717.00
	1582	Sprocket wheels narrow 10" Width sprocket wheel 143mm, 30 sprockets in 2 rows	Pair	29	1,150.00
	1583	Sprocket wheels 10" Width sprocket wheel 378mm, 45 sprockets in 3 rows	Pair	42	1,455.00
	1587	Sprocket roll 10" Width sprocket roll 441mm, 52 sprockets in 4 rows	Pair	23	2,960.00
	1734	Sprocket rolls SSP 10" Width of sprocket rolls SSP 10" with steel tips: 441 mm, 52 sprockets in 4 rows	Pair	23	2,960.00
	1849	Flexispike 11", 4-r Flexispike with 48 spikes in 4 rows, width 436 mm and press-in depth 85 mm	Pair	73	2,960.00
	1848	Flexispike 11", 5-r Flexispike with 60 spikes in 5 rows, width 529 mm and press-in depth 85 mm	Pair	82	3,515.00
	1584	Sprocket wheels narrow 12" Width sprocket wheel 143mm, 30 sprockets in 2 rows	Pair	31	1,205.00








	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	1585	Sprocket wheels 12" Width sprocket wheel 408mm, 60 sprockets in 4 rows	Pair	48	1,695.00
	1578	Sprocket roll 12" Width sprocket roll 347mm, 42 sprockets in 3 rows	Pair	35	2,960.00
	1736	Sprocket rolls SSP 12" Width of sprocket rolls SSP 12" with steel tips: 347 mm, 42 sprockets in 3 rows	Pair	35	2,960.00
	1579	Sprocket roll 12" Width sprocket roll 532mm, 70 sprockets in 5 rows	Pair	40	3,515.00
	1735	Sprocket rolls SSP 12" Width of sprocket rolls SSP 12" with steel tips: 532mm, 70 sprockets in 5 rows	Pair	40	3,515.00



Options ex works

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	259287	Biodegradable hydraulic oil For the hydrostatic travel drive incl. additional hydraulic systems	Pce		275.00



Options

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	269880	Radio remote control Radio remote control and receiver unit, control of driving and steering movements, power take-off shaft and additional hydraulics, driving level selection	Pce	5	4,190.00
	259826	External intake port reduces the intake of cut material (hay, grass), compatible with 21 and 23HP engine	Pce	7.5	532.00
	269780	Hydraulic oil cooler For cooling the hydraulic oil, recommended when the travel drive is under high load, weight rack base support is mounted as protection for hydraulic oil cooler Mandatory: External intake port (Art. No. 259826)	Pce	10	1,415.00
	259348	Engine oil cooler For cooling the engine, Recommended with extremely demanding continuous loads Obligatory: 23 HP motor, external intake port; Remark: Only one oil cooler can be installed, a combination of a hydraulic oil cooler and an engine oil cooler is not possible	Pce	1.4	751.00
	269755	Additional hydraulics Two dual-acting control devices, actuation via push-button toggle switch, max. operating pressure 150 bar, flow volume 3.5 l/min. at 3600 rpm	Pce	9.1	3,010.00
	269440	LED light 2 lamps incl. fastening material only compatible to Rapid MONTA and VAREA S-Model	Pce	2	458.00
	269480	Task spotlight, 55 Watt incl. attachment adaptor (art. no. 259018), mounted on handlebar only compatible to Rapid MONTA and VAREA S-Model	Pce	3	250.00

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	269670	Battery charger With charging cable, charging of the built-in battery via a 12 Volt connection, with floating charge function (for winter months)	Pce	0.4	210.00
	269710	Electric starter compatible to 16 and 23HP engines	Pce	10	510.00
	259052	Thermostatic control Prevents engine overheating, compatible with 16 and 23HP engines	Pce	0.3	327.00
	266915	Oil pressure switch General recommendation for rented machines or if operating staff change frequently compatible to 16 and 23HP engines	Pce	0.1	114.00
	257810	Extension piece Dimension 78/80 mm, increases the distance between the attachment and the basic machine by 110 mm	Pce	6.2	462.00
	266452	Counterbalance system to balance divers accessories	Pce	2.5	371.00
	267479	Weight rack complete for ORBITO 640, VAREA 231 without ballast, max. 5 ballast weights (art. no. 259686) mountable	Pce	2.7	303.00

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	267365	<p>Adjustable plate, complete</p> <p>Adjusting plate for weight rack, if the weight rack base support is already mounted. For MONTA 161/231, VAREA 161/231 models if oil cooler (Art. No. 269690 or 269780) is already mounted and generally for ORBITO 660 and KIPOS M141</p> <p>Does not include ballast weights, max. 5 ballast weights (Art. No. 259686)</p>	Pce	2.7	130.00
	259686	<p>Ballast weight, 8,5kg</p> <p>stackable to weight rack</p>	Pce	8.5	92.00
	7323	<p>Attachment flange 186mm</p> <p>clearance: 81mm</p>	Pair	16	628.00
	1699	<p>Lashing flange</p> <p>Attachment points for securing loads, for retrofitting to the walk-behind tractor with the wheel nuts; primarily for rubber-tire wheels, limited use with various wheel combinations and sprocket wheels/rolls</p>	Pair	1.5	110.00



Rapid VAREA 231 – Wheels and wheel combinations



Wheel designation	Wheel image/ symbol	Total width (walk-behind tractor)	Gap between wheels	Art. no.			Gap between wheels	Total width (walk-behind tractor)
				Accessories	Wheels	Accessories		
AS 5.00-10		740 mm					920 mm	
		910 mm		269770	258996	269770	1090 mm	
		1080 mm		269771		269771	1280 mm	
AS 5.00-10 AS 5.00-10		1182 mm		7323	7323	7323	1362 mm	
		1352 mm		269770 7323	258996 258996	269770 7323	1532 mm	
		1522 mm		269771 7323		269771 7323	1702 mm	
AS 5.00-10 Sproket wheel 10"						7323	1676 mm	
				258996 1583		269770 7323	1846 mm	
AS 5.00-10 Sproket roll 10"						7323	1802 mm	
				258996 1587		269770 7323	1972 mm	
BR 21x11.00-10							1072 mm	
					1696	269770	1242 mm	
						269771	1412 mm	
BR 21x11.00-10 AS 5.00-10						7323	1352 mm	
				1696	258996	269770 7323	1522 mm	
						269771	1692 mm	
						7323	1692 mm	

Wheel designation	Wheel image/ symbol	Total width (walk-behind tractor)	Gap between wheels	Art. no.			Gap between wheels	Total width (walk-behind tractor)
				Accessories	Wheels	Accessories		
BR 21x11.00-10 Sproked wheel						7323	1440 mm	
				1696 1582		269770 7323	1610 mm	
						269771 7323	1780 mm	
						7323	1780 mm	
AS 6.00-12				269770	258998	269770	930 mm	
				269771		269771	1270 mm	
AS 6.00-12 AS 6.00-12				7323		7323	1392 mm	
				269770	258998	269770	1562 mm	
				7323	258998	7323	1732 mm	
				269771 7323		269771 7323	1732 mm	
AS 6.00-12 Sproket wheel 12"						7323	1746 mm	
				258998 1585		269770 7323	1916 mm	
AS 6.00-12 sprocket roll 12"						7323	1624 mm	
				258998 1578		269770 7323	1794 mm	
						269771 7323	1964 mm	
						7323	1964 mm	
BR 23x8.50-12		865 mm					935 mm	
		1035 mm		269770	258720	269770	1105 mm	
		1205 mm		269771		269771	1275 mm	


Rapid VAREA 231 – Wheels and wheel combinations



Wheel designation	Wheel image/ symbol	Total width (walk-behind tractor)	Gap between wheels	Art. no.			Gap between wheels	Total width (walk-behind tractor)
				Accessories	Wheels	Accessories		
BR 23x8.50-12 AS 6.00-12					7323		1383 mm	
				258720	269770	7323	1553 mm	
				258998	269771	7323	1723 mm	
BR 23x8.50-12 sprocket wheel 12"					7323		1751 mm	
				258720	269770	7323	1921 mm	
				1585	7323			
BR 23x8.50-12 sprocket roll 12"					7323		1629 mm	
				258720	269770	7323	1799 mm	
				1578	269771	7323	1969 mm	
BR 23x10.5-12					259366		970 mm	
					269770		1140 mm	
					269771		1310 mm	
BR 23x10.5-12 AS 6.00-12					7323		1366 mm	
				259366	269770	7323	1536 mm	
				258998	269771	7323	1706 mm	
BR 23x10.5-12 sprocket wheel 12"					7323		1776 mm	
				259366	269770	7323	1946 mm	
				1578	7323			

Wheel designation	Wheel image/ symbol	Total width (walk-behind tractor)	Gap between wheels	Art. no.			Gap between wheels	Total width (walk-behind tractor)
				Accessories	Wheels	Accessories		
BR 23x10.5-12 sprocket roll 12"					7323		1654 mm	
				259366	269770	7323	1824 mm	
				1585	269771	7323	1994 mm	
RB 20x8.00-10		870 mm			261344		870 mm	
RB 23x8.50-12		865 mm			258655		935 mm	
sprocket wheel narrow 10"					790 mm		890 mm	
				269770	960 mm	1582	269770	1060 mm
				269771	1130 mm	269771	1230 mm	
sprocket wheel 10"					1583		1266 mm	
					269770		1436 mm	
					269771		1606 mm	
sprocket roll 10"					1587		1392 mm	
					269770		1562 mm	
					269771		1732 mm	

Rapid VAREA 231 – Wheels and wheel combinations




Wheel designation	Wheel image/ symbol	Total width (walk-behind tractor)	Gap between wheels	Art. no.			Gap between wheels	Total width (walk-behind tractor)
				Accessories	Wheels	Accessories		
Flexispike 11", 4-r					1849			1392 mm
						269770		1556 mm
						269771		1720 mm
Flexispike 11", 5-r					1848			1578 mm
						269770		1742 mm
						269771		1906 mm
sproket wheel narrow 12"		790 mm						890 mm
		960 mm		269770	1584	269770		1060 mm
		1130 mm		269771		269771		1230 mm
sproket wheel 12"								1334 mm
						269770		1504 mm
						269771		1674 mm
sprocket roll 12"								1208 mm
						269770		1378 mm
						269771		1548 mm
sprocket roll 12"								1578 mm
						269770		1748 mm
						269771		1918 mm

Rapid ORBITO

Recommended retail price

Basic models


	Art. no.	Description	Power PS / kW	No. cylinders	Ability to handle slopes %	Weight kg	Qty. unit	EUR excl. VAT
	267002	Rapid ORBITO 640 Engine: Briggs&Stratton Vanguard (petrol)	23 / 16.9	2	100	238	Pce	24,010.00

Standard equipment

Drive	hydrostatic, variable
Speed control	rotary grip Rapid
steering control element	hand lever- / handlebar steering, switchable
Control of traction drive and steering	electronic
Speed forwards	0-8 km/h
Speed backwards	0-4 km/h
Free-wheel mechanism	mechanic, towable
Attachment interface	connection flange 78/80mm
Attachment drive	mechanic PTO drive max. 700 / 1000 rpm
Handlebar height adjustment	11 positions
Handlebar lateral adjustment	swivel- / rotatable, lockable in 6 positions
Handlebar ends	individually adjustable without tools, foldable
Specific equipment inclusive	axle adjustment, second deadman function, short handlebar, cyclone filter (rotatable, replaces winterplating), operational hour counter, toolbox, zero turn function
Wheels	obligatory
Max. permissible total width	2,000 mm

Recommended retail price


Basic models


	Art. no.	Description	Power PS / kW	No. cylinders	Ability to handle slopes %	Weight kg	Qty. unit	EUR excl. VAT
	267000	Rapid ORBITO 660 Engine: Briggs&Stratton Vanguard (petrol)	23 / 16.9	2	100	255	Pce	25,860.00

Standard equipment







Drive	hydrostatic, variable
Speed control	rotary grip Rapid
steering control element	hand lever- / handlebar steering, switchable
Control of traction drive and steering	electronic
Speed forwards	0-8 km/h
Speed backwards	0-4 km/h
Free-wheel mechanism	mechanic, towable
Attachment interface	connection flange 78/80mm
Attachment drive	mechanic PTO drive max. 700 / 1000 rpm
Handlebar height adjustment	11 positions
Handlebar lateral adjustment	swivel- / rotatable, lockable in 6 positions
Handlebar ends	individually adjustable without tools, foldable
Specific equipment inclusive	electric starter, external intake port, axle adjustment, second deadman function, long handlebar, cyclone filter (rotatable, replaces winterplating), operational hour counter, toolbox, Engine protection console, zero turn function
Wheels	obligatory
Max. permissible total width	2,000 mm









Axle extension

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	267349	Wide axle Axle extension 170mm including attachment parts, for subsequent attachment to and removal from standard axle	Pair	7.1	355.00

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	267350	Broad-gauge axle Axle extension 340mm including attachment parts, for subsequent attachment to and removal from standard axle	Pair	13	595.00

Tires ex works

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	258998	Tyres AS 6,00-12 Agricultural, wheel offset: 40mm	Pair	25	653.00
	258720	Tyres BR 23x8,50-12 Agricultural - broad gauge, wheel offset: 15mm	Pair	30	661.00
	259366	Tyres BR 23x10,50-12 Agricultural, wheel offset: 15mm	Pair	36	889.00
	258655	Tyres RB 23x8,50-12 Turf-profil wide-base, wheel offset: 24mm	Pair	29	717.00
	1582	Sprocket wheels narrow 10" Width sprocket wheel 143mm, 30 sprockets in 2 rows	Pair	29	1,150.00
	1583	Sprocket wheels 10" Width sprocket wheel 378mm, 45 sprockets in 3 rows	Pair	42	1,455.00



	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	1587	Sprocket roll 10" Width sprocket roll 441mm, 52 sprockets in 4 rows	Pair	23	2,960.00
	1734	Sprocket rolls SSP 10" Width of sprocket rolls SSP 10" with steel tips: 441 mm, 52 sprockets in 4 rows	Pair	23	2,960.00
	1849	Flexispike 11", 4-r Flexispike with 48 spikes in 4 rows, width 436 mm and press-in depth 85 mm	Pair	73	2,960.00
	1848	Flexispike 11", 5-r Flexispike with 60 spikes in 5 rows, width 529 mm and press-in depth 85 mm	Pair	82	3,515.00
	1584	Sprocket wheels narrow 12" Width sprocket wheel 143mm, 30 sprockets in 2 rows	Pair	31	1,205.00
	1585	Sprocket wheels 12" Width sprocket wheel 408mm, 60 sprockets in 4 rows	Pair	48	1,695.00
	1578	Sprocket roll 12" Width sprocket roll 347mm, 42 sprockets in 3 rows	Pair	35	2,960.00
	1736	Sprocket rolls SSP 12" Width of sprocket rolls SSP 12" with steel tips: 347 mm, 42 sprockets in 3 rows	Pair	35	2,960.00









	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	1579	Sprocket roll 12" Width sprocket roll 532mm, 70 sprockets in 5 rows	Pair	40	3,515.00
	1735	Sprocket rolls SSP 12" Width of sprocket rolls SSP 12" with steel tips: 532mm, 70 sprockets in 5 rows	Pair	40	3,515.00








Options ex works

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	259287	Biodegradable hydraulic oil For the hydrostatic travel drive incl. additional hydraulic systems	Pce		275.00

Options

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	259826	External intake port reduces the intake of cut material (hay, grass), compatible with 21 and 23HP engine	Pce	7.5	532.00
	259348	Engine oil cooler For cooling the engine, Recommended with extremely demanding continuous loads Obligatory: 23 HP motor, external intake port; Remark: Only one oil cooler can be installed, a combination of a hydraulic oil cooler and an engine oil cooler is not possible	Pce	1.4	751.00


	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	267222	Additional hydraulics two dual acting control units, max. operating pressure 150 bar	Pce	4.4	1,700.00
	267239	LED light 2 lamps incl. fastening material	Pce	1.1	458.00
	259017	Task spotlight, 55 Watt incl. attachment adaptor (art. no. 259018), mounted on handlebar	Pce	1.7	250.00
	269670	Battery charger With charging cable, charging of the built-in battery via a 12 Volt connection, with floating charge function (for winter months)	Pce	0.4	210.00
	266905	Winter plating to reduce carburetor freezing, compatible with 14HP engine	Pce	1	259.00
	259052	Thermostatic control Prevents engine overheating, compatible with 16 and 23HP engines	Pce	0.3	327.00
	266915	Oil pressure switch General recommendation for rented machines or if operating staff change frequently compatible to 16 and 23HP engines	Pce	0.1	114.00
	266452	Counterbalance system to balance divers accessories	Pce	2.5	371.00


	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	267479	Weight rack complete for ORBITO 640, VAREA 231 without ballast, max. 5 ballast weights (art. no. 259686) mountable	Pce	2.7	303.00
	267365	Adjustable plate, complete Adjusting plate for weight rack, if the weight rack base support is already mounted. For MONTA 161/231, VAREA 161/231 models if oil cooler (Art. No. 269690 or 269780) is already mounted and generally for ORBITO 660 and KIPOS M141 Does not include ballast weights, max. 5 ballast weights (Art. No. 259686)	Pce	2.7	130.00
	259686	Ballast weight, 8,5kg stackable to weight rack	Pce	8.5	92.00
	7326	Attachment flange 47mm incl. attachment parts	Pair	6.4	532.00
	7324	Attachment flange 96mm incl. attachment parts	Pair	9.6	540.00
	7321	Attachment flange 130mm clearance: 25mm	Pair	12	583.00
	7323	Attachment flange 186mm clearance: 81mm	Pair	16	628.00

	Art. no.	Description	Qty. unit	Weight kg	EUR excl. VAT
	7339	Attachment flange 186mm for triple tyres, incl. attachment parts, mounting between wheel 1 and wheel 2	Pair	16	915.00
	1699	Lashing flange Attachment points for securing loads, for retrofitting to the walk-behind tractor with the wheel nuts; primarily for rubber-tire wheels, limited use with various wheel combinations and sprocket wheels/rolls	Pair	1.5	110.00

Rapid ORBITO – Wheels and wheel combinations


Wheel position
«narrow»
(offset)












wide axle
Broad-gauge axle


Wheel position
«wide»
(offset)



Wheel designation	Wheel image/ symbol	Total width (walk-behind tractor)	Gap between wheels	Art. no.			Gap between wheels	Total width (walk-behind tractor)
				Accessories	Wheels	Accessories		
AS 6.00-12		760 mm		267349	258998	267349		930 mm
		930 mm		267350		267350	1100 mm	
		1100 mm					1270 mm	
AS 6.00-12 AS 6.00-12		1106 mm	15 mm	7321	258998 258998	7321		1280 mm
		1276 mm	15 mm	267349 7321		267349 7321	1450 mm	
		1446 mm	15 mm	267350 7321		267350 7321	1620 mm	
AS 6.00-12 AS 6.00-12		1218 mm	71 mm	7323	258998 258998	7323		1392 mm
		1388 mm	71 mm	267349 7323		267349 7323	1562 mm	
		1558 mm	71 mm	267350 7323		267350 7323	1732 mm	
AS 6.00-12 AS 6.00-12 sproket wheel narrow 12"		1504 mm	71 mm	7339 7326	258998 258998 1584	7339 7321		1678 mm
		1674 mm	71 mm	267349 7339 7326		267349 7339 7321	1848 mm	
		1844 mm	71 mm	267350 7339 7326				
AS 6.00-12 sproket wheel narrow 12"		1046 mm		7326	258998 1584	7321		1216 mm
		1216 mm		267349 7326		267349 7321	1386 mm	
		1386 mm		267350 7326		267350 7321	1556 mm	
AS 6.00-12 sproket wheel 12"		1576 mm		7324	258998 1585	7323		1746 mm
		1746 mm		267349 7324		267349 7323	1916 mm	
		1916 mm		267350 7324				


Wheel position
«narrow»
(offset)












wide axle
Broad-gauge axle

Wheel position
«wide»
(offset)




Wheel designation	Wheel image/ symbol	Total width (walk-behind tractor)	Gap between wheels	Art. no.			Gap between wheels	Total width (walk-behind tractor)
				Accessories	Wheels	Accessories		
AS 6.00-12 sproket roll 12"		1454 mm		7324	258998 1578	7323		1624 mm
		1624 mm		267349 7324		267349 7323	1794 mm	
		1794 mm		267350 7324		267350 7323	1964 mm	
BR 23x8.50-12		865 mm			258720			935 mm
		1035 mm		267349		267349	1105 mm	
		1205 mm		267350		267350	1275 mm	
BR 23x8.50-12 AS 6.00-12		1201 mm	10 mm	7324	258720 258998	7321		1271 mm
		1371 mm	10 mm	267349 7324		267349 7321	1441 mm	
		1541 mm	10 mm	267350 7324		267350 7321	1611 mm	
BR 23x8.50-12 AS 6.00-12		1269 mm	44 mm	7321	258720 258998	7323		1383 mm
		1439 mm	44 mm	267349 7321		267349 7323	1553 mm	
		1609 mm	44 mm	267350 7321		267350 7323	1723 mm	
BR 23x8.50-12 AS 6.00-12 sproket wheel narrow 12"		1667 mm	100 mm	7339 7326	258720 258998 1584	7339 7321		1669 mm
		1837 mm	100 mm	267349 7339 7326		267349 7339 7321	1839 mm	
BR 23x8.50-12 sproket wheel narrow 12"		1151 mm		7324	258720 1584	7321		1221 mm
		1321 mm		267349 7324		267349 7321	1391 mm	
		1491 mm		267350 7324		267350 7321	1561 mm	

Rapid ORBITO – Wheels and wheel combinations




Wheel designation	Wheel image/ symbol	Total width (walk-behind tractor)	Gap between wheels	Art. no.			Gap between wheels	Total width (walk-behind tractor)
				Accessories	Wheels	Accessories		
BR 23x8.50-12 sprocket wheel 12"					258720	7323		1751 mm
					267349	7323		1921 mm
BR 23x8.50-12 sprocket roll 12"					258720	7323		1629 mm
					267349	7323		1799 mm
					267350	7323		1969 mm
BR 23x10.50-12		900 mm						970 mm
		1070 mm		267349	259366	267349		1140 mm
		1240 mm		267350		267350		1310 mm
BR 23x10.50-12 AS 6.00-12		1206 mm		7324				
		1376 mm		267349	259366			
		1546 mm		7324	258998			
			34 mm	267350				
BR 23x10.50-12 AS 6.00-12		1274 mm	34 mm	7321		7323	50 mm	1366 mm
		1444 mm	34 mm	267349	259366	267349	50 mm	1536 mm
		1614 mm	34 mm	7321	258998	7323		
				267350		7323	50 mm	1706 mm
BR 23x10.50-12 sprocket wheel narrow 12"		1206 mm		7323		7323		1266 mm
		1376 mm		267349	259366	267349		1436 mm
		1546 mm		7323	1584	7323		
				267350		267350		1606 mm



Wheel designation	Wheel image/ symbol	Total width (walk-behind tractor)	Gap between wheels	Art. no.			Gap between wheels	Total width (walk-behind tractor)
				Accessories	Wheels	Accessories		
BR 23x10.50-12 sprocket wheel 12"					259366	7323		1776 mm
					1585	7323	267349	1946 mm
BR 23x10.50-12 sprocket roll 12"					259366	7323		1654 mm
					1578	7323	267349	1824 mm
					267350	7323	267350	1994 mm
RB 23x8.50-12		865 mm						935 mm
		1035 mm		267349	258655	267349		1105 mm
		1205 mm		267350		267350		1275 mm
sprocket wheel narrow 10"		790 mm						890 mm
		960 mm			1582	267349		1060 mm
		1130 mm				267350		1230 mm
sprocket wheel 10"								1266 mm
					1583	267349		1436 mm
						267350		1606 mm
sprocket roll 10"								1392 mm
					1587	267349		1562 mm
						267350		1732 mm

Rapid ORBITO – Wheels and wheel combinations













Wheel designation	Wheel image/ symbol	Total width (walk-behind tractor)	Gap between wheels	Art. no.			Gap between wheels	Total width (walk-behind tractor)
				Accessories	Wheels	Accessories		
Flexispike 11", 4-r					1849			1392 mm
						267349	1556 mm	
						267350	1720 mm	
Flexispike 11", 5-r					1848			1578 mm
						267349	1742 mm	
						267350	1906 mm	
sproket wheel narrow 12"		790 mm			1584			890 mm
		960 mm		267349		267349	1060 mm	
		1130 mm		267350		267350	1230 mm	
sproket wheel 12"					1585			1334 mm
						267349	1504 mm	
						267350	1674 mm	
sprocket roll 12"					1578			1208 mm
						267349	1378 mm	
						267350	1548 mm	
sprocket roll 12"					1579			1578 mm
						267349	1578 mm	
						267350	1918 mm	

Recommended retail price

Art. no.	Description	Qty. unit	Weight kg	REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141	VAREA M161	VAREA S161	VAREA M231	VAREA S231	ORBITO	EUR excl. VAT
Cutter heads and Rapid finger cutter bars																							
Cutter heads																							
	1508 Cutter head oil lubricated, with load-limiting device, lift 94 mm, short 12°	Pce	30	●																			2,305.00
	1388 Cutter head oil lubricated, low vibration, lift 62mm, 14°	Pce	40		●	●	●	●															2,410.00 ⁹⁰
	1521 Cutter head oil lubricated, lift 62mm, 14°	Pce	32		●	●	●	●															1,945.00
	1698 Cutter head With speed reduction, mounted in an oil bath, with overload protection, 94 mm stroke, 12°, flange mounted at bottom, short spreader hood	Pce.	37		●	●	●	●															2,410.00

⁹⁰ only so long available as on stock!

Art. no.	Description	Qty. unit	Weight kg	Recommended retail price														EUR excl. VAT									
				REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141		VAREA M161	VAREA S161	VAREA M231	VAREA S231	ORBITO				
 1510	Cutter head oil lubricated, with load-limiting device, lift 78mm, long 12°, for Tyres 4,00-10, 18x9,50-8	Pce	35						●																	2,305.00	
 257660	Cutter head With speed reduction, in an oil bath, with load limiting device, lift 94 mm, 12°, connecting piece mounted on top, short distributor cover	Pce	37						●																●	●	2,755.00
 257670	Cutter head With speed reduction, in an oil bath, with load limiting device, lift 94 mm, 12°, connecting piece mounted on bottom, long distributor cover	Pce	37						●	●	●	●	●	●													2,860.00
 1697	Cutter head With speed reduction, in an oil bath, with load limiting device, lift 94 mm, 14°, connecting piece mounted on top, short distributor cover	Pce	37													●	●	●	●								2,755.00
 5603	Cutter head oil lubricated, with load-limiting device, lift 94 mm, long 12°	Pce	35						●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	2,305.00


Art. no.	Description	Qty. unit	Weight kg	Recommended retail price														EUR excl. VAT						
				REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141		VAREA M161	VAREA S161	VAREA M231	VAREA S231	ORBITO	
 6932	Cutter head oil lubricated, with load-limiting device, lift 78mm, long 12°,	Pce	35							●	●	●	●	●	●	●	●	●	●	●	●	●	●	2,305.00
Accessories																								
 1408	Wedge To correct the angle of the finger bar by 2° at the screw connection with the cutter head	Pce	0.1	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	55.00
 1507	Cutter heads connection flange Connection flange for convenient coupling and uncoupling; for retrofitting to cutter heads, different heights can be adjusted, parking position; Note: Combination with additional weights (item no. 7097) is not possible	Pce.	0.9	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	112.00
 1703	Spreader hood LP The standard installed spreader hood can be replaced by spreader hood LP, for applications in landscape maintenance Compatible with: 1508, 1521, 1510, 257660, 257670, 1697, 5603, 6932	Pce	3.8	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	460.00
 7097	Additional weights for cutter heads 8kg For fitting to the cutter heads	Pair	8	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	176.00

Recommended retail price










Art. no.	Description	Qty. unit	Weight kg	REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141	VAREA M161	VAREA S161	VAREA M231	VAREA S231	ORBITO	EUR excl. VAT
	Middle cutter bar with outer shoe (left + right) Finger clearance 2" / 50,8 mm, 2 outer shoes, spare blade, blade with driving fork, bar guard																						
1522	Middle cut sickle bar 130cm outer shoe 315mm	Pce	38	●																			1,720.00
5392	Middle cut sickle bar 130cm short outer shoe 385mm	Pce	38		●	●		●	●	●	●	●	●										1,720.00
1523	Middle cut sickle bar 145cm outer shoe 315mm	Pce	41	●																			1,815.00
1401	Middle cut sickle bar 145cm short outer shoe 385mm	Pce	41		●	●		●	●	●	●	●	●										1,815.00
1524	Middle cut sickle bar 160cm outer shoe 315mm	Pce	42	●																			1,900.00
1402	Middle cut sickle bar 160cm outer shoe short 385mm	Pce	45		●	●	●	●	●	●	●	●	●										1,900.00
5393	Middle cut sickle bar 160cm long outer shoe 470mm possible for SWISS with cutter head art. no 1510	Pce	45							●	●	●	●										1,900.00
1471	Middle cut sickle bar 190cm short outer shoe 385mm	Pce	35						●	●	●	●	●	●	●	●	●						2,065.00
6942	Middle cut sickle bar 190cm long outer shoe 470mm	Pce	50							●	●	●	●	●	●	●	●						2,065.00

Art. no.	Description	Qty. unit	Weight kg	Recommended retail price														EUR excl. VAT					
				REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141		VAREA M161	VAREA S161	VAREA M231	VAREA S231	ORBITO
7335	Middle cut sickle bar 220cm long outer shoe 470mm Recommended: VAREA 231: Tyres BR 23x8.50-12, BR 23x10.50-12, 12" sprocket wheels, 12" sprocket rolls, wheel combinations	Pce	44							●	●	●	●	●	●	●	●	●	●	●	●	●	2,260.00
257608	Middle cut sickle bar 250cm long outer shoe 470mm Recommended: VAREA 231: Tyres BR 23x8.50-12, BR 23x10.50-12, 12" sprocket wheels, 12" sprocket rolls, wheel combinations	Pce	52							●	●	●	●	●	●	●	●	●	●	●	●	●	2,510.00

Art. no.	Description	Qty. unit	Weight kg	Recommended retail price													EUR excl. VAT					
				REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141		VAREA S141	VAREA M161	VAREA S161	VAREA M231	VAREA S231
	Middle cutter bar with side cutters (left + right) Finger clearance 2" / 50,8 mm, spare blade, blade with driving fork, bar guard																					
1403	Middle cut sickle bar 130cm Side cutters (left + right)	Pce	25	●	●	●		●	●	●	●	●	●									1,445.00
1404	Middle cut sickle bar 145cm Side cutters (left + right)	Pce	31	●	●	●		●	●	●	●	●	●									1,505.00
5998	Middle cut sickle bar 160cm Side cutters (left + right)	Pce	43	●	●	●	●	●	●	●	●	●	●									1,585.00
5423	Middle cut sickle bar 190cm Side cutters (left + right)	Pce	43						●	●	●	●	●	●	●	●						1,840.00
7334	Middle cut sickle bar 220cm Side cutters (left + right) Recommended: VAREA 231: Tyres BR 23x8.50-12, BR 23x10.50-12, 12" sprocket wheels, 12" sprocket rolls, wheel combinations	Pce	46							●	●	●	●	●	●	●	●	●	●	●	●	2,015.00
5533	Middle cut sickle bar 250cm Side cutters (left + right) Recommended: VAREA 231: Tyres BR 23x8.50-12, BR 23x10.50-12, 12" sprocket wheels, 12" sprocket rolls, wheel combinations	Pce	52								●	●	●	●	●	●	●	●	●	●	●	2,235.00
1670	Middle cut sickle bar 280cm Side cutters (left + right) Recommended: VAREA 231: Tyres BR 23x8.50-12, BR 23x10.50-12, 12" sprocket wheels, 12" sprocket rolls, wheel combinations	Pce	48									●	●	●	●		●	●	●	●	●	2,435.00

Recommended retail price

Art. no.	Description	Qty. unit	Weight kg	REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141	VAREA M161	VAREA S161	VAREA M231	VAREA S231	ORBITO	EUR excl. VAT
1671	Middle cut sickle bar 310cm Side cutters (left + right) Recommended: engine power 21 HP min. Recommended: VAREA 231: Tyres BR 23x8.50-12, BR 23x10.50-12, 12" sprocket wheels, 12" sprocket rolls, wheel combinations	Pce	53											●	●					●	●	●	2,630.00
Accessories																							
	1407	Clamp sole Slim cast sole for increasing the cutting height to 6-8 cm, clamping mechanism for mounting on the bar blade Recommendation: One pair (two pieces) up to 160 cm, from 190 cm at least 2 pairs (4 pieces)	Pair	3.6	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	188.00
	6444	Grass separator on blade head	Pce	0.2	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	32.00
	257139	Slip heel cpl. adjustable	Pair	2.5	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	168.00
	1452	Cutting shoe For attachment on a cutter bar with side cutter, guides the cutter bar in cropped terrain and separates grass stock, with blade guard Recommendation: Combination with slip heels art. no. 257139 or clamp sole art. no. 1407 for good fodder flow Note: The cutting shoe does not provide blade protection in combination with diamond bars (art. no. 7001 and 7186)	Pair	3.87	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	227.00


Art. no.	Description	Qty. unit	Weight kg	Recommended retail price															EUR excl. VAT			
				REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141	VAREA M161		VAREA S161	VAREA M231	VAREA S231
 7048	Ballast weights 7,4kg for racks with side cutters	Pair	7.6	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	195.00
 257638	Bar weight 15kg including attachment parts, compatible with Rapid middle cut sickle bars and normal cut sickle bars with side cutters Recommendation: Grass separator on blade head (Art. No. 6444)	Pce	15	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	523.00
 257108	Twin reflectors for assembly on bar guard	Pair	0.3	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	60.00






Recommended retail price







Art. no.	Description	Qty. unit	Weight kg	REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141	VAREA M161	VAREA S161	VAREA M231	VAREA S231	ORBITO	EUR excl. VAT
	Normal cutter bar with outer shoe (left + right) Finger clearance 3" / 76,2 mm, 2 outer shoes, spare blade, blade with driving fork, bar guard																						
1650	Normal cut sickle bar 130cm outer shoe 315mm	Pce	35	●																			1,720.00
1651	Normal cut sickle bar 130cm outer shoe short 385mm	Pce	35						●	●	●	●	●										1,720.00
1652	Normal cut sickle bar 145cm outer shoe 315mm	Pce	38	●																			1,815.00
1653	Normal cut sickle bar 145cm outer shoe short 385mm	Pce	38						●	●	●	●	●										1,815.00
1654	Normal cut sickle bar 160cm outer shoe 315mm	Pce	39	●																			1,900.00
1655	Normal cut sickle bar 160cm outer shoe short 385mm	Pce	40						●	●	●	●	●										1,900.00
1656	Normal cut sickle bar 160cm long outer shoe 470mm	Pce	41							●	●	●	●										1,900.00
1657	Normal cut sickle bar 190cm outer shoe short 385mm	Pce	40						●	●	●	●	●	●	●	●	●	●					2,065.00
1658	Normal cut sickle bar 190cm long outer shoe 470mm	Pce	46							●	●	●	●	●	●	●	●	●					2,065.00

Art. no.	Description	Qty. unit	Weight kg	Recommended retail price																		
				REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141	VAREA M161	VAREA S161	VAREA M231	VAREA S231	ORBITO
1659	Normal cut sickle bar 220cm long outer shoe 470mm Recommended: VAREA 231: Tyres BR 23x8.50-12, BR 23x10.50-12, 12" sprocket wheels, 12" sprocket rolls, wheel combinations	Pce	50							●	●	●	●	●	●	●	●	●	●	●	●	2,260.00
1660	Normal cut sickle bar 250cm long outer shoe 470mm Recommended: VAREA 231: Tyres BR 23x8.50-12, BR 23x10.50-12, 12" sprocket wheels, 12" sprocket rolls, wheel combinations	Pce	57							●	●	●	●	●	●	●	●	●	●	●	●	2,510.00






Art. no.	Description	Qty. unit	Weight kg	Recommended retail price													EUR excl. VAT					
				REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141		VAREA S141	VAREA M161	VAREA S161	VAREA M231	VAREA S231
	Normal cutter bar with side cutters (left + right) Finger clearance 3" / 76,2 mm, spare blade, blade with driving fork, bar guard																					
1662	Normal cut sickle bar 130cm Side cutters (left + right)	Pce	25	●					●	●	●	●	●									1,445.00
1663	Normal cut sickle bar 145cm Side cutters (left + right)	Pce	28	●					●	●	●	●	●									1,505.00
1664	Normal cut sickle bar 160cm Side cutters (left + right)	Pce	39	●					●	●	●	●	●									1,585.00
1665	Normal cut sickle bar 190cm Side cutters (left + right)	Pce	35						●	●	●	●	●	●	●	●						1,840.00
1666	Normal cut sickle bar 220cm Side cutters (left + right) Recommended: VAREA 231: Tyres BR 23x8.50-12, BR 23x10.50-12, 12" sprocket wheels, 12" sprocket rolls, wheel combinations	Pce	42							●	●	●	●	●	●	●	●	●	●	●	●	2,015.00
1667	Normal cut sickle bar 250cm Side cutters (left + right) Recommended: VAREA 231: Tyres BR 23x8.50-12, BR 23x10.50-12, 12" sprocket wheels, 12" sprocket rolls, wheel combinations	Pce	48							●	●	●	●	●	●	●	●	●	●	●	●	2,235.00
1668	Normal cut sickle bar 280cm Side cutters (left + right) Recommended: VAREA 231: Tyres BR 23x8.50-12, BR 23x10.50-12, 12" sprocket wheels, 12" sprocket rolls, wheel combinations	Pce	45									●	●	●	●		●	●	●	●	●	2,435.00
1669	Normal cut sickle bar 310cm Side cutters (left + right) Recommended: engine power 21 HP min. Recommended: VAREA 231: Tyres BR 23x8.50-12, BR 23x10.50-12, 12" sprocket wheels, 12" sprocket rolls, wheel combinations	Pce	49											●	●			●	●	●		2,630.00


Art. no.	Description	Qty. unit	Weight kg	Recommended retail price																	
				REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141	VAREA M161	VAREA S161	VAREA M231	VAREA S231
Accessories																					
	1407 Clamp sole Slim cast sole for increasing the cutting height to 6-8 cm, clamping mechanism for mounting on the bar blade Recommendation: One pair (two pieces) up to 160 cm, from 190 cm at least 2 pairs (4 pieces)	Pair	3.6	●						●	●	●	●	●	●	●	●	●	●	●	188.00
	6444 Grass separator on blade head	Pce	0.2	●						●	●	●	●	●	●	●	●	●	●	●	32.00
	257139 Slip heel cpl. adjustable	Pair	2.5	●						●	●	●	●	●	●	●	●	●	●	●	168.00
	1452 Cutting shoe For attachment on a cutter bar with side cutter, guides the cutter bar in cropped terrain and separates grass stock, with blade guard Recommendation: Combination with slip heels art. no. 257139 or clamp sole art. no. 1407 for good fodder flow Note: The cutting shoe does not provide blade protection in combination with diamond bars (art. no. 7001 and 7186)	Pair	3.87	●						●	●	●	●	●	●	●	●	●	●	●	227.00
	7048 Ballast weights 7,4kg for racks with side cutters	Pair	7.6	●						●	●	●	●	●	●	●	●	●	●	●	195.00

Art. no.	Description	Qty. unit	Weight kg	Recommended retail price															EUR excl. VAT				
				REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141	VAREA M161		VAREA S161	VAREA M231	VAREA S231	ORBITO
 257638	Bar weight 15kg including attachment parts, compatible with Rapid middle cut sickle bars and normal cut sickle bars with side cutters Recommendation: Grass separator on blade head (Art. No. 6444)	Pce	15	●						●	●	●	●	●	●	●	●	●	●	●	●	●	523.00
 257108	Twin reflectors for assembly on bar guard	Pair	0.3	●						●	●	●	●	●	●	●	●	●	●	●	●	●	60.00



Art. no.	Description	Qty. unit	Weight kg	Recommended retail price														EUR excl. VAT				
				REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141		VAREA M161	VAREA S161	VAREA M231	VAREA S231
	Diamond cutter bar with outer shoe (left + right) Finger spacing 58 mm, 2 swathe panels, spare blade, blade incl. driving fork, bar guard																					
7179	Diamant cut sickle bar 197cm long outer shoe 470mm	Pce	52																			2,105.00 ⁹⁰
7318	Diamant cut sickle bar 220cm long outer shoe 470mm Recommended: VAREA 231: Tyres BR 23x8.50-12, BR 23x10.50-12, 12" sprocket wheels, 12" sprocket rolls, wheel combinations	Pce	44																			2,260.00 ⁹⁰
	Diamond cutter bar with side cutters (left + right) Finger spacing 58 mm, 2 cutters, spare blade, blade incl. driving fork, bar guard																					
7001	Diamant cut sickle bar 174cm	Pce	34																			1,615.00 ⁹⁰
7180	Diamant cut sickle bar 197cm	Pce	40																			1,820.00 ⁹⁰
7186	Diamant cut sickle bar 220cm Recommended: VAREA 231: Tyres BR 23x8.50-12, BR 23x10.50-12, 12" sprocket wheels, 12" sprocket rolls, wheel combinations	Pce	44																			1,995.00 ⁹⁰
7002	Diamant cut sickle bar 244cm Recommended: VAREA 231: Tyres BR 23x8.50-12, BR 23x10.50-12, 12" sprocket wheels, 12" sprocket rolls, wheel combinations	Pce	48																			2,165.00 ⁹⁰






⁹⁰ only so long available as on stock!


Art. no.	Description	Qty. unit	Weight kg	Recommended retail price														EUR excl. VAT		
				REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141		VAREA M161	VAREA S161
Accessories																				
	1407	Clamp sole Slim cast sole for increasing the cutting height to 6-8 cm, clamping mechanism for mounting on the bar blade Recommendation: One pair (two pieces) up to 160 cm, from 190 cm at least 2 pairs (4 pieces)	Pair	3.6																188.00
	6444	Grass separator on blade head	Pce	0.2																32.00
	257139	Slip heel cpl. adjustable	Pair	2.5																168.00
	1452	Cutting shoe For attachment on a cutter bar with side cutter, guides the cutter bar in cropped terrain and separates grass stock, with blade guard Recommendation: Combination with slip heels art. no. 257139 or clamp sole art. no. 1407 for good fodder flow Note: The cutting shoe does not provide blade protection in combination with diamond bars (art. no. 7001 and 7186)	Pair	3.87																227.00
	7048	Ballast weights 7,4kg for racks with side cutters	Pair	7.6																195.00

Art. no.	Description	Qty. unit	Weight kg	Recommended retail price																			
				REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141	VAREA M161	VAREA S161	VAREA M231	VAREA S231	ORBITO	EUR excl. VAT
 257108	Twin reflectors for assembly on bar guard	Pair	0.3																				60.00

Recommended retail price

Art. no.	Description	Qty. unit	Weight kg	REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141	VAREA M161	VAREA S161	VAREA M231	VAREA S231	ORBITO	EUR excl. VAT	
	Ruby cutter bar with outer shoe (left + right) Finger spacing 58mm, blade width 76.2 mm, 2 swathe panels, spare blade, blade incl. driving fork, bar guard																							
7221	Ruby cut sickle bar 197cm AS long outer shoe 470mm	Pce	52							●	●	●	●	●	●									2,105.00
7223	Ruby cut sickle bar 220cm AS long outer shoe 470mm Recommended: VAREA 231: Tyres BR 23x8.50-12, BR 23x10.50-12, 12" sprocket wheels, 12" sprocket rolls, wheel combinations	Pce	44							●	●	●	●	●	●	●	●	●	●	●	●	●	●	2,260.00
	Ruby cutter bar with side cutters (left + right) Finger spacing 58mm, blade width 76.2 mm, 2 cutters, spare blade, blade incl. driving fork, bar guard																							
7220	Ruby cut sickle bar 174cm SW	Pce	34							●	●	●	●	●	●									1,615.00
7222	Ruby cut sickle bar 197cm SW	Pce	40							●	●	●	●	●	●									1,820.00
7224	Ruby cut sickle bar 220cm SW Recommended: VAREA 231: Tyres BR 23x8.50-12, BR 23x10.50-12, 12" sprocket wheels, 12" sprocket rolls, wheel combinations	Pce	44							●	●	●	●	●	●	●	●	●	●	●	●	●	●	1,995.00
7225	Ruby cut sickle bar 244cm SW Recommended: VAREA 231: Tyres BR 23x8.50-12, BR 23x10.50-12, 12" sprocket wheels, 12" sprocket rolls, wheel combinations	Pce	48							●	●	●	●	●	●	●	●	●	●	●	●	●	●	2,165.00

Art. no.	Description	Qty. unit	Weight kg	Recommended retail price																	
				REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141	VAREA M161	VAREA S161	VAREA M231	VAREA S231
Accessories																					
	1407 Clamp sole Slim cast sole for increasing the cutting height to 6-8 cm, clamping mechanism for mounting on the bar blade Recommendation: One pair (two pieces) up to 160 cm, from 190 cm at least 2 pairs (4 pieces)	Pair	3.6																		188.00
	6444 Grass separator on blade head	Pce	0.2																		32.00
	257139 Slip heel cpl. adjustable	Pair	2.5																		168.00
	1452 Cutting shoe For attachment on a cutter bar with side cutter, guides the cutter bar in cropped terrain and separates grass stock, with blade guard Recommendation: Combination with slip heels art. no. 257139 or clamp sole art. no. 1407 for good fodder flow Note: The cutting shoe does not provide blade protection in combination with diamond bars (art. no. 7001 and 7186)	Pair	3.87																		227.00
	7048 Ballast weights 7,4kg for racks with side cutters	Pair	7.6																		195.00





		Recommended retail price																	EUR excl. VAT					
Art. no.	Description	Qty. unit	Weight kg	REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141	VAREA M161	VAREA S161	VAREA M231	VAREA S231	ORBITO		
 257108	Twin reflectors for assembly on bar guard	Pair	0.3							●	●	●	●	●	●	●	●	●	●	●	●	●	●	60.00

Overview of cutter heads recommendation



Note
The operation of finger bars with the appropriate cutter heads is strongly dependent on the environmental conditions and the grass. The recommendations are based on practical experience and are not conclusive. Other combinations may be useful for specific uses and conditions.

Note
When operating different cutter bars with the same cutter heads, the correct selection must be made in order to have to make as little compromises as possible.





Cutter bars	Single-axe walk-behind tractor	Recommendation	Technically feasible	Lift in mm	Comment	
		Cutter heads Item no.	Cutter heads Item no.			
 Middle cut sickle bar 2"						
	REX	1508		94 mm		
	MONDO M 091 / 141	1698		94 mm	Reinforced for working at a high engine speed and full hydrostatic power	
			1521	62 mm	Standard version	
			1388	62 mm	Reduced vibrations on the handlebar	
	KIPOS M141	1698		94 mm	Reinforced for working at a high engine speed and full hydrostatic power	
	URI E041	1698		94 mm	Reinforced for working at a high engine speed and full hydrostatic power	
			1521	62 mm	Standard version	
			1388	62 mm	Reduced vibrations on the handlebar	
	SWISS	257660		94 mm	Reinforced for working at a high engine speed and full hydrostatic power	
			1510	78 mm	For working at a lower engine speed	
	MONTA S / M 141 / 161 / 231	257670		94 mm	Reinforced for working at a high engine speed and full hydrostatic power	
			5603	94 mm	For working at a lower engine speed	Caution when operating at an engine speed that is too high; damage may occur!
			6932	78 mm	COMPROMISE with moderate result	Caution when operating at an engine speed that is too high; damage may occur!
	VAREA M / S 141 / 161	1697		94 mm	Reinforced for working at a high engine speed and full hydrostatic power	
			5603	94 mm	For working at a lower engine speed	Caution when operating at an engine speed that is too high; damage may occur!
			6932	78 mm	COMPROMISE with moderate result	Caution when operating at an engine speed that is too high; damage may occur!
	VAREA M / S 231	257660		94 mm	Reinforced for working at a high engine speed and full hydrostatic power	
			5603	94 mm	For working at a lower engine speed	Caution when operating at an engine speed that is too high; damage may occur!
			6932	78 mm	COMPROMISE with moderate result	Caution when operating at an engine speed that is too high; damage may occur!
ORBITO 640 / 660	5603		94 mm	Standard version		
		6932	78 mm	COMPROMISE with moderate result	Caution when operating at an engine speed that is too high; damage may occur!	

Overview of cutter heads recommendation



Note
The operation of finger bars with the appropriate cutter heads is strongly dependent on the environmental conditions and the grass. The recommendations are based on practical experience and are not conclusive. Other combinations may be useful for specific uses and conditions.

Note
When operating different cutter bars with the same cutter heads, the correct selection must be made in order to have to make as little compromises as possible.








Cutter bars	Single-axle walk-behind tractor	Recommendation Cutter heads Item no.	Technically feasible Cutter heads Item no.	Lift in mm	Comment
 Normal cut sickle bar 3"					
	REX	1508		94 mm	COMPROMISE with moderate result Even at a high engine speed, only a low working speed is possible
	SWISS	1510		78 mm	
	MONTA S/M 141/161/231	6932		78 mm	Caution when operating at an engine speed that is too high; damage may occur!
			257670	94 mm	COMPROMISE with moderate result Even at a high engine speed, only a low working speed is possible
			5603	94 mm	Caution when operating at an engine speed that is too high; damage may occur!
	VAREA M/S 141/161	6932		78 mm	Caution when operating at an engine speed that is too high; damage may occur!
			1697	94 mm	COMPROMISE with moderate result Even at a high engine speed, only a low working speed is possible
			5603	94 mm	Caution when operating at an engine speed that is too high; damage may occur!
	VAREA M/S 231	6932		78 mm	Caution when operating at an engine speed that is too high; damage may occur!
			257660	94 mm	COMPROMISE with moderate result Even at a high engine speed, only a low working speed is possible
			5603	94 mm	Caution when operating at an engine speed that is too high; damage may occur!
	ORBITO 640/660	6932		78 mm	
			5603	94 mm	

Overview of cutter heads recommendation



Note
The operation of finger bars with the appropriate cutter heads is strongly dependent on the environmental conditions and the grass. The recommendations are based on practical experience and are not conclusive. Other combinations may be useful for specific uses and conditions.

Note
When operating different cutter bars with the same cutter heads, the correct selection must be made in order to have to make as little compromises as possible.





Cutter bars	Single-axle walk-behind tractor	Recommendation Cutter heads Item no.	Technically feasible Cutter heads Item no.	Lift in mm	Comment		
 Diamant cut sickle bar 58 mm		 257670	 5603	94 mm	Reinforced for working at a high engine speed and full hydrostatic power		
				94 mm	For working at a lower engine speed	Caution when operating at an engine speed that is too high; damage may occur!	
			6932	78 mm	For working at a lower engine speed	Caution when operating at an engine speed that is too high; damage may occur!	
		VAREA M/S 141/161	1697	 5603	94 mm	Reinforced for working at a high engine speed and full hydrostatic power	
					94 mm	For working at a lower engine speed	Caution when operating at an engine speed that is too high; damage may occur!
					78 mm	For working at a lower engine speed	Caution when operating at an engine speed that is too high; damage may occur!
		VAREA M/S 231	257660	 5603	94 mm	Reinforced for working at a high engine speed and full hydrostatic power	
					94 mm	For working at a lower engine speed	Caution when operating at an engine speed that is too high; damage may occur!
					78 mm	For working at a lower engine speed	Caution when operating at an engine speed that is too high; damage may occur!
		ORBITO 640/660	5603	 5603	94 mm		
					6932	78 mm	

Overview of cutter heads recommendation







Note
The operation of finger bars with the appropriate cutter heads is strongly dependent on the environmental conditions and the grass. The recommendations are based on practical experience and are not conclusive. Other combinations may be useful for specific uses and conditions.






Note
When operating different cutter bars with the same cutter heads, the correct selection must be made in order to have to make as little compromises as possible.


Cutter bars	Single-axle walk-behind tractor	Recommendation Cutter heads Item no.	Technically feasible Cutter heads Item no.	Lift in mm	Comment				
 Rubbin cut sickle bar 58 mm									
				MONDO M 091 / 141	1698		94 mm	Reinforced for working at a high engine speed and full hydrostatic power	
						1521	62 mm	Standard version	
						1388	62 mm	Reduced vibrations on the handlebar	
				KIPOS M141	1698		94 mm	Reinforced for working at a high engine speed and full hydrostatic power	
				URI E041	1698		94 mm	Reinforced for working at a high engine speed and full hydrostatic power	
						1521	62 mm	Standard version	
						1388	62 mm	Reduced vibrations on the handlebar	
				SWISS	257660		94 mm	Reinforced for working at a high engine speed and full hydrostatic power	
						1510	78 mm	For working at a lower engine speed	Caution when operating at an engine speed that is too high; damage may occur!
				MONTA S / M 141 / 161 / 231	257670		94 mm	Reinforced for working at a high engine speed and full hydrostatic power	
						5603	94 mm	For working at a lower engine speed	Caution when operating at an engine speed that is too high; damage may occur!
						6932	78 mm	For working at a lower engine speed	Caution when operating at an engine speed that is too high; damage may occur!
				VAREA M / S 141 / 161	1697		94 mm	Reinforced for working at a high engine speed and full hydrostatic power	
						5603	94 mm	For working at a lower engine speed	Caution when operating at an engine speed that is too high; damage may occur!
						6932	78 mm	For working at a lower engine speed	Caution when operating at an engine speed that is too high; damage may occur!
				VAREA M / S 231	257660		94 mm	Reinforced for working at a high engine speed and full hydrostatic power	
						5603	94 mm	For working at a lower engine speed	Caution when operating at an engine speed that is too high; damage may occur!
						2632	78 mm	For working at a lower engine speed	Caution when operating at an engine speed that is too high; damage may occur!
				ORBITO 640 / 660	5603		94 mm		
	6932	78 mm							

Recommended retail price

Art. no.	Description	Qty. unit	Weight kg	REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141	VAREA M161	VAREA S161	VAREA M231	VAREA S231	ORBITO	EUR excl. VAT
Cutter heads and ESM landscaping cutter bars																							
Cutter heads																							
	1508 Cutter head oil lubricated, with load-limiting device, lift 94 mm, short 12°	Pce	30	●																			2,305.00
	1388 Cutter head oil lubricated, low vibration, lift 62mm, 14°	Pce	40		●	●	●	●															2,410.00 ⁹⁰
	1521 Cutter head oil lubricated, lift 62mm, 14°	Pce	32		●	●	●	●															1,945.00
	1698 Cutter head With speed reduction, mounted in an oil bath, with overload protection, 94 mm stroke, 12°, flange mounted at bottom, short spreader hood	Pce.	37		●	●	●	●															2,410.00

⁹⁰ only so long available as on stock!






Art. no.	Description	Qty. unit	Weight kg	Recommended retail price															EUR excl. VAT						
				REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141	VAREA M161		VAREA S161	VAREA M231	VAREA S231	ORBITO		
 1510	Cutter head oil lubricated, with load-limiting device, lift 78mm, long 12°, for Tyres 4,00-10, 18x9,50-8	Pce	35						●																2,305.00
 6932	Cutter head oil lubricated, with load-limiting device, lift 78mm, long 12°,	Pce	35							●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	2,305.00
Accessories																									
 1408	Wedge To correct the angle of the finger bar by 2° at the screw connection with the cutter head	Pce	0.1	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	55.00
 1507	Cutter heads connection flange Connection flange for convenient coupling and uncoupling; for retrofitting to cutter heads, different heights can be adjusted, parking position; Note: Combination with additional weights (item no. 7097) is not possible	Pce.	0.9	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	112.00
 1703	Spreader hood LP The standard installed spreader hood can be replaced by spreader hood LP, for applications in landscape maintenance Compatible with: 1508, 1521, 1510, 257660, 257670, 1697, 5603, 6932	Pce	3.8	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	460.00

Art. no.	Description	Qty. unit	Weight kg	Recommended retail price																EUR excl. VAT	
				REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141	VAREA M161	VAREA S161		VAREA M231
7097	 Additional weights for cutter heads 8kg For fitting to the cutter heads	Pair	8	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	176.00



Recommended retail price



Art. no.	Description	Qty. unit	Weight kg	REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141	VAREA M161	VAREA S161	VAREA M231	VAREA S231	ORBITO	EUR excl. VAT	
	Landscaping cutter bars communal, ESM fingerless, jam-proof, spring-mounted adjustable fastener, incl. spare blade																							
5035	Landscaping cutter bar 102cm, ESM Obligatory: Attachment parts (art. no. 5421) Recommended: 2 skid weights (art. no. 5318)	Pce	20	●	●	●		●	●															1,105.00
5031	Landscaping cutter bar 122cm, ESM Obligatory: Attachment parts (art. no. 5421) Recommended: 2 skid weights (art. no. 5318)	Pce	23	●	●	●		●	●	●	●	●	●	●	●						●	●		1,390.00
5032	Landscaping cutter bar 142cm, ESM Obligatory: Attachment parts (art. no. 5421): KIPOS M141: Extension piece (Item no. 273160), 2 skid weights (art. no. 5318), 2 weights for cutter head, 8 kg (art. no. 7097) Recommended: 2 skid weights (art. no. 5318)	Pce	28	●	●	●	●	●	●	●	●	●	●	●	●						●	●		1,685.00
5033	Landscaping cutter bar 162cm, ESM Obligatory: Attachment parts (art. no. 5421) Obligatory: KIPOS; VAREA 141, 161; ORBITO: 4 skid weights (art. no. 5318), 2 weights for cutter head, 8 kg (art. no. 7097) Recommended: VAREA 231: 4 skid weights (art. no. 5318)	Pce	30	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	1,970.00
5034	Landscaping cutter bar 203cm, ESM Obligatory: Attachment parts (art. no. 5421) Obligatory: VAREA 141, 161; ORBITO: 4 skid weights (art. no. 5318), 2 weights for cutter head, 8 kg (art. no. 7097) Recommended: MONTA / VAREA 141, 161, 231: 4 skid weights (art. no. 5318)	Pce	45							●	●	●	●	●	●	●	●	●	●	●	●	●	●	2,570.00





Art. no.	Description	Qty. unit	Weight kg	Recommended retail price																EUR excl. VAT		
				REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141	VAREA M161	VAREA S161		VAREA M231	VAREA S231
Accessories																						
	1407 Clamp sole Slim cast sole for increasing the cutting height to 6-8 cm, clamping mechanism for mounting on the bar blade Recommendation: One pair (two pieces) up to 160 cm, from 190 cm at least 2 pairs (4 pieces)	Pair	3.6	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	188.00
	5421 Attachment parts for landscaping cutter bar	Pce	1.1	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	199.00
	6444 Grass separator on blade head	Pce	0.2	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	32.00
	5110 Adjustable slip skids adjustable	Pair	1.4	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	53.00
	5112 High sole, ESM For increasing the cutting heights with landscaping and dual cutter bar, cutting height is approx. 10 cm Note: not compatible with Dual cutter bars 132cm (art. no. 1428) and 181cm (art. no. 7331)	Pair	2	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	53.00 ¹

¹ This items are not actively managed by the Rapid Technic AG in stock. It is absolutely to be expected with longer delivery times, specific delivery dates are to check with the Rapid Technic AG.





Art. no.	Description	Qty. unit	Weight kg	Recommended retail price																		
				REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141	VAREA M161	VAREA S161	VAREA M231	VAREA S231	ORBITO
 5113	Edge protection Cutter and blade protection for landscaping and dual cutter bar, easy to install and remove	Pair	0.4	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	38.00 ¹
 5318	Weights, 4kg	Pair	4.1	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	132.00



¹ This items are not actively managed by the Rapid Technic AG in stock. It is absolutely to be expected with longer delivery times, specific delivery dates are to check with the Rapid Technic AG.





Overview of cutter heads recommendation

Cutter bars	Single-axle walk-behind tractor	Recommendation	Technically feasible	Lift in mm	Comment
		Cutter heads Item no.	Cutter heads Item no.		
 Landscaping cutter bar, ESM					
	REX	1508		94 mm	
	MONDO M 091 / 141	1698		94 mm	Reinforced for working at a high engine speed and full hydrostatic power
			1521	62 mm	Standard version
			1388	62 mm	Reduced vibrations on the handlebar
	KIPOS M141	1698		94 mm	Reinforced for working at a high engine speed and full hydrostatic power
	URI E041	1698		94 mm	Reinforced for working at a high engine speed and full hydrostatic power
			1521	62 mm	Standard version
			1388	62 mm	Reduced vibrations on the handlebar Vibrationen am Bedienholm
	SWISS	1510		78 mm	
	MONTA S / M 141 / 161 / 231	6932		78 mm	
	VAREA M / S 141 / 161	6932		78 mm	
	VAREA M / S 231	6932		78 mm	
ORBITO 640 / 660	6932		78 mm		

Recommended retail price





Art. no.	Description	Qty. unit	Weight kg	REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141	VAREA M161	VAREA S161	VAREA M231	VAREA S231	ORBITO	EUR excl. VAT
Cutter heads and ESM dual cutter bars																							
Dual blade cutter bars and cutter heads, Rapid																							
	1470	Dual cutter head oil lubricated, lift 60/25mm, to system Bidux	Pce	37	●	●	●	●															3,195.00
	7330	Dual cutter head oil lubricated, with load-limiting device, lift 60/25mm	Pce	46					●	●	●	●	●	●	●	●	●	●	●	●	●	●	3,435.00
Accessories																							
	1507	Cutter heads connection flange Connection flange for convenient coupling and uncoupling; for retrofitting to cutter heads, different heights can be adjusted, parking position; Note: Combination with additional weights (item no. 7097) is not possible	Pce.	0.9	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	112.00
	7097	Additional weights for cutter heads 8kg For fitting to the cutter heads	Pair	8	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	176.00




Art. no.	Description	Qty. unit	Weight kg	Recommended retail price														EUR excl. VAT				
				REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141		VAREA M161	VAREA S161	VAREA M231	VAREA S231
	Dual blade cutter bar, ESM without spare blade																					
1428	Dual cutter bars 132cm system Bidux, blade spacing 70/70mm, incl. skid-weight Recommended: 2 Skid shoes ESM (art. no. 256944)	Pce	28		●	●		●	●	●	●	●	●	●	●							2,205.00
1429	Dual cutter bars 146cm system Bidux, blade spacing 70/70mm, incl. skid-weight Obligatory: KIPOS M141: Extension piece (Item no. 273160), 2 weights for cutter head, 8 kg (art. no. 7097) Recommended: 2 Skid shoes ESM (art. no. 256944)	Pce	36		●	●	●	●	●	●	●	●	●	●	●							2,315.00
7331	Dual cutter bars 181cm system Bidux, blade spacing 70/70mm, incl. skid-weight Recommended: 4 Skid shoes ESM (art. no. 256944)	Pce	39						●	●	●	●	●	●	●	●	●	●	●	●	●	2,415.00
1439	Dual cutter bars 204cm system Bidux, blade spacing 70/70mm, incl. skid-weight Recommended: 4 Skid shoes ESM (art. no. 256944)	Pce	43							●	●	●	●	●	●	●	●	●	●	●	●	2,590.00
Accessories																						
	256944 Skid shoe ESM Reliable depth control and protection for knife guide arms, gentle on ground and turf, cutting height approx. 6 cm	Pce	1.1		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	53.00





Art. no.	Description	Qty. unit	Weight kg	Recommended retail price														EUR excl. VAT				
				REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141		VAREA M161	VAREA S161	VAREA M231	VAREA S231
 5110	Adjustable slip skids adjustable	Pair	1.4	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	53.00
 5112	High sole, ESM For increasing the cutting heights with landscaping and dual cutter bar, cutting height is approx. 10 cm Note: not compatible with Dual cutter bars 132cm (art. no. 1428) and 181cm (art. no. 7331)	Pair	2	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	53.00 ¹
 5113	Edge protection Cutter and blade protection for landscaping and dual cutter bar, easy to install and remove	Pair	0.4	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	38.00 ¹
 6454	Separating bar DMB For mounting on drivers for upper cutter, improves material flow on the dual cutter bar	Pce	0.4	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	38.00






¹ This items are not actively managed by the Rapid Technic AG in stock. It is absolutely to be expected with longer delivery times, specific delivery dates are to check with the Rapid Technic AG.

Overview of cutter heads recommendation

Cutter bars	Single-axle walk-behind tractor	Recommendation	Technically feasible	Lift in mm	Comment
		Cutter heads Item no.	Cutter heads Item no.		
 Dual cutter bar, ESM					
	MONDO M 091 / 141	1470		60/25 mm	
	URI E041	1470		60/25 mm	
	SWISS	7330		60/25 mm	
	MONTA S / M 141 / 161 / 231	7330		60/25 mm	
	VAREA 141/161	7330		60/25 mm	
	VAREA M / S 231	7330		60/25 mm	
	ORBITO 640 / 660	7330		60/25 mm	




Art. no.	Description	Qty. unit	Weight kg	Recommended retail price													EUR excl. VAT						
				REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141		VAREA S141	VAREA M161	VAREA S161	VAREA M231	VAREA S231	ORBITO
Broad gauge mowers																							
Broad gauge mowers																							
Recommendation: Transport rollers art. no. 1462, Skid shoe ESM art. no. 256944																							
	1451	Broad gauge mower 160cm Dual cutter bar, Bidux system, stroke 42/42 mm, screwed blade heads, with safety clutch, without replacement blade Recommended: 3 Skid shoes ESM (art. no. 256944)	Pce	115						●	●	●	●	●	●								5,820.00
	1453	Broad gauge mower 200cm Dual cutter bar, Bidux system, stroke 42/42 mm, screwed blade heads, with safety clutch, without replacement blade Recommended: 3 Skid shoes ESM (art. no. 256944) VAREA 161: additional weights (art. no. 1463); tyres AS 5.00-10, 21x11.00-10 and combinations VAREA 231: Tyres BR 23x8.50-12, BR 23x10.50-12, 12" sprocket wheels, 12" sprocket rolls, wheel combinations ORBITO: Additional weight (art. no 1463)	Pce	120						●	●	●	●	●	●	●	●	●	●	●	●	6,115.00	
	1454	Broad gauge mower 230cm Dual cutter bar, Bidux system, stroke 42/42 mm, screwed blade heads, with safety clutch, without replacement blade Recommended: 4 Skid shoes ESM (art. no. 256944) VAREA 161: tyres 5.00-10, 21x11.00-10 and combinations VAREA 231: Tyres BR 23x8.50-12, BR 23x10.50-12, 12" sprocket wheels, 12" sprocket rolls, wheel combinations ORBITO: Additional weight (art. no 1463)	Pce	128							●	●	●	●		●	●	●	●	●		6,365.00	

Art. no.	Description	Qty. unit	Weight kg	Recommended retail price																				
				REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141	VAREA M161	VAREA S161	VAREA M231	VAREA S231	ORBITO	EUR excl. VAT	
 1472	Broad gauge mower 260cm Dual cutter bar, Bidux system, stroke 42/42 mm, screwed blade heads, with safety clutch, without replacement blade Recommended: 4 Skid shoes ESM (art. no. 256944) VAREA 231: Tyres BR 23x8.50-12, BR 23x10.50-12, 12" sprocket wheels, 12" sprocket rolls, wheel combinations	Pce	136																					6,900.00
Accessories																								
 1462	Transport rollers all-terrain wheels, retractable	Pair	12																					781.00
 1463	Ballast weights 13kg	Pair	13.7																					351.00
 256944	Skid shoe ESM Reliable depth control and protection for knife guide arms, gentle on ground and turf, cutting height approx. 6 cm	Pce	1.1																					53.00




Art. no.	Description	Qty. unit	Weight kg	Recommended retail price													EUR excl. VAT							
				REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141		VAREA S141	VAREA M161	VAREA S161	VAREA M231	VAREA S231	ORBITO	
Compact drive																								
Compact drive																								
	1648	Compact drive (drive system + unit) middle cut sickle bar 206cm Input speed 1000 rpm, finger clearance 50.8mm, adjustable outer rim, 3-axle gears incl. load limiting device, 9 tined band with spring tines, outer shoe on right, cutting mechanism on left, no cutting sheets, incl. spare blade Recommended: Counterbalance system (art. No. 266452), MONTA 141 /161 / 231: Weight rack (art. no. 269700) with 5 ballast weights (art. no. 259686), MONTA and VAREA: Tyres BR 23x8.50-12	Pce	146							●	●	●	●	●	●					●	●	●	8,100.00
	1649	Compact drive (drive system + unit) Diamant cut sickle bar 203cm Input speed 1000 rpm, finger clearance 58mm, adjustable outer rim, 3-axle gears incl. load limiting device, 9 tined band with spring tines, outer shoe on right, cutting mechanism on left, no cutting sheets, incl. spare blade, weight 125kg Recommended: Counterbalance system (art. No. 266452), MONTA 141 /161 / 231: Weight rack (art. no. 269700) with 5 ballast weights (art. no. 259686), MONTA and VAREA: Tyres BR 23x8.50-12	Pce	125							●	●	●	●	●	●					●	●	●	8,100.00
Accessories																								
	266452	Counterbalance system to balance divers accessories	Pce	2.5							●	●	●	●	●	●					●	●	●	371.00
	258437	Cover for compact drive unit	Pce	5							●	●	●	●	●	●					●	●	●	315.00
	7185	Drawbar	Pce	11							●	●	●	●	●	●					●	●	●	333.00

Art. no.	Description	Qty. unit	Weight kg	Recommended retail price																			
				REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141	VAREA M161	VAREA S161	VAREA M231	VAREA S231	ORBITO	EUR excl. VAT
	for compact drive unit																						
257580	Grease gun for compact drive unit (manual greasing of the connecting rod and operation at the handlebar)	Pce	4						●	●	●	●	●	●					●	●	●		212.00








Art. no.	Description	Qty. unit	Weight kg	Recommended retail price														EUR excl. VAT			
				REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141		VAREA M161	VAREA S161	VAREA M231
Pasture harrow																					
Pasture harrow																					
1708	 Pasture harrow WS200, Rapid A mechanism for ground adaptation with a locking device (transfer or transport), three scraper strips for levelling, rotating net with two star formations (bar/tip) for gentle or intensive cultivation Recommendation: MONTA 141/161 with weight rack (Item No. 269700) and 4 ballast weights (Item No. 259686) or WS chassis option (item no. 1755)	Pce	144							●	●	●	●	●	●	●	●	●	●	●	1,800.00
1706	 Pasture harrow WS300, Rapid A three-part frame with folding mechanism, mechanism for ground adaptation with a locking device (transfer or transport), three scraper strips for levelling, rotating net with two star formations (bar/tip) for gentle or intensive cultivation Recommendation: WS chassis option (item no. 1755)		187							●	●	●	●			●	●	●	●	●	2,550.00
Accessories																					
1755	 Chassis WS Chassis for easy lifting of the attachment, transport and working position, retrofitting		23							●	●	●	●	●	●	●	●	●	●	●	690.00


Recommended retail price

Art. no.	Description	Qty. unit	Weight kg	REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141	VAREA M161	VAREA S161	VAREA M231	VAREA S231	ORBITO	EUR excl. VAT
Haymaker																							
Haymaker																							
Recommended: 16 HP motor: External intake port (art. no. 259825), 23 HP motor: External intake port (art. no. 259826), Hydraulic oil cooler (16HP motor: art. no. 269690 and 23HP motor: art. no. 269780)																							
	1395	Haymaker OP-115, Vari Working width 90 cm, 2 tine belts with 8 pairs of tines each, height independently adjustable, swivel caster wheels, cross strut for locking the swivel rollers and holding ballast weights for optional ballasting, adjustable swath flap, removal post, total width 115 cm	Pce	68	●																		2,410.00
	1333	Haymaker, Morellato working width 125cm, 2 tine belts each with 8 pairs of tines, central height adjustable, handlebar steering, total width 180cm Obligatory: MONDO: Dead man system (art. no. 260015) for models as of May 2013; dead man system (art. no. 259074) for models up to May 2013, serial no. 100005307; KIPOS M141: Dead man system (art. no. 260015), Extension piece (Item no. 273160) URI E041: Dead man system (art. no. 272175)	Pce	120	●	●	●	●															4,020.00
	5895	Haymaker 150cm, Bartholet Input speed 1000 rpm, working width 150cm, 2 belts, 3 pairs of tines per bracket, 2 steerable front support wheels (3.50-8), total width 210cm, incl. steering handlebar with dead man handle (art. no. 259071) Obligatory: For ORBITO, MONTA S models, VAREA S models: hayrake steering control, incl. dead man system (art. no. 269053); for MONTA M models, VAREA M models: hayrake dead man system (art. no. 269850)	Pce	238						●	●	●	●	●	●	●	●	●	●	●	●	●	7,840.00 ¹





¹ This items are not actively managed by the Rapid Technic AG in stock. It is absolutely to be expected with longer delivery times, specific delivery dates are to check with the Rapid Technic AG.

Art. no.	Description	Qty. unit	Weight kg	Recommended retail price																		
				REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141	VAREA M161	VAREA S161	VAREA M231	VAREA S231	ORBITO
 259074	Dead man system Needed for steering various attachments with chassis; fitted to attachment handle; for MONDO models up to May 2013 (serial number 100005307)	Pce	1		●																	361.00 ¹
 272175	External dead man system Required for steering various attachments with chassis	Pce	0.6																			361.00
 259071	steering handlebar with dead man handle incl. attachment piece, mounted on handlebar	Pce	2																			901.00
 269053	Haymaker steering control Angle sensor and linkage are mounted on the belt hayrake (art. no. 5875/5895), cable connection is plugged into the diagnostic attachment on the walk-behind tractor; incl. dead man system	Pce	1.3																			990.00
 269850	Hayrake dead man system Set of parts for external dead man system for placing/adding the dead man switch	Pce	0.5																			524.00

¹ This items are not actively managed by the Rapid Technic AG in stock. It is absolutely to be expected with longer delivery times, specific delivery dates are to check with the Rapid Technic AG.

Art. no.	Description	Qty. unit	Weight kg	Recommended retail price																EUR excl. VAT		
				REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141	VAREA M161	VAREA S161		VAREA M231	VAREA S231
 259686	Ballast weight, 8,5kg stackable to weight rack	Pce	8.5	●						●	●	●	●	●	●	●	●	●	●	●	●	92.00





Recommended retail price




Art. no.	Description	Qty. unit	Weight kg	REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141	VAREA M161	VAREA S161	VAREA M231	VAREA S231	ORBITO	EUR excl. VAT
Twister hayrake																							
Twister hayrake																							
	1551	Twister hayrake 140, Rapid Light-weight construction, low centre of gravity, working width 140 cm, depth control using feeler wheels, flexible pick-up plastic tines, fixed deflection tines	Pce	75	●																		6,205.00
	1552	Twister hayrake 180, Rapid Light-weight construction, low centre of gravity, working width 180cm, depth control using feeler wheels, flexible pick-up plastic tines, flexible side section for deflection and transport position Recommended: VAREA 141, 161: Disassemble bottle cage by reason of potential damage in operation with Sprocket roll and sprocket wheel	Pce	91					●	●	●	●	●	●	●	●	●	●	●	●	●	●	7,405.00
	1553	Twister hayrake 220, Rapid Light-weight construction, low centre of gravity, working width 220cm, depth control using feeler wheels, flexible pick-up plastic tines, flexible side section for deflection and transport position Recommended: VAREA 141, 161: Disassemble bottle cage by reason of potential damage in operation with Sprocket roll and sprocket wheel	Pce	135					●	●	●	●	●	●	●	●	●	●	●	●	●	●	8,605.00
Accessories																							
	282620	Attachment grid Extension of rear panel for large fodder quantities for Twister 180 hayrakes (art. no 1552)	Pce	5					●	●	●	●	●	●	●	●	●	●	●	●	●	●	390.00





Recommended retail price

Art. no.	Description	Qty. unit	Weight kg	REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141	VAREA M161	VAREA S161	VAREA M231	VAREA S231	ORBITO	EUR excl. VAT	
 282640	Attachment grid Rear panel extension for large quantities of forage for twister hayrake , twister 220 B (item no. 282630)	Pce	5							●	●	●	●	●	●	●	●	●	●	●	●	●	●	390.00



Recommended retail price





Art. no.	Description	Qty. unit	Weight kg	REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141	VAREA M161	VAREA S161	VAREA M231	VAREA S231	ORBITO	EUR excl. VAT	
Multi-Twister																								
Multi-Twister																								
Recommended: 16 HP motor: External intake port (art. no. 259825), 23 HP motor: External intake port (art. no. 259826), Hydraulic oil cooler (16HP: art. no. 269690 and 23HP: 269780)																								
	1643	Multi-Twister 190, Rapid With active lateral transport, conveyor belt with right-hand and left-hand running and a zero position, flexible plastic pick-up tines and depth control using easily adjustable feeler wheels	Pce	170						•	•	•	•	•	•	•	•	•	•	•	•	•	•	11,900.00
	1644	Multi-Twister 220, Rapid With active lateral transport, conveyor belt with right-hand and left-hand running and a zero position, flexible plastic pick-up tines and depth control using easily adjustable feeler wheels	Pce	205								•	•	•	•			•	•	•	•	•	•	12,900.00
Accessories																								
	283060	Attachment grille Rear panel extension when working with large amounts of forage for Multi-Twister 190 (art. no 1643)	Pce	5						•	•	•	•	•	•	•	•	•	•	•	•	•	•	390.00
	282880	Attachment grid Rear panel extension for large quantities of forage for multi-twister 220 B (item no.283190)	Pce	5								•	•	•	•			•	•	•	•	•	•	390.00





Art. no.	Description	Qty. unit	Weight kg	Recommended retail price														EUR excl. VAT						
				REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141		VAREA M161	VAREA S161	VAREA M231	VAREA S231	ORBITO	
 283040	Side parts Flexible side parts for deflection or transport position for Multi-Twister 190 (art. no 1643) and Multi-Twister 220 (Art. Nr. 1644)	Pair	21							●	●	●	●	●	●	●	●	●	●	●	●	●	●	881.00
 283130	Roller hold-down device Double roller with carrier frame for fitting to Multi-Twister 190 (art. no. 1643), better pick-up behaviour for short cuttings and leaves with pick-up	Pce	53							●	●	●	●	●	●	●	●	●	●	●	●	●	●	1,425.00
 283050	Roller hold-down device Double roller with carrier frame for attachment to multi-twister 220 B (item no. 283190), better pick up behaviour for short clippings and leaves	Pce	53									●	●	●	●		●	●	●	●	●	●	●	1,425.00




		Recommended retail price																					
Art. no.	Description	Qty. unit	Weight kg	REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141	VAREA M161	VAREA S161	VAREA M231	VAREA S231	ORBITO	EUR excl. VAT
Round baler																							
Round baler																							
	6925 Round baler, CAEB 100cm working width, bale diameter 55cm, Bale width 52cm, with 2 steerable front support wheels, incl. roll of netting, drip oiler for chain, emergency stop switch and deadman button (an additional, external dead man system is required for operation) Mandatory: MONTA M161 and VAREA M161/231: external dead man system (art. no. 269718) MONTA S161, VAREA S161/231 and ORBITO: Round baler control incl. external dead man system (Art. No. 269721)	Pce	240									•	•	•	•			•	•	•	•	•	13,900.00
Accessories																							
	6355 Dual tyres	Pair	10									•	•	•	•			•	•	•	•	•	430.00
	6356 Rear rake for improved hay collection	Pair	7									•	•	•	•			•	•	•	•	•	858.00
	6131 Roll of netting length 1500m, simple wrap for approx. 430-450 bales	Pce	7.1									•	•	•	•			•	•	•	•	•	243.00

¹ This items are not actively managed by the Rapid Technic AG in stock. It is absolutely to be expected with longer delivery times, specific delivery dates are to check with the Rapid Technic AG.

		Recommended retail price																						
Art. no.	Description	Qty. unit	Weight kg	REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141	VAREA M161	VAREA S161	VAREA M231	VAREA S231	ORBITO	EUR excl. VAT	
 269718	External dead man system, cpl. Set of parts for external dead man system for relocating/supplementing the dead man switch	Pce	2										●	●				●		●				524.00
 269721	Round baler control Angle sensor and linkage are mounted on the round baler (art. no. 6925), cable is plugged into the diagnostic attachment on the walk-behind tractor; incl. external dead man system	Pce	2										●		●				●		●	●		1,040.00

Art. no.	Description	Qty. unit	Weight kg	Recommended retail price														EUR excl. VAT				
				REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141		VAREA M161	VAREA S161	VAREA M231	VAREA S231
Eco Mulcher																						
Eco Mulcher																						
	1477	Eco Mulcher 70cm, Rapid two movable blades, variable adjustable height 35-65mm, rear ejection, appliance driven on runners	Pce	58	●																	2,230.00
	1475	Eco-Mulcher 80cm, Rapid two movable blades, variable adjustable height 27-57mm, rear ejection, appliance driven on runners Obligatory: KIPOS M141: extension piece (Item no. 273160)	Pce	67	●	●	●	●	●													2,455.00
	1775	Eco-Mulcher 80cm, Rapid Two movable blades, continuous height adjustment of 27–57 mm, rear ejection, appliance driven on skids Obligatory: VAREA M161: 2 ballast weight (Art. no. 259686) on attachments, VAREA S161: 4 ballast weights (art. no. 259686) on attachment Recommended: tyres AS 5.00-10, VAREA S231: 2 ballast weight (Art. no. 259686) on attachments	Pce	77					●	●	●	●	●	●	●	●	●	●	●	●	●	2,730.00
Accessories																						
	259686	Ballast weight, 8,5kg stackable to weight rack	Pce	8.5					●	●	●	●	●	●	●	●	●	●	●	●	●	92.00

Art. no.	Description	Qty. unit	Weight kg	Recommended retail price																		
				REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141	VAREA M161	VAREA S161	VAREA M231	VAREA S231	ORBITO
Flail Mower																						
Flail mower																						
Recommended: 16 HP motor: External intake port (art. no. 259825), 23 HP motor: External intake port (art. no. 259826), engine oil cooler (art. no. 259348), thermostatic control (art. no. 259052)																						
	1709	Flail Mower SM68, Rapid 14 pairs 4-mm Y-blades, cutting height 10-100 mm, working width 68 cm, overall width 80 cm Obligatory: KIPOS M141: 2 ballast weight (Art. no. 259686) on attachments Recommended: KIPOS M141: extension piece (Item no. 273160)	Pce	95	●	●	●	●														4,685.00
	1571	Flail Mower 70cm, Rapid 18 pairs 4mm-Y blades, cutter height 20-100mm, working width 70cm, total width 75cm Recommended: Counterbalance system (art. no 257410)	Pce	110					●													6,575.00
	1710	Flail Mower 70cm, Rapid 18 pairs 4mm-Y blades, cutter height 20-100mm, working width 70cm, total width 75cm Recommended: counterbalance system (art. no. 266452), tyres AS 5.00-10 Recommended: Counterbalance system (art. no 257410)	Pce	110										●	●							6,575.00
	1572	Flail Mower 90cm, Rapid 24 pairs 4mm-Y blades, cutter height 20-100mm, working width 90cm, total width 95cm Recommended: Counterbalance system (art. no 266452), external intake port (art. no. 259825) VAREA M231: Weight rack (art. no. 267479) with 3 ballast weights (art. no. 259686) VAREA S231: Weight rack (art. no. 267479) with 2 ballast weights (art. no. 259686)	Pce	140						●	●	●	●	●	●				●	●	●	6,990.00





Art. no.	Description	Qty. unit	Weight kg	Recommended retail price																		
				REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141	VAREA M161	VAREA S161	VAREA M231	VAREA S231	ORBITO
Rotary tiller																						
Rotary tiller																						
General recommendation: Thermostatic control (art. no. 259052 for 16 and 23 HP motors)																						
	1465	Rotary hoe 70cm, Rapid Adjustable rotation, tool-free hood opening, working width 70cm Recommendation: Wheel 5.00-10 MONDO: Weight rack (item no. 261349) with 3 ballast weights (item no. 259686) URI E041: Weight rack (item no. 272180) with 4 ballast weights (item no. 259686)	Pce	57		●	●		●												2,380.00 ⁹⁰	
	1765	Rotary tiller BF70, Rapid Deck adjustable without tools and easy to open, adjustable plough blade, support, working width 70 cm Recommendation: KIPOS M141: Adjustable plate, complete (Item no. 267365) with 1 ballast weights (item no. 259686); Wheel 5.00-10 or 6.00-12 MONDO M091: Weight rack (item no. 261349) with 3 ballast weights (item no. 259686); Wheel 5.00-10 MONDO M141: Weight rack (item no. 261349) with 1 ballast weights (item no. 259686); Wheel 5.00-10 URI E041: Weight rack (item no. 272180) with 4 ballast weights (item no. 259686); Wheel 5.00-10	Pce	50		●	●	●	●													2,380.00
	1766	Rotary tiller BF80, Rapid Deck adjustable without tools and easy to open, adjustable plough blade, support, working width 80 cm Recommendation: KIPOS M141: Adjustable plate, complete (Item no. 267365) with 2 ballast weights (item no. 259686); Wheel 5.00-10 or 6.00-12 MONDO M141: Weight rack (item no. 261349) with 2 ballast weights (item no. 259686); Wheel 5.00-10	Pce	54			●	●														2,825.00






⁹⁰ only so long available as on stock!




Art. no.	Description	Qty. unit	Weight kg	Recommended retail price																				
				REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141	VAREA M161	VAREA S161	VAREA M231	VAREA S231	ORBITO	EUR excl. VAT	
1464	Rotary hoe 90cm, Rapid Adjustable rotation, tool-free hood opening, working width 90cm Recommended: VAREA S 141: weight rack (art. no. 269700) with 4 ballast weights (art. no. 259686), VAREA S161 with 2 ballast weights (art. no. 259686), tyres AS 6.00-12, BR 23x8.50-12, VAREA S231: Weight rack (art. no. 267479) with 5 ballast weights (art. no. 259686) tyres AS 6.00-12, BR 23x8.50-12	Pce	83													●		●			●			3,695.00

Recommended retail price




Art. no.	Description	Qty. unit	Weight kg	REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141	VAREA M161	VAREA S161	VAREA M231	VAREA S231	ORBITO	EUR excl. VAT
Rotary Harrow																							
Rotary harrow																							
General recommendation: Thermostatic control (art. no. 259052 for 16 and 23 HP motors)																							
	1341	Uni-rotary harrow 75cm, R2 Levelling roller adjustable on spindle Recommended: MONDO: tyres 4.00-10; KIPOS: tyres 5.00-10	Pce	95	●	●	●	●															3,720.00
	8953	Uni-rotary harrow 90cm, R2 Levelling roller adjustable on spindle Recommended: MONDO: tyres 4.00-10; KIPOS: tyres 5.00-10	Pce	110	●	●	●	●															4,030.00
	8969	Uni-rotary harrow 90cm, R2 Levelling roller adjustable on spindle Recommended for VAREA 141/161/231: tyres 5.00-10, BR 21x11.00-10	Pce	110												●	●	●	●	●	●	●	4,030.00
	8342	Uni-rotary harrow 100cm, R2 Levelling roller adjustable on spindle Recommended for VAREA: tyres 5.00-10, BR 21x11.00-10	Pce	115												●	●	●	●	●	●	●	4,365.00

Art. no.	Description	Qty. unit	Weight kg	Recommended retail price													EUR excl. VAT					
				REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141		VAREA S141	VAREA M161	VAREA S161	VAREA M231	VAREA S231
 1440	Uni-rotary harrow 125cm, R2 Levelling roller adjustable on spindle Recommended: VAREA 231: Tyres 5.00-10, 21x11.00-10	Pce	145																●	●	●	4,875.00 ¹
Accessories																						
 1446	Drilling container 37l, Lipco to use with uni-rotary harrow 75cm (art. no. 1341), roller driven	Pce	40		●	●	●	●														3,305.00 ¹
 8348	Drilling container 44l, Lipco to use with uni-rotary harrow 100cm (art. no. 8342), roller driven	Pce	47																			3,765.00 ¹
 8956	Hydraulic operation 90cm, Lipco Compatible with Uni-Rotary Harrow 90 cm (Art. No. 8969). Levelling roller and dozer blade are operated individually Obligatory: Additional hydraulics: VAREA M141, M161 (Art. No. 269795), VAREA S141, S161 (Art. No. 269680), VAREA M231 (Art. No. 269785), VAREA S231 (Art. No. 269755), ORBITO (Art. No. 267222)	Pce	25																●	●	●	1,555.00 ¹
 8913	Hydraulic operation 100cm, Lipco Levelling roller and guard individually operated Obligatory: Additional hydraulic: VAREA M141, M161 (art. no. 269795), VAREA S141, S161 (art. no. 269680), VAREA M231 (art. no. 269785), VAREA S231 (art. no. 269755), ORBITO (art. no. 267222)	Pce	25																●	●	●	1,555.00 ¹





¹ This items are not actively managed by the Rapid Technic AG in stock. It is absolutely to be expected with longer delivery times, specific delivery dates are to check with the Rapid Technic AG.

		Recommended retail price																					
Art. no.	Description	Qty. unit	Weight kg	REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141	VAREA M161	VAREA S161	VAREA M231	VAREA S231	ORBITO	EUR excl. VAT
 8957	Hydraulic operation 125cm, Lipco Compatible with Uni-Rotary Harrow 125 cm (Art. No. 1440). Levelling roller and dozer blade are operated individually Obligatory: Additional hydraulics: VAREA M141, M161 (Art. No. 269795), VAREA S141, S161 (Art. No. 269680), VAREA M231 (Art. No. 269785), VAREA S231 (Art. No. 269755), ORBITO (Art. No. 267222)	Pce	25																	●	●	●	1,555.00 ¹



¹ This items are not actively managed by the Rapid Technic AG in stock. It is absolutely to be expected with longer delivery times, specific delivery dates are to check with the Rapid Technic AG.



Art. no.	Description	Qty. unit	Weight kg	Recommended retail price													EUR excl. VAT						
				REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141		VAREA S141	VAREA M161	VAREA S161	VAREA M231	VAREA S231	ORBITO
Stone Burier																							
Stone Burier																							
General recommendation: Thermostatic control (art. no. 259052 for 16 and 23 HP motors)																							
	1773	Stone burier 70cm, Rapid Lateral drive, adjustable and finely stepped depth guidance, laterally adjustable trailing roller, incl. RQL quick lift trailing roller, overload protection Recommendation: Wheel 5.00-10 MONDO: Weight rack (item no. 261349) with 3 ballast weights (item no. 259686) URI E041: Weight rack (item no. 272180) with 4 ballast weights (item no. 259686) KIPOS M141: Adjustable plate, complete (Item no. 267365) with 2 ballast weights (item no. 259686)	Pce	130	●	●	●	●															5,265.00
	1774	Stone burier 80cm, Rapid Lateral drive, adjustable and finely stepped depth guidance, laterally adjustable trailing roller, incl. RQL quick lift trailing roller, overload protection Recommendation: Wheel 5.00-10 MONDO M141: Weight rack (item no. 261349) with 3 ballast weights (item no. 259686) KIPOS M141: Adjustable plate, complete (Item no. 267365) with 3 ballast weights (item no. 259686)	Pce	140		●	●																5,545.00
	1770	Stone burier 80cm, Rapid Lateral drive, adjustable and finely stepped depth guidance, laterally adjustable trailing roller, incl. RQL quick lift trailing roller, overload protection Recommendation: Wheel 6.00-12, 23x8.50-12, counterbalance system (item no. 266452) VAREA 141: Weight rack (item no. 269700) with 3 ballast weights (item no. 259686) VAREA 231: Weight rack (item no. 267479) with 4 ballast weights (item no. 259686)	Pce	155										●	●	●	●	●	●	●	●		5,545.00

Recommended retail price

Art. no.	Description	Qty. unit	Weight kg	REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141	VAREA M161	VAREA S161	VAREA M231	VAREA S231	ORBITO	EUR excl. VAT
 1771	Stone burier 90cm, Rapid Lateral drive, adjustable and finely stepped depth guidance, laterally adjustable trailing roller, incl. RQL quick lift trailing roller, overload protection Recommendation: Wheel 6.00-12, 23x8.50-12; counterbalance system (item no. 266452) VAREA 141: Weight rack (item no. 269700) with 4 ballast weights (item no. 259686) VAREA 161: Weight rack (item no. 269700) with 1 ballast weights (item no. 259686) VAREA 231: Weight rack (art. no. 267479) with 5 ballast weights (art. no. 259686)	Pce	165													●	●	●	●	●	●	●	5,795.00
 1772	Stone burier 100cm, Rapid Lateral drive, adjustable and finely stepped depth guidance, laterally adjustable trailing roller, incl. RQL quick lift trailing roller, overload protection Recommendation: Wheel 6.00-12, 23x8.50-12; counterbalance system (item no. 266452) VAREA 161: Weight rack (item no. 269700) with 2 ballast weights (item no. 259686) VAREA 231: Weight rack (art. no. 267479) with 5 ballast weights (art. no. 259686)	Pce	175															●	●	●	●	●	5,995.00
Accessories																							
 1780	Manual spindle, Rapid Manual spindle for infinitely variable adjustment of the working depth	Pce	5.7		●	●	●	●								●	●	●	●	●	●	●	606.00
 1781	Hydraulic height adjustment, Rapid For infinitely variable adjustment of the working depth Obligatory: Additional hydraulic: VAREA M141, M161 (art. no. 269795), VAREA S141, S161 (art. no. 269680), VAREA M231 (art. no. 269785), VAREA S231 (art. no. 269755), ORBITO (art. no. 267222)	Pce	7													●	●	●	●	●	●	●	858.00





Recommended retail price

Art. no.	Description	Qty. unit	Weight kg	REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141	VAREA M161	VAREA S161	VAREA M231	VAREA S231	ORBITO	EUR excl. VAT
1782	 Hydraulic lateral adjustment, Rapid For infinitely variable lateral adjustment of the trailing roller Obligatory: Additional hydraulic: VAREA M141, M161 (art. no. 269795), VAREA S141, S161 (art. no. 269680), VAREA M231 (art. no. 269785), VAREA S231 (art. no. 269755), ORBITO (art. no. 267222)	Pce	5													●	●	●	●	●	●	●	681.00
266452	 Counterbalance system to balance divers accessories	Pce	2.5													●	●	●	●	●	●	●	371.00






Art. no.	Description	Qty. unit	Weight kg	Recommended retail price														EUR excl. VAT					
				REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141		VAREA M161	VAREA S161	VAREA M231	VAREA S231	ORBITO
Levelling harrow																							
Levelling harrow																							
	1791 Levelling harrow PE150, Rapid Working width 150 cm, with adjustable baffle plates, additional ballast possible with ballast weights (item no. 259686)	Pce.	88		●	●	●	●															3,660.00
	1790 Levelling harrow PE150, Rapid Working width 150 cm, with adjustable baffle plates, additional ballast possible with ballast weights (item no. 259686)	Pce.	88							●	●	●	●	●	●	●	●	●	●	●	●	●	3,660.00
	1427 Levelling harrow 150cm, Reform Working width 150cm, including Rapid connection flange	Pce	87												●	●	●	●	●	●	●	6,650.00 ⁹⁰	






⁹⁰ only so long available as on stock!

Recommended retail price



Art. no.	Description	Qty. unit	Weight kg	REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141	VAREA M161	VAREA S161	VAREA M231	VAREA S231	ORBITO	EUR excl. VAT
Sweeper																							
Sweeper																							
	1672	Combi Sweeper 90cm 85cm working width, lateral movement, centre drive, universal brush ø35 cm	Pce	40	●																		3,515.00
	1328	Combi Sweeper 90cm 85cm working width, lateral movement, centre drive, universal brush ø35 cm	Pce	41		●	●		●														3,515.00
	1455	Combi Sweeper 110cm 105cm working width, lateral movement, centre drive, universal brush ø35cm Obligatory: KIPOS M141: Weight rack sweeper (Item no. 8986) with 4 ballast weights (item no. 259686) and extension piece (Item no. 273160)	Pce	50		●	●	●	●														3,975.00
	1673	Combi Sweeper 110cm 105cm working width, lateral movement, centre drive, universal brush ø35cm	Pce	45						●	●	●	●	●	●	●							4,240.00





Recommended retail price

Art. no.	Description	Qty. unit	Weight kg	REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141	VAREA M161	VAREA S161	VAREA M231	VAREA S231	ORBITO	EUR excl. VAT
 8865	Combi Sweeper 110cm, Wiedenmann 105cm working width, lateral movement, centre drive, universal brush ø42 cm, 2 brush rotational speeds Recommended: VAREA 141, 161: if used without dirt container: 2 ballast weights (art.no. 259686) on attachment; tyres AS 6.00x12, BR23x8.50-12, RB23x8.50-12	Pce	86													●	●	●	●	●	●	●	5,180.00
Accessories																							
 8986	Weight rack sweeper For ballasting the Combi-Sweepers, sheet metal console with safety bracket, holder for up to 4 ballast weights (Item No. 259686). For Combi-Sweepers with brush ø35cm (art. no. 1328, 1455, 1672, 1673) Recommendation: When not using the dirt container and side brush on the Combi-Sweeper 90/110 cm (Item no. 1328 and 1455), 4 ballast weights are recommended for MONDO and URI E041.	Pce	2.4	●	●	●	●	●	●	●	●	●	●	●	●								77.00
 1329	Dirt container 55l to combi sweeper 90cm (art. no. 1328 and 1672) Included: side parts (Art. Nr. 1674), for mounting dirt container and side brush	Pce	21	●	●	●	●																857.00
 1456	Dirt container 65l to combi sweeper 110cm (art. no. 1455, 1673 and 1726) Included: side parts (art. no. 1674), for mounting dirt container and side brush	Pce	23		●	●	●	●	●	●	●	●	●	●	●								990.00
 8866	Dirt collection container 110l, Wiedenmann to combi sweeper 110cm (art. no. 8865) Excluded: side parts (art. no. 1676), for mounting dirt container and side brush	Pce	50													●	●	●	●	●	●	●	1,350.00




Art. no.	Description	Qty. unit	Weight kg	Recommended retail price													EUR excl. VAT							
				REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141		VAREA S141	VAREA M161	VAREA S161	VAREA M231	VAREA S231	ORBITO	
 1330	Side brush to combi sweeper (art. no. 11328, 1455, 1672, 1673 and 1726), ø42cm, total width incl. combi sweeper 90cm (art. no. 1328) = 110cm Obligatory for attachment without dirt container: side sections (art. no. 1674)	Pce	5	●	●	●	●	●	●	●	●	●	●	●										1,015.00
 8867	Side brush, Wiedenmann to combi sweeper (art. no. 8865), ø52cm, total width incl. combi sweeper 110cm = 130cm Obligatory for attachment without dirt container: side sections (art. no. 1676)	Pce	18												●	●	●	●	●	●	●	●	●	1,260.00
 1674	Side parts for Combi-Sweepers with brush ø35cm (art. no. 1328, 1455, 1672, 1673 and 1726)	Pair	7.6	●	●	●	●	●	●	●	●	●	●	●										315.00
 1676	Side sections for Combi-Sweeoers with brush Ø42cm (art. no. 8865)	Pair	12												●	●	●	●	●	●	●	●	●	294.00
 8904	hydraulic cylinder for swivelling the Combi-Sweeper (art. no. 8865) or for emptying the dirt container of the Combi-Sweeper (art. no. 8865) Obligatory: Additional hydraulic: VAREA M141, M161 (art. no. 269795), VAREA S141, S161 (art. no. 269680), VAREA M231 (art. no. 269785), VAREA S231 (art. no. 269755), ORBITO (art. no. 267222)	Pce	5.1												●	●	●	●	●	●	●	●	●	1,005.00 ¹





¹ This items are not actively managed by the Rapid Technic AG in stock. It is absolutely to be expected with longer delivery times, specific delivery dates are to check with the Rapid Technic AG.

Art. no.	Description	Qty. unit	Weight kg	Recommended retail price																	
				REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141	VAREA M161	VAREA S161	VAREA M231	VAREA S231
Weed brush																					
Weed brush																					
1743	 Weed brush WKB 60, Kersten For eliminating weeds from edges, sides and paved areas	Pce	65		●	●	●	●													3,265.00
1744	 Weed brush WKB 60, Kersten For eliminating weeds from edges, sides and paved areas Recommended: Tyres 20x8.00-10, AS 6.00-12, BR 23x8.50-12, RB 23x8.50-12	Pce	78						●							●	●	●	●	●	3,430.00

Art. no.	Description	Qty. unit	Weight kg	Recommended retail price												EUR excl. VAT								
				REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231		VAREA M141	VAREA S141	VAREA M161	VAREA S161	VAREA M231	VAREA S231	ORBITO	
Rotary weed brush																								
Rotary weed brush																								
	1677	Rotary weed brush WE 90, Lipco For eliminating weeds from paved areas Obligatory: Attachment flange 281930 Recommended: VAREA S161: 2 additional weights (art. no. 281926) on attachment, tyres BR 23x8.50-12, RB 23x8.50-12 VAREA M231: Weight rack (art. no. 267479) with 3 ballast weights (art. no. 259686), tyres BR 23x8.50-12, RB 23x8.50-12 VAREA S231: Weight rack (art. no. 267479) with 2 ballast weights (art. no. 259686), tyres BR 23x8.50-12, RB 23x8.50-12	Pce	143													●	●	●	●	●		5,445.00	
Accessories																								
	1678	Twist knot brush set 2x Twist knot brushes, only compatible to Rotary weed brush WE 90 (art. no. 1677)	Pce	7.7														●	●	●	●	●	1,245.00	
	281926	Additional weight Additional weight for increasing contact pressure, only compatible to Rotary weed brush WE 90 (art. no. 1677)	Pce	12														●	●	●	●	●	106.00	
	281930	Attachment flange 78/80mm only compatible to Rotary weed brush WE 90 (art. no. 1677) and Path maintenance unit WP 90 (art. no. 1679)	Pce	4.9														●	●	●	●	●	679.00	

Recommended retail price





Art. no.	Description	Qty. unit	Weight kg	REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141	VAREA M161	VAREA S161	VAREA M231	VAREA S231	ORBITO	EUR excl. VAT
Path maintenance unit																							
Path maintenance unit																							
Weed removal from water-bound surfaces																							
	1679	Path maintenance unit WP 90, Lipco Weed removal from water-bound surfaces Obligatory: Attachment flange (281929 or 281930) Recommended: VAREA M231: Weight rack (art. no. 267479) with 4 ballast weights (art. no. 259686), tyres BR 23x8.50-12, RB 23x8.50-12 VAREA S231: Weight rack (art. no. 267479) with 3 ballast weights (art. no. 259686), tyres BR 23x8.50-12, RB 23x8.50-12	Pce	140	•	•	•	•	•							•	•	•	•	•	•	•	5,300.00
Accessories																							
	281929	Attachment flange 52/54mm	Pce	4.9	•	•	•	•															679.00
	281930	Attachment flange 78/80mm only compatible to Rotary weed brush WE 90 (art. no. 1677) and Path maintenance unit WP 90 (art. no. 1679)	Pce	4.9					•							•	•	•	•	•	•	•	679.00

Art. no.	Description	Qty. unit	Weight kg	Recommended retail price																	
				REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141	VAREA M161	VAREA S161	VAREA M231	VAREA S231
Mini Cargo																					
Mini Cargo																					
	1441 Mini Cargo, CAEB Payload 250kg, bucket 1200x750x430mm, tipping forwards, steerable front wheels, Tyres 3,50x8 PR4; obligatory: Dead man system (art. no. 259074 or 260581 or 272175); KIPOS M141: extension piece (Item no. 273160)	Pce	95		●	●	●	●													3,105.00 ¹
	8894 Mini Cargo, CAEB Payload 400kg, bucket 1200x750x430mm, tipping forwards, swivel caster wheels, Tyres 3,50x8 PR4	Pce	120							●	●	●	●	●	●	●	●	●	●	●	3,105.00 ¹
Accessories																					
	259074 Dead man system Needed for steering various attachments with chassis; fitted to attachment handle; for MONDO models up to May 2013 (serial number 100005307)	Pce	1		●																361.00 ¹
	272175 External dead man system Required for steering various attachments with chassis	Pce	0.6																		361.00


¹ This items are not actively managed by the Rapid Technic AG in stock. It is absolutely to be expected with longer delivery times, specific delivery dates are to check with the Rapid Technic AG.



Art. no.	Description	Qty. unit	Weight kg	Recommended retail price																		
				REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141	VAREA M161	VAREA S161	VAREA M231	VAREA S231	ORBITO
260581	Dead man system Needed for steering various attachments with chassis; fitted to attachment handle; for MONDO models as of May 2013	Pce	1.8		●	●	●															770.00






		Recommended retail price																					
Art. no.	Description	Qty. unit	Weight kg	REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141	VAREA M161	VAREA S161	VAREA M231	VAREA S231	ORBITO	EUR excl. VAT
Trailer																							
Trailer																							
	7162	Trailer, Deves Payload 400kg, bucket 1300x1000x300mm, manual tipping device, seat, immobilisation brake, tyres 4.00-8; observe local legal conditions for trailer operation in road traffic (basic machine and trailer) Mandatory: Hitching device for MONDO and URI (Art. No. 261520) Hitching device for MONTA 141/161 and VAREA 141/161 (Art. No. 269860) Hitching device for VAREA 231 (Art. No. 269865)	Pce	104	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	3,055.00 ¹
	4903	Trailer, Deves Payload 500kg, bucket 1600x1100x350mm, manual tipping device, seat, immobilisation brake, tyres 135/13; observe local legal conditions for trailer operation in road traffic (basic machine and trailer) Mandatory: Hitching device for MONTA 141/161 and VAREA 141/161 (Art. no. 269860) Hitching device for VAREA 231 (Art. no. 269865)	Pce	160						●	●	●	●	●	●	●	●	●	●	●	●	●	3,655.00 ¹
Accessories																							
	261520	Trailer fixture, Rapid Hitching device for operating Deves trailers (art. no. 7162); observe local legal conditions for trailer operation in road traffic (basic machine and trailer)	Pce	15	●	●	●																811.00
	269860	Trailer fixture Hitching device for operating Deves trailers (art. no. 7162 and 4903); observe local legal conditions for trailer operation in road traffic (basic machine and trailer) Recommendation: Operate MONTA with trailer Deves (art. no. 7162), operate VAREA with trailer Deves (art. no. 7162 or 4903)	Pce	15						●	●	●	●	●	●	●	●	●	●				669.00

¹ This items are not actively managed by the Rapid Technic AG in stock. It is absolutely to be expected with longer delivery times, specific delivery dates are to check with the Rapid Technic AG.





Art. no.	Description	Qty. unit	Weight kg	Recommended retail price																	
				REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141	VAREA M161	VAREA S161	VAREA M231	VAREA S231
 269865	Trailer fixture Hitching device for operating Deves trailers (art. no. 7162 and 4903); observe local legal conditions for trailer operation in road traffic (basic machine and trailer) Recommendation: Operate VAREA with trailer Deves (art. no. 7162 or 4903)	Pce	15															●	●		669.00

Art. no.	Description	Qty. unit	Weight kg	Recommended retail price																		
				REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141	VAREA M161	VAREA S161	VAREA M231	VAREA S231	ORBITO
Container tow arm																						
Container tow arm																						
	4910	Container tow arm CS800 For moving waste containers ("Norm Schweiz", 800 l), additional ballast is available with ballast weight (item no. 259686) on the baffle plate	Pce.	10	●	●	●	●	●													390.00
	4911	Container tow arm CS800 For moving waste containers ("Norm Schweiz", 800 l), additional ballast is available with ballast weight (item no. 259686) on the baffle plate Recommendation: VAREA 161 extension piece (item no. 257810) or ballast weight (item no. 259686)	Pce.	10						●	●	●	●	●	●	●	●	●	●	●	●	390.00






Art. no.	Description	Qty. unit	Weight kg	Recommended retail price															EUR excl. VAT				
				REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141	VAREA M161		VAREA S161	VAREA M231	VAREA S231	ORBITO
Combi spreader																							
Combi spreader																							
	1355	Combi spreader, Kersten for salt, gravel, sand, etc, Volume 70l, spreading width 50–400cm, incl. rack cover, height adjustment (therefore all tire options possible) Obligatory: KIPOS M141: Extension piece (Item no. 273160) Recommended: MONDO M091 EST / M141; KIPOS M141: 2 ballast weight (Art. no. 259686) on attachments	Pce	49	•	•	•	•															
	1356	Combi spreader, Kersten for salt, gravel, sand, etc, Volume 70l, spreading width 50–400cm, incl. rack cover, height adjustment (therefore all tire options possible) Obligatory: VAREA 141, 161 and S231 with 2 ballast weights (art. no. 259686) on attachment	Pce	68					•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Accessories																							
	259686	Ballast weight, 8,5kg stackable to weight rack	Pce	8.5	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	




¹ This items are not actively managed by the Rapid Technic AG in stock. It is absolutely to be expected with longer delivery times, specific delivery dates are to check with the Rapid Technic AG.





Recommended retail price

Art. no.	Description	Qty. unit	Weight kg	REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141	VAREA M161	VAREA S161	VAREA M231	VAREA S231	ORBITO	EUR excl. VAT
Snowplough																							
Snowplough																							
	281945	Snowplough 100cm, Rapid Spring-mounted, lateral movement from handlebar, clearing width from 81-100cm, height 49cm Obligatory: Carrying arm or Combi-Carrying arm Recommended: MONDO: Combi-Carrying arm long mounted	Pce	68	●	●	●	●	●														1,360.00
	281946	Snowplough 125cm, Rapid Spring-mounted, lateral movement from handlebar, clearing width from 101-125cm, height 49cm Obligatory: Combi-Carrying arm (art. no. 260810) Recommended: MONDO: Combi-Carrying arm long mounted VAREA 141/161 with 2 ballast weights (art. no. 259686) on attachment, tyres 5.00-10, 20x8.00-10, Combi-Carrying arm long mounted	Pce	79		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	1,465.00
	281947	Snowplough 150cm, Rapid Spring-mounted, lateral movement from handlebar, clearing width from 121-150cm, height 49cm Obligatory: Combi-Carrying arm (art. no. 260810) Recommended: VAREA 161, tyres 5.00-10, 20x8.00-10, Combi-Carrying arm long mounted	Pce	90								●	●	●	●			●	●	●	●	●	1,575.00
Accessories																							
	260812	Carrying arm for snowplough 100cm (art. no. 281945)	Pce	12	●																		440.00





Recommended retail price

Art. no.	Description	Qty. unit	Weight kg	REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141	VAREA M161	VAREA S161	VAREA M231	VAREA S231	ORBITO	EUR excl. VAT	
 260810	Combi-carrying arm length and connecting piece adjustable	Pce	16		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	491.00
 281952	Side panels for snowplough	Pce	11	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	298.00
 1420	Guide rollers for the snowplough	Pce	5.7	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	315.00
 1559	Pivoting mechanism Obligatory: Additional hydraulic: VAREA M141, M161 (art. no. 269795), VAREA S141, S161 (art. no. 269680), VAREA M231 (art. no. 269785), VAREA S231 (art. no. 269755), ORBITO (art. no. 267222)	Pce	15							•	•	•	•	•	•	•	•	•	•	•	•	•	•	881.00
 1541	Vulkolan bar for the snowplough 100cm	Pce	2.7	•	•	•	•	•	•															222.00





Art. no.	Description	Qty. unit	Weight kg	Recommended retail price															EUR excl. VAT			
				REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141	VAREA M161		VAREA S161	VAREA M231	VAREA S231
 4823	Vulkolan bar for the snowplough 125cm	Pce	3.6		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	268.00
 4824	Vulkolan bar for the snowplough 150cm	Pce	4.4								●	●	●	●		●	●	●	●	●	●	310.00
 259686	Ballast weight, 8,5kg stackable to weight rack	Pce	8.5	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	92.00

Art. no.	Description	Qty. unit	Weight kg	Recommended retail price													EUR excl. VAT								
				REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141		VAREA S141	VAREA M161	VAREA S161	VAREA M231	VAREA S231	ORBITO		
Snow thrower																									
Snow thrower																									
	1568	Snow thrower 70cm, Rapid 70cm working width, ejection chamber and gate adjustable on handlebar, toothed reel ø40cm, spinner ø35cm Obligatory: KIPOS M141: extension piece (Item no. 273160) Recommended: Tyres 4.00-10	Pce	96		•	•	•	•															5,870.00	
	1569	Snow thrower 70cm, Rapid 70cm working width, ejection chamber and gate adjustable on handlebar, toothed reel ø40 cm, spinner ø35cm Obligatory: spacer attachment (art. no. 259018) Recommended: VAREA 161: 2 ballast weights (art. no. 259686) on attachment, tyres 5.00-10	Pce	96										•		•	•	•						6,130.00	
	1562	Snow thrower 87cm, Rapid 87cm working width, with safety clutch, ejection camber and gate adjustable on handlebar, adjustable skids with height adjustment, toothed reel ø46cm, spinner ø35cm Obligatory: when operated manually: spacer attachment (art. no. 259018) Recommended: Tyres AS 6.00x12, BR 23x8.50-12, RB 23x8.50-12	Pce	132												•	•	•	•	•	•	•	•	9,695.00	
	1563	Snow thrower 105cm, Rapid 105cm working width, with safety clutch, ejection chamber and gate adjustable on handlebar, adjustable skids with height adjustment, toothed reel ø46cm, spinner ø37cm Obligatory when operated manually spacer attachment (art. no 259018). Recommended: Wheels 6.00-12, 23x8.50-12	Pce	145												•	•					•	•	•	10,080.00

Recommended retail price

Art. no.	Description	Qty. unit	Weight kg	REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141	VAREA M161	VAREA S161	VAREA M231	VAREA S231	ORBITO	EUR excl. VAT	
Accessories																								
	1564 Side sword to snow throwers Rapid (art. no. 1568, 1569, 1562, 1563)	Pce	2.9		•	•	•	•	•					•	•	•	•	•	•	•	•	•	•	115.00
	259018 Spacer attachment bracket for different parts on handlebar	Pce	1						•					•	•	•	•	•	•	•	•	•	•	95.00
	281955 Hydraulic operation for pivoting of the ejection chamber and continuous adjustment of the flap Obligatory: Additional hydraulic: VAREA M141, M161 (art. no. 269795), VAREA S141, S161 (art. no. 269680), VAREA M231 (art. no. 269785), VAREA S231 (art. no. 269755), ORBITO (art. no. 267222) compatible to snow thrower art. no. 1562 / 1563	Pce	8.2											•	•	•	•	•	•	•	•	•	•	1,715.00
	259686 Ballast weight, 8,5kg stackable to weight rack	Pce	8.5		•	•	•	•	•					•	•	•	•	•	•	•	•	•	•	92.00

Recommended retail price



Art. no.	Description	Qty. unit	Weight kg	REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141	VAREA M161	VAREA S161	VAREA M231	VAREA S231	ORBITO	EUR excl. VAT
Snow chains																							
Snow chains																							
per pair																							
	686	Power chains 4,00-8	Pair	6																			233.00
	1546	Power chains 16x6,50-8	Pair	4.9																			420.00
	1390	Track chains 4,00-10	Pair	3.8																			320.00
	3859	Track chains 18x7,00-8	Pair	5.3																			399.00

Art. no.	Description	Qty. unit	Weight kg	Recommended retail price																		
				REX	MONDO M091	MONDO M141	KIPOS M141	URI E041	SWISS	MONTA M141	MONTA S141	MONTA M161	MONTA S161	MONTA M231	MONTA S231	VAREA M141	VAREA S141	VAREA M161	VAREA S161	VAREA M231	VAREA S231	ORBITO
 5330	Power chains 5,00-10	Pair	5.3																			266.00
 268025	Power chains 20x8.00-10	Pair	5.9																			148.00 ⁹⁰
 5551	Power chains 6,00-12	Pair	4.8																			320.00
 5708	Track chains 23x8,50-12	Pair	7																			577.00

⁹⁰ only so long available as on stock!

Grass sod cutter



Recommended retail price

	Art. no.	Description	EUR excl. VAT
	253490	Rapid RS3040 M061 Subaru Robin EX17 internal combustion engine (4.2 kW/5.7 HP)	3,590.00
	RS3040-ALL-RADKT	RS3040 grass sod cutter with AWD Subaru Robin EX17 internal combustion engine (4.2 kW/5.7 HP)	3,590.00 ⁹⁰

⁹⁰ only so long available as on stock!

E-Kit

Recommended retail price




	Art. no.	Description	EUR excl. VAT
	274000	E-Kit 505 Alternative to internal combustion engine, consisting of attachment/carrier unit, electric motor and operating elements, excl. battery and charger Obligatory: Battery 48V / 60Ah (item no. 272205) and charger (item no. 272210) or fast charger (item no. 272207)	4,900.00 *
	274001	E-Kit 606 Alternative to internal combustion engine, consisting of attachment/carrier unit, electric motor and operating elements, excl. battery and charger Obligatory: Battery 48V / 60Ah (item no. 272205) and charger (item no. 272210) or fast charger (item no. 272207)	4,900.00 *

fixed discount

* special conditions

Flexispike for Köppl













Recommended retail price

	Art. no.	Description	EUR excl. VAT
	1852	Flexispike 9", 4-r Flexispike with 40 spikes in 4 rows, width 436 mm and press-in depth 70 mm	2,405.00
	1849	Flexispike 11", 4-r Flexispike with 48 spikes in 4 rows, width 436 mm and press-in depth 85 mm	2,960.00
	1848	Flexispike 11", 5-r Flexispike with 60 spikes in 5 rows, width 529 mm and press-in depth 85 mm	3,515.00

Flexispike wheels




Mounting on Rapid and Köppl, Ibex third-party products

V3.2, 08.2023

Item no.	Wheel designation	Figure	Wheel mass	Hole pattern	Mounting options	Comments
1854	7" Flexispike (4-row)				Hole pattern 1: Rapid REX	
1852	9" Flexispike (4-row)				Hole pattern 1: Rapid SWISS Hole pattern 2: Köppl	
1849	11" Flexispike (4-row)				Hole pattern 1: Rapid MONTA, VAREA, ORBITO; Ibex 14, 28 Hole pattern 2: Köppl	
1848	11" Flexispike (5-row)				Hole pattern 1: Rapid MONTA, VAREA, ORBITO; Ibex 14, 28 Hole pattern 2: Köppl	

Flexispike for Aebi










Recommended retail price

	Art. no.	Description	EUR excl. VAT
	1853	Flexispike 9", 4-r Flexispike with 40 spikes in 4 rows, width 436 mm and press-in depth 70 mm	2,405.00
	1851	Flexispike 11", 4-r Flexispike with 48 spikes in 4 rows, width 436 mm and press-in depth 85 mm	2,960.00
	1850	Flexispike 11", 5-r Flexispike with 60 spikes in 5 rows, width 529 mm and press-in depth 85 mm	3,515.00

Flexispike wheels

Mounting on Aebi third-party products

V3.2, 08.2023

Item no.	Wheel designation	Figure	Wheel mass	Hole pattern	Mounting options	Comments
1853	9" Flexispike				Hole pattern 1: Aebi CC36	
1851	11" Flexispike (4-row)				Hole pattern 1: Aebi CC56 Aebi CC66	Mounting on CC56 with 13 hp engine only possible to a limited extent (risk of collision due to very small distance between wheel and machine)
1850	11" Flexispike (5-row)				Hole pattern 1: Aebi CC56 Aebi CC66	Mounting on CC56 with 13 hp engine only possible to a limited extent (risk of collision due to very small distance between wheel and machine)

Item number	Page	Item number	Page	Item number	Page
1328	199	1509	9	1649	173
1329	200	1510	138, 161	1650	145
1330	201	1515	16, 21, 34, 40	1651	145
1333	176	1516	18, 23, 42	1652	145
1341	192	1517	30, 36, 42	1653	145
1355	210	1520	39	1654	145
1356	210	1521	137, 160	1655	145
1369	11, 18, 22, 36, 42	1522	140	1656	145
1371	9	1523	140	1657	145
1387	15, 20, 34, 40	1524	140	1658	145
1388	137, 160	1526	39	1659	146
1390	216	1527	8	1660	146
1395	176	1528	10, 42	1662	147
1401	140	1529	9	1663	147
1402	140	1541	212	1664	147
1403	142	1546	216	1665	147
1404	142	1551	180	1666	147
1407	143, 143, 143, 143, 164	1552	180	1667	147
1408	139, 161	1553	180	1668	147
1420	212	1559	212	1669	147
1427	198	1562	214	1670	142
1428	168	1563	214	1671	143
1429	168	1564	215	1672	199
1439	168	1568	214	1673	199
1440	193	1569	214	1674	201
1441	205	1571	187	1675	9
1446	193	1572	187	1676	201
1451	171	1573	188	1677	203
1452	143, 143, 143, 143	1574	188	1678	203
1453	171	1576	9	1679	204
1454	171	1577	16, 21, 35, 41	1696	27, 46, 51, 57, 63, 70, 76, 86, 91, 96, 102, 110, 117
1455	199	1578	47, 52, 58, 64, 71, 77, 112, 119, 129	1697	138
1456	200	1579	48, 53, 59, 65, 72, 78, 112, 119, 130	1698	137, 160
1462	172	1581	16, 20, 34, 40	1699	11, 18, 23, 30, 36, 42, 49, 55, 61, 68, 74, 81, 89, 94, 100, 106, 115, 122, 133
1463	172	1582	28, 46, 51, 57, 63, 70, 76, 87, 92, 97, 103, 111, 118, 128	1703	139, 161
1464	191	1583	28, 46, 51, 57, 63, 70, 76, 87, 92, 97, 103, 111, 118, 128	1706	175
1465	190	1584	47, 52, 58, 64, 71, 77, 111, 118, 129	1708	175
1470	167	1585	47, 52, 58, 64, 71, 77, 112, 119, 129	1709	187
1471	140	1586	11, 36	1710	187
1472	172	1587	28, 47, 52, 58, 64, 71, 77, 87, 92, 97, 103, 111, 118, 129	1711	188
1475	186	1643	182	1712	188
1477	186	1644	182	1732	9
1498	11, 18, 23, 36, 42	1648	173	1733	16, 21, 35, 41
1506	8				
1507	139, 161, 167				
1508	137, 160				

Item number	Page	Item number	Page	Item number	Page
1734	28, 47, 52, 58, 64, 71, 77, 87, 92, 97, 103, 111, 118, 129	259017	131	268025	217
1735	48, 53, 59, 65, 72, 78, 112, 119, 130	259018	215	269000	45
1736	47, 52, 58, 64, 71, 77, 112, 119, 129	259052	60, 67, 73, 80, 99, 105, 114, 121, 131	269001	56
1743	202	259071	178	269002	69
1744	202	259074	178, 205	269005	50
1755	175	259287	10, 16, 21, 29, 41, 48, 53, 59, 65, 72, 78, 87, 92, 97, 103, 112, 119, 130	269006	62
1765	190	259348	73, 79, 113, 120, 130	269007	75
1766	190	259366	27, 46, 51, 57, 63, 70, 76, 110, 117, 128	269053	178
1770	195	259497	60, 66, 98, 105	269430	41, 48, 60, 73, 88, 98, 113
1771	196	259686	18, 22, 30, 36, 49, 54, 61, 67, 74, 80, 89, 94, 99, 106, 114, 122, 132, 179, 186, 210, 213, 215	269440	53, 66, 79, 93, 104, 120
1772	196	259825	59, 65, 98, 104	269480	53, 66, 79, 93, 104, 120
1773	195	259826	72, 78, 113, 120, 130	269500	85
1774	195	260015	177	269501	95
1775	186	260581	206	269505	90
1780	196	260760	15, 19, 33, 40	269506	101
1781	196	260810	212	269670	17, 22, 54, 66, 79, 93, 104, 121, 131
1782	197	260812	211	269680	54, 66, 79, 93, 104
1790	198	261254	17, 22	269690	60, 66, 73, 79, 98, 104
1791	198	261330	15, 20, 34	269700	49, 54, 61, 67, 74, 80, 89, 94, 99, 105
1848	28, 47, 52, 58, 64, 71, 77, 87, 92, 97, 103, 111, 118, 129	261335	15, 20, 34, 40	269710	66, 79, 105, 121
1849	28, 47, 52, 58, 64, 71, 77, 87, 92, 97, 103, 111, 118, 129	261344	15, 20, 27, 34, 46, 51, 57, 63, 70, 76, 86, 91, 96, 102, 110, 117	269718	185
1852	16, 20, 28, 40	261349	18, 22	269721	185
1854	9	261355	17, 42	269755	120
256944	168, 172	261365	17, 41	269770	85, 90, 95, 101, 109, 116
257108	144, 144, 144, 144	261437	17, 21	269771	86, 91, 96, 102, 110, 117
257139	143, 143, 143, 143	261520	207	269780	113, 120
257410	42, 189	261600	14	269785	113
257580	174	261601	19	269795	49, 60, 73, 88, 98
257608	141	261602	14	269800	109
257638	144, 144	261604	22, 29, 48, 88	269805	116
257660	138	266452	49, 54, 61, 67, 74, 80, 88, 94, 99, 105, 114, 121, 131, 173, 189, 197	269830	60, 73, 98, 113
257670	138	266905	22, 30, 49, 54, 88, 93, 131	269850	178
257810	88, 94, 99, 105, 114, 121	266915	60, 67, 73, 80, 99, 105, 114, 121, 131	269855	54, 93
258437	173	267000	127	269860	207
258655	28, 46, 51, 57, 63, 70, 76, 86, 91, 96, 102, 111, 118, 128	267002	126	269865	208
258720	27, 46, 51, 57, 63, 70, 76, 86, 91, 96, 102, 110, 117, 128	267222	131	269880	53, 65, 78, 93, 104, 120
258995	9	267239	131	270346	15, 20, 34, 40
258996	15, 20, 27, 34, 45, 50, 56, 62, 69, 75, 86, 91, 96, 102, 110, 117	267349	127	271190	10
258998	27, 46, 51, 57, 63, 70, 76, 86, 91, 96, 102, 110, 117, 128	267350	128	271265	10
		267365	30, 61, 67, 74, 80, 99, 106, 114, 122, 132	271267	10
		267479	114, 121, 132	272000	33
				272170	36
				272175	178, 205
				272180	36
				272185	17, 22, 29, 35
				272205	35

Item number	Page	Item number	Page	Item number	Page
272207	35	5533	142	8865	200
272210	35	5551	217	8866	200
273000	26	5603	138	8867	201
273070	26	5708	217	8894	205
273071	27	5875	177	8904	201
273160	29	5895	176	8913	193
273175	29	5902	177	8953	192
273210	29	5910	177	8956	193
273215	10, 17, 21, 41, 48, 59, 72, 88, 98, 113	5998	142	8957	194
281019	189	6131	184	8969	192
281020	188	6355	184	8986	200
281926	203	6356	184		
281929	204	6444	143, 143, 143, 143, 164		
281930	203, 204	6454	169		
281945	211	686	216		
281946	211	6925	184		
281947	211	6932	139, 161		
281952	212	6942	140		
281955	215	7001	150		
282620	180	7002	150		
282640	181	7048	144, 144, 144, 144		
282880	182	7097	139, 162, 167		
283040	183	7162	207		
283050	183	7179	150		
283060	182	7180	150		
283130	183	7185	173		
3859	216	7186	150		
4823	213	7220	153		
4824	213	7221	153		
4903	207	7222	153		
4910	209	7223	153		
4911	209	7224	153		
5031	163	7225	153		
5032	163	7318	150		
5033	163	7321	30, 132		
5034	163	7323	30, 49, 54, 61, 67, 74, 80, 89, 94, 100, 106, 115, 122, 132		
5035	163				
5110	164, 169	7324	132		
5112	164, 169	7326	132		
5113	165, 169	7330	167		
5318	165	7331	168		
5330	217	7334	142		
5392	140	7335	141		
5393	140	7339	133		
5421	164	8342	192		
5423	142	8348	193		

	Page		Page		Page
A					
Additional weight	203	Dirt container 55l	200	Haymaker SR 150cm, Bartholet	177
Additional weights for cutter heads 8kg	139, 162, 167	Dirt container 65l	200	Haymaker SR 180cm, Bartholet	177
Adjustable slip skids	164, 169	Drawbar	173	Haymaker steering control	178
Attachment flange 52/54mm	204	Drilling container 37l, Lipco	193	Hayrake dead man system	178
Attachment flange 78/80mm	203, 204	Drilling container 44l, Lipco	193	High sole, ESM	164, 169
Attachment grid	180–182	Dual cutter bars 132cm	168	hydraulic cylinder	201
Attachment grille	182	Dual cutter bars 146cm	168	Hydraulic height adjustment, Rapid	196
Attachment parts for landscaping cutter bar	164	Dual cutter bars 181cm	168	Hydraulic lateral adjustment, Rapid	197
B					
Ballast weight, 8,5kg	179, 186, 210, 213, 215	Dual cutter bars 204cm	168	Hydraulic operation	189, 215
Ballast weights 13kg	172	Dual cutter head	167	Hydraulic operation 100cm, Lipco	193
Ballast weights 7,4kg	144, 148, 151, 154	Dual cutter tyres	184	Hydraulic operation 125cm, Lipco	194
Bar weight 15kg	144, 149	E			
Broad gauge mower 160cm	171	Eco Mulcher 70cm, Rapid	186	Eco-Mulcher 80cm, Rapid	186
Broad gauge mower 200cm	171	Edge protection	165, 169	E-Kit 505	219
Broad gauge mower 230cm	171	E-Kit 606	219	External dead man system	178, 205
Broad gauge mower 260cm	172	External dead man system, cpl.	185	F	
C					
Carrying arm	211	Flail Mower 110cm, Rapid	188	Flail Mower 130cm, Rapid	188
Chassis WS	175	Flail Mower 70cm, Rapid	187	Flail Mower 90cm, Rapid	187, 188
Clamp sole	143, 148, 151, 154, 164	Flail Mower SM68, Rapid	187	Flexispike 11", 4-r	220, 222
Combi-carrying arm	212	Flexispike 11", 5-r	220, 222	Flexispike 9", 4-r	220, 222
Combi spreader, Kersten	210	Flexispike for Aebi	222	Flexispike for Köppl	220
Combi Sweeper 110cm	199	G			
Combi Sweeper 110cm, Wiedenmann	200	Grass separator	143, 148, 151, 154, 164	Grass sod cutter	218
Combi Sweeper 90cm	199	Grease gun	174	Guide rollers	212
Compact drive (drive system + unit)	173	H			
Container tow arm CS800	209	Haymaker, Morellato	176	Haymaker 150cm, Bartholet	176
Counterbalance system	173, 189, 197	Haymaker 180cm, Bartholet	177	Haymaker OP-115, Vari	176
Cover	173	I			
Cutter head	137–139, 160, 161	J			
Cutter heads connection flange	139, 161, 167	K			
Cutting shoe	143, 148, 151, 154	L			
D					
Dead man system	177, 178, 205, 206	M			
Diamant cut sickle bar 174cm	150	Landscaping cutter bar 102cm, ESM	163	Landscaping cutter bar 122cm, ESM	163
Diamant cut sickle bar 197cm	150	Landscaping cutter bar 142cm, ESM	163	Landscaping cutter bar 162cm, ESM	163
Diamant cut sickle bar 220cm	150	Landscaping cutter bar 203cm, ESM	163	Levelling harrow 150cm, Reform	198
Diamant cut sickle bar 244cm	150	Levelling harrow PE150, Rapid	198	N	
Dirt collection container 110l, Wiedenmann	200	O			
E					
P					
Q					
R					
S					
T					
U					
V					
W					
X					
Y					
Z					

	Page		Page		Page
Normal cut sickle bar 310cm	147	Rapid VAREA M161, Type: 1690	95	steering handlebar with dead man handle	178
P		Rapid VAREA M231	109	Stone burier 100cm, Rapid	196
Pasture harrow WS200, Rapid	175	Rapid VAREA M231, Typ: 1693	109	Stone burier 70cm, Rapid	195
Pasture harrow WS300, Rapid	175	Rapid VAREA S141	90	Stone burier 80cm, Rapid	195
Path maintenance unit WP 90, Lipco	204	Rapid VAREA S141, Type: 1691	90	Stone burier 90cm, Rapid	196
Pivoting mechanism	212	Rapid VAREA S161	101		
Power chains 16x6,50-8	216	Rapid VAREA S161, Type: 1691	101	T	
Power chains 20x8.00-10	217	Rapid VAREA S231	116	Track chains 18x7,00-8	216
Power chains 4,00-8	216	Rapid VAREA S231, Typ: 1694	116	Track chains 23x8,50-12	217
Power chains 5,00-10	217	Rear rake	184	Track chains 4,00-10	216
Power chains 6,00-12	217	Roller hold-down device	183	Trailer, Deves	207
		Roller hold-down device	183	Trailer fixture	207, 208
		Roll of netting	184	Trailer fixture, Rapid	207
		Rotary hoe 70cm, Rapid	190	Transport rollers	172
		Rotary hoe 90cm, Rapid	191	Twin reflectors	144, 149, 152, 155
		Rotary tiller BF70, Rapid	190	Twister hayrake 140, Rapid	180
		Rotary tiller BF80, Rapid	190	Twister hayrake 180, Rapid	180
		Rotary weed brush WE 90, Lipco	203	Twister hayrake 220, Rapid	180
		Round baler, CAEB	184	Twist knot brush set	203
		Round baller control	185		
		RS3040 grass sod cutter with AWD	218	U	
		Ruby cut sickle bar 174cm SW	153	Uni-rotary harrow 100cm, R2	192
		Ruby cut sickle bar 197cm AS	153	Uni-rotary harrow 125cm, R2	193
		Ruby cut sickle bar 197cm SW	153	Uni-rotary harrow 75cm, R2	192
		Ruby cut sickle bar 220cm AS	153	Uni-rotary harrow 90cm, R2	192
		Ruby cut sickle bar 220cm SW	153		
		Ruby cut sickle bar 244cm SW	153	V	
				Vulkolan bar	212, 213
		S			
		Separating bar DMB	169	W	
		Side brush	201	Wedge	139, 161
		Side brush, Wiedenmann	201	Weed brush WKB 60, Kersten	202
		Side panels	212	Weight rack sweeper	200
		Side parts	183, 201	Weights, 4kg	165
		Side sections	201		
		Side sword	215		
		Skid shoe ESM	168, 172		
		Slip heel cpl.	143, 148, 151, 154		
		Snowplough 100cm, Rapid	211		
		Snowplough 125cm, Rapid	211		
		Snowplough 150cm, Rapid	211		
		Snow thrower 105cm, Rapid	214		
		Snow thrower 70cm, Rapid	214		
		Snow thrower 87cm, Rapid	214		
		Spacer attachment	215		
		Spreader hood LP	139, 161		

General Terms and Conditions of Business

1. Scope of application

1.1 These General Terms and Conditions of Business ("GTC") are applicable to all contracts between Rapid Technic AG (the "Supplier") and the respective other party (the "Contract Partner"), unless the Parties have made deviating agreements. Deviating agreements between the Parties shall take priority over these GTC.

1.2 Any GTC of the Contract Partner shall not be applicable.

2. Sales documents

2.1 All technical information in sales documentation must be understood as approximate.

2.2 The right is reserved to make non-material, reasonable alterations to the item delivered compared to the item described in the contract.

3. Prices and delivery

3.1 Prices for deliveries in the home market (Switzerland) are to be understood as net, **ex-works Killwangen (AG)**, in Swiss francs and **subject to value added taxes**.

3.2 The prices for deliveries to Contract Partners abroad are to be understood as net, **in euros and ex-works (FCA)** Industriestrasse 7, 8956 Killwangen (AG), Switzerland (Incoterms 2020).

3.3 The right is reserved to make price adjustments compared to any catalogue prices published and pricelists.

3.4 If the delivery or service is to take place four months after conclusion of the contract or later, we reserve the right to renegotiate the price if costs, wages, etc. change. If other deadlines have already been agreed in writing in our offer, the conditions of this offer shall apply.

4. Terms and conditions of payment

4.1 Supplier invoices must be settled within 30 days from the date of the invoice.

4.2 In the event of failure to comply with the payment deadline, the Contract Partner shall be in default without the need for a reminder. The default interest is 9%.

4.3 The Supplier can charge dunning fees of CHF 20.00 per reminder.

5. Retention of title

5.1 The Supplier shall retain title to the item delivered up until full payment of the price (including any default interest and costs owed). The Supplier is entitled to arrange a corresponding entry in the Title Retention Register.

5.2 Pledging, transfer by way of security, processing or alteration of the delivered item prior to transfer of ownership is not permitted without the express consent of the Supplier.

6. Delivery dates

6.1 Delivery dates and delivery periods of the Supplier are non-binding, unless they have been expressly agreed in writing as binding.

6.2 The Supplier shall not be in default until following a written reminder as well as unsuccessful passing of a period of grace of at least 30 days, set in writing.

6.3 The Supplier is entitled to make partial deliveries.

7. Checking and acceptance of deliveries

7.1 With contracts of purchase for machines and accessories, handover shall be in accordance with the requirements of a written handover report. The Parties are obliged to carry out the checking and handover steps envisaged therein, to note any defects and to confirm this through signature of the handover report.

7.2 Number 7.1 shall not apply if the Supplier is Rapid Technic AG and the Contract Partner is a "Rapid Dealer" recognised by Rapid Technic AG. In this case, the Rapid Dealer is however obliged to process the handover in accordance with Number 7.1 in the event of onward sale.

7.3 If no handover report is used (in particular with contracts for work and services and as per Number 7.2), the Contract Partner shall be obliged to check the item delivered immediately, and to report any defects to the Supplier in writing within 7 days.

7.4 Any defects occurring or detected later must be reported to the Supplier in writing within 30 days of detection.

8. Warranty for material defects

8.1 The Supplier warrants the error-free function of the items delivered during the warranty period.

8.2 The warranty for material defects shall end one year after handover of the item. In the case of second-hand machines (used machines) and devices, the warranty for material defects shall also end after one year.

8.3 If the Supplier is Rapid Technic AG and the Contract Partner is a "Rapid Dealer" recognised by Rapid Technic AG, the warranty shall be extended by the period between handover of the item to the Rapid Dealer and its onward sale to an end customer, at the most however by six months. Number 8.2 shall apply unaltered to second-hand machines (used machines) and devices.

8.4 Warranty shall be provided for replacement parts, installed within the context of repairs, up until expiry of the warranty as per Number 8.2 or 8.3, at least however for six months.

8.5 The warranty shall expire or is excluded

- for wearing parts (e.g. tyres, clutches, brake linings etc.), operating materials (e.g. anti-frost protection, lubricants and cooling agents, hydraulic oil etc.) and lightbulbs as well as glass breakage
- for rust and paintwork damage caused by external influences or insufficient care
- if the Supplier's or manufacturer's regulations on intended use, operation and maintenance of the item are not complied with, and the prescribed compulsory checks and inspections are not carried out by an authorised specialist workshop

d) if changes are made to the item sold without the prior consent of the Supplier, as well as for all third-party superstructures or fittings outside the scope of equipment of the supply plant

e) for defects not reported to the Supplier within the prescribed period (see Number 7.4)

f) for damage resulting from incorrect storage or careless transport of the item or of parts thereof

g) for damage not incurred to the item delivered itself (in particular loss of production, loss of use, loss of orders, loss of profits as well as other direct and indirect damage). Compulsory liability based on claims under the product liability act (PrHG) is reserved.

8.6 The Contract Partner's right to choose cancellation of contract, reduction in the selling price or replacement delivery is hereby excluded and replaced by a right of repair for the Supplier. The Supplier shall decide on the nature and form of any repair (repair or replacement). Replaced parts are the property of the Supplier.

8.7 The item must be handed over at the Supplier's workshop in a cleaned condition for the performance of the warranty work.

8.8 Contributions towards transport costs as well as recovery or transfer costs for the item, travel and accommodation expenses of service fitters of the Supplier or manufacturer as well as costs of hired machines shall not be reimbursed.

9. Voluntary acceptance of returned goods

The Supplier is generally not obliged to take back goods delivered correctly. By way of exception, new accessories and spare parts in perfect condition will be taken back during the six months following the date of invoice. A prerequisite for a credit note is the provision of full information on the shipment by the Customer (copy of the invoice or delivery note). A credit note for a maximum of 80% of the selling price will be issued for goods returned in the original packaging. The net value of the returned goods must be at least CHF 100.00 or EUR 85.00 per shipment.

10. Passing of risk

10.1 Benefit and risk shall pass to the Contract Partner upon handover of the item delivered (see Number 3.1 and 3.2).

10.2 Benefit and risk related to exchanged items shall pass upon handover of the exchanged item to the Supplier.

11. Data protection

11.1 The Supplier's webshop offers the possibility for contract partners to generate an offer directly for the End Customer. In this case, the end customer's data, such as name and address, must be entered and will be stored by the Supplier.

11.2 The Contractual Partner shall be deemed responsible for the respective data of the End Customer and shall conclude an order data processing agreement with the Supplier for this purpose when logging into the online store for the first time by giving the corresponding consent. This agreement regulates how the Supplier processes the data provided by the End Customer.

11.3 The Contractual Partner shall ensure that it complies with the provisions of data protection law vis-à-vis the End Customer and, in particular, that the End Customer consents (implicitly or explicitly) to the transfer of the data to the Supplier.

12. Severability

Should individual provisions of the present contract (including these GTC) be or become ineffective, the other provisions shall remain unaffected.

13. Choice of law and place of jurisdiction

13.1 The present contract shall be governed by **Swiss Law**, subject to exclusion of the United Nations Convention on Contracts for the International Sale of Goods (Vienna Sales Convention, CISG).

13.2 **Exclusive place of jurisdiction is Killwangen**, Canton Aargau, Switzerland.